		e		
				1
				ď
Ġ,				
	•	۰		
		7	3	

-					
<b>→</b> /3 iii		ندائ كمته	~~~	~	**
67 B		6 <b>.</b> 77 .	200	111	111
	W 800	1 . d. A		177	LL
		F. A. T. Par		<b>A</b>	
ZOLCOL	CALL TO CALL TO	CC 3.0		24	

115628

## FUSRAP COMMUNICATIONS DISTRIBUTION DOE/ORO FORMER SITES RESTORATION DIVISION (EW-93) DATE PROCESSED BY POCC 04121194

SRD 📥	COMM TY	PE L	ك	G	1		
		1.55	No.			1, 13	ė.
SAIC SENS	ITIVE 🗀	]					

COM	M	REF	_	*151	11	- 1	-	1. 1		
					7					

SUBJECT LLLA. FILA. FIAP. HOS.	11 - 7 - 12 - 12 - 12 - 12 - 12 - 12 - 1		 
3000001		The second secon	 the same of the sa
중하실 살아 생물 수를 가는 것 같아요. 선택하는 다른 하는 것이 없는 사람들이 없다면 하는 것이 없다.			3 AS D
Ciandina	50011		 I A N

was 139, 138, 118, 144, L LCLOSES CON-

	RE	SPONSE TRACKING INFORMATION
		[142] [15] [16] [16] [16] [16] [16] [16] [16] [16
ACTION DESCRIPTION: PRIMARY: OWED TO:		PRIMARY: OWED BY: CAQ
(ORG)TARGET DATE	11.	CLOSING CONCOMPL DATECLOSING REF
SECONDATY: OWED TO:		I SECONDARY: [ORG)
(CRC) TARGET DATE	1.1	CLOSING CON COMPL DATE / CLOSING REF

MESSAGE:

W/A W/O	W/A	W/O	W/A W/O

DIRECTOR, FSAD: L. Price	FSRO	Т	PROGRAM MANAGER: J. Waddelf	SAIC		PROGRAM MANAGER: R. Harbert	2		
DEP. DIRECTOR, FSRD: W. Seny	FSRO	T	DEPUTY PROGRAM MGR; T, Patterson	SAIC		DEPUTY PROGRAM MGR.; P. Crowell	<b>BPM</b>		
SITE MANAGER: D. Ader	FSPD	. 24	MGMT, SYSTEMS: K. Rentro	SAIC		W. Wagner	ž		
S. Corgo	FSRO	$\Box$	SECRETARY: S. Heptiretul	SAIC		PROJECT MANAGER: M. Redmon	ž		
R KA	FSFO					G. Paleu	824		
J. Kopolic	FSRO		E. J. Newlerry		1	RHow	BZVÍ		
M. Noe	FSRO		M. a. Kucesa			S. Priosi	BPM		
PROJECT SUPPORT GRP: J. Had	FSPO	100	L.a. Duke			CONSTRUCTION	BPC	. 1.	100
S. Clohem	FSRO	$\Pi$				ENGINEERING & TECHNOLOGY	BET		
Q. Hartman	FSPO					ENGNEERING	BET		-
L Merz	FSRO	1				ENVATECH Kaye	BET		Ī
PROM ANALYST: B. Hughlet	FSRO					DATA MANAGEMENT	DET		
SECRETARY: M. SeberAL Dyke	FSRO				2	<b>GEOTECH</b>	BET		***
FBRO CHRON FILE		$\perp_{\rm L}$				ESH & WASTE MONT	BEH		Ţ
PSRB NOTEBOOKS					14 3 1	SAFETY & HEALTH	MEH		
PEADING FILE	8-1 PP					ENVIR COMPLIANCE	BEH	s 200	r;
DOE/PSCD: Franch/Statrunk	000	4				WASTE MONT	BEH	1884 I	- 1
DOEAHO: J. Wagoner	DHO					PROCUREMENT	3	44.	-
Walio Barista (Carlo Los-	Refer Jake	e Kesty	等的代表 医静脉性 医胸内炎 第二十名		rent in the second seco	PROJECT ADMINISTRATION	274	artist.	, a r
	1,141		TMAEBERLINE	BET		TECHNICAL REPORTS	9779		_
	58.		SITES: 156 NFSS	gerije.		PROJECT AUTOMATION	BAU	것은	
ALI: Dvorsk	ML	18.87	TONAWANDA IMPO CTR.	*	Sept. 13.	PROJECT CONTROLS	BPC	13/1	÷.
A Colifor	ML	J.o	107 WISS	462		COMMUNITY RELATIONS	BOA	\$.e.	. 3
Q Mirenes	ML		138 MISS/INFO CTR		13, 11	CUALITY ASSURANCE	BOA	1, 4	- 3
D. Cumby	AML		139 COLONIE (CISS)	144	de A	ADMIN RODINFO REPOSITORY		5.45	-
CRISE:	ORISE		140 / 193 LATTY AVE/SLAPS	10	No.	POCC READ FILE STOPROMODE	-37		
OPAL	OFFE		lesi en entre la librar de la attraction		3. 4 5	POCC: SENSITIVE CHICA PLE	2.6	110	Ü

PLEASE RETURN TO POCC FOR CORRECTIONS



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY.

REGION II

1994 MAR 23 AM 8: 59

JACOB K, JAVITS FEDERAL BUILDING NEW YORK, NEW YORK 10278-0012

MAR 1 5 1994
William M. Seay
Acting Director
Former Sites Restoration Division
United States Department of Energy
Oak Ridge Operations
P.O. Box 2001

Oak Ridge, Tennessee 37831-8723

Re: Submission of NESHAPS 1993 Air Emissions Reports to EPA Region II.

Dear Mr. Seay:

The purpose of this letter is to respond to your letter to me of June 25, 1993. In that correspondence you requested a "waiver" from the reporting and modeling requirements of Subpart H, . Sections 61.93(a) and 61.94 for the following six sites under the jurisdiction of the United States Environmental Protection Agency (EPA), Region II: Colonie Interim Storage Site, Maywood Interim Storage Site, Middlesex Sampling Plant, New Brunswick Site, Niagara Falls Storage Site and the Wayne Interim Storage Site.

A review of 40 CFR Part 61 by my staff has failed to locate any provisions for a waiver under the circumstances presented in your letter. The issue of this waiver is one of national significance and requires consistent application by the EPA. As such, it would be appropriate for you to submit a request for an interpretation of the regulations regarding a waiver to EPA Headquarter's Office of Radiation and Indoor Air.

If you have any questions please contact Jennifer Magruder of my staff at (212) 264-4536.

Sincerely,

Paul A. Giardina, Chief Radiation Branch

cc: J. Magruder, AWM

A. Carpenter, AWM E. Stamataky, AWM

Mara. Colli, ORIA

D. Hamarat, ORIA