



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

May 20, 2011

Special Projects Branch

SUBJECT: Lewiston-Porter Central School District Data Gap Analysis Sampling Results

[REDACTED]
Superintendent
Lewiston-Porter Central School District
[REDACTED]
Lewiston, New York 14174

[REDACTED]:

The U.S. Army Corps of Engineers performed a field investigation during August 23-27, 2010, to address the potential for chemical or radiological impacts from Department of Defense, Manhattan Engineering District, and/or Atomic Energy Commission activities on the Lewiston-Porter School District property. During this field investigation, the Corps collected subsurface soil samples at 10 aerial anomaly locations; and surface water, sediment, and sub-surface soil samples were collected along 6 locations on the South West Drainage Ditch. All results were compared to background screening criteria, as well as screening criteria developed to be protective of human health and the environment by the U.S. Environmental Protection Agency, the Nuclear Regulatory Commission, and/or the Department of Energy. The results of this investigation are provided in the two enclosed reports.

As a result of this investigation, the Corps concludes that there are no concerns from any past Department of Defense, Manhattan Engineering District, and/or Atomic Energy Commission activities on the Lewiston-Porter School District property. If you would like, we are available to meet and discuss these reports after you have reviewed the findings.

A copy of this letter with the reports is being provided to [REDACTED]
[REDACTED] with any questions or concerns.

Sincerely,

[REDACTED]

NFSS/LOOW Program Manager

Enclosures