



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED], Bureau Director
Remedial Bureau A
New York State Department of Environmental Conservation
625 Broadway, 11th Floor
Albany, NY 12233-7015

Dear [REDACTED]:

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

A copy of this letter is being furnished [REDACTED] Section Chief, Remedial Bureau A, Radiological Sites Section, [REDACTED], Remedial Bureau A, Radiological Sites Section, and [REDACTED] Remedial Bureau E, Section B, all of the New York State Department of Environmental Conservation. If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED] Project Engineer or [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED], Regional Director
New York State Department of Environmental Conservation, Region 9
270 Michigan Avenue
Buffalo, NY 14203-2915

Dear [REDACTED]

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED], Project Engineer or [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

CECW-LRD-RIT

JAN 5 2012

MEMORANDUM FOR [REDACTED] U.S. Army Engineer Division,
Headquarters, 441 G. Street, N.W., Washington, DC 20314

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The *2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum* indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H_3), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H_3), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader ([REDACTED]), Project Engineer or [REDACTED] Program Manager [REDACTED]

Sincerely

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

CEMP-CE

JAN 5 2012

MEMORANDUM FOR [REDACTED], U.S. Army Engineer Division, Headquarters, 441 G. Street, N.W., Washington, DC 20314

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The *2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum* indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team [REDACTED] Project Engineer or [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

CECW-IN, #3G78

JAN 5 2012

MEMORANDUM FOR [REDACTED], U.S. Army Engineer Division, Headquarters, 441 G. Street, N.W., Washington, DC 20314

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED] Environmental Project Management Team Leader [REDACTED], Project Engineer or [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

CELRD-PDM-M

JAN 5 2012

MEMORANDUM FOR [REDACTED], U.S. Army Engineer Division, Great Lakes and Ohio River Division, 550 Main Street, Room 10032, Cincinnati, OH 45202-3222

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The *2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum* indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED], Project Engineer or [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

CECC-LRD

JAN 5 2012

MEMORANDUM FOR [REDACTED], U.S. Army Engineer Division, Great Lakes and Ohio River Division, 550 Main Street, Room 10032, Cincinnati, OH 45202-3222

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The *2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum* indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED], Project Engineer or [REDACTED], Program Manager [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

CENWO-HX-S

JAN 5 2012

MEMORANDUM FOR [REDACTED], U.S. Army Engineer Division, Center of Expertise,
1616 Capitol Ave., Omaha, NE 68202

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage
Site Technical Memorandum

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The *2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum* indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED] Project Engineer or [REDACTED], Program Manager [REDACTED]

Sincerely,

[REDACTED]
Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED]
United States Environmental Protection Agency, Region 2
Division of Environmental Planning and Protection
290 Broadway, 28th Floor
New York, NY 10007-1866

Dear [REDACTED]:

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

A copy of this letter is being furnished to [REDACTED], United States Environmental Protection Agency, Western New York Public Information Office, and [REDACTED] United States Environmental Protection Agency, Region 2, Health Physicist. If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED], Project Engineer or [REDACTED], Program Manager [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

Mr. [REDACTED]
U.S. Department of Energy
Office of Legacy Management, LM-40
1000 Independence Avenue, SW
Washington, D.C. 20585-0002

Dear [REDACTED]:

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader ([REDACTED]), Project Engineer or [REDACTED] Program Manager [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED]
Chief, Environmental Radiation Section
New York State Department of Health
547 River Street, Room 530
Troy, NY 12180-2216

Dear [REDACTED]

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED], Project Engineer or [REDACTED], Program Manager [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED]
New York State Department of Health
Western Regional Office
584 Delaware Avenue, Suite 201
Buffalo, NY 14202

[REDACTED]:
The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED] Project Engineer or [REDACTED] Program Manager [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED]
Public Health Director
Niagara County Health Department
5467 Upper Mountain Road, Suite 100
Lockport, NY 14094-1899
[REDACTED]

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

A copy of this letter is being furnished to [REDACTED] of the Niagara County Health Department. If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED] [REDACTED] Project Engineer or [REDACTED], Program Manager [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED]
CWM Chemical Services, LLC
1550 Balmer Road
Model City, NY 14107

Dear [REDACTED]:

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED], Project Engineer or [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED]
Vice President of Operations
Modern Disposal Company, WNY
4746 Model City Road
Model City, New York 14107

Dear [REDACTED]

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED] Environmental Project Management Team Leader [REDACTED], Project Engineer or [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

Mr. [REDACTED], Director
Real Estate Department
Occidental
5005 LBJ Freeway
Dallas, TX 75244-6119

Dear [REDACTED]

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED] Environmental Project Management Team Leader [REDACTED] Project Engineer or [REDACTED]

[REDACTED]
Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED]
Real Estate Rights – NY West
National Grid
144 Kensington Avenue
Buffalo, NY 14214

Dear [REDACTED]:

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED], Environmental Project Management Team Leader [REDACTED] Project Engineer or [REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager



DEPARTMENT OF THE ARMY

BUFFALO DISTRICT, CORPS OF ENGINEERS
1776 NIAGARA STREET
BUFFALO, NEW YORK 14207-3199

REPLY TO:

Special Projects Branch

JAN 5 2012

SUBJECT: Formerly Utilized Site Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

[REDACTED]
Lewiston-Porter Central School District
4061 Creek Road
Youngstown, NY 14174

Dear [REDACTED]

The U.S. Army Corps of Engineers Buffalo District conducts an environmental surveillance program at the Niagara Falls Storage Site (NFSS) in support of our Formerly Utilized Sites Remedial Action Program (FUSRAP) mission to protect human health and the environment. The environmental surveillance program quantifies and evaluates radiological, chemical, and water quality data from the environment at the NFSS. Results of this program are published annually in the form of a technical memorandum.

The 2010 Niagara Falls Storage Site Environmental Surveillance Technical Memorandum indicates that measured parameters were within U.S. Department of Energy (USDOE) guidelines and calculated exposure rates to the general public were well within regulatory limits. Site controls are continuing to perform as designed and are fully protective of human health and the environment. These findings are consistent with the findings of prior year evaluations.

To prepare the technical memorandum, the Corps' environmental surveillance team collected samples at the NFSS from December 2009 to December 2010. These samples were sent off site for laboratory analysis and the results were analyzed and documented by the technical team. The measured parameters include:

- a. The external gamma radiation dose.
- b. The airborne radon-220 and radon-222 concentrations.
- c. The release rate of radon-222 from the surface of the interim waste containment structure.

SUBJECT: Formerly Utilized Sites Remedial Action Program (FUSRAP) Niagara Falls Storage Site Technical Memorandum

d. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99, tritium (H₃), metals, polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and volatile organic compounds (VOCs) in surface water and sediments.

e. The concentration of uranium-234, uranium-235, uranium-238, thorium-230, thorium-232, radium-226, radium-228, cesium-137, plutonium-238, plutonium-239/240, strontium-90, technetium-99 and tritium (H₃), metals, and water quality and field parameters for groundwater.

The memorandum evaluates the analytical results against local background conditions and regulatory criteria including airborne radon gas, airborne particulates, surface waters, sediments, and groundwater. Consistent with the Corps' environmental operating principles, we are making this technical memorandum available to you on the Web at <http://www.lrb.usace.army.mil/fusrap/nfss/index.htm>. This Web address also includes additional information about NFSS and the environmental surveillance program.

A copy of this letter is being furnished to [REDACTED] President, Lewiston-Porter Central School Board of Education, [REDACTED] SUNY Buffalo, Department of Chemistry. If you have any questions or require any additional information regarding the NFSS environmental surveillance program, please contact [REDACTED] Environmental Project Management Team Leader [REDACTED]
[REDACTED]
[REDACTED]

Sincerely,

[REDACTED]

Environmental Project Management Team
Project Manager