129412

FUSRAP Project
Job 14501

NO. 129-95-002
~~NO.~~ Rev. NO. 0

FUSRAP TECHNICAL MEMORANDUM

DATE: 05-04-95

TO: [redacted]

FROM: [redacted]

DATE: March 14, 1995

SUBJECT: TONAWANDA LANDFILL FIELD SAMPLING RESULTS

Prepared By		Project Engineer Approval	Project Manager Approval
[redacted]	[redacted]	[redacted]	[redacted]

INTRODUCTION:

Radioactive waste products from work associated with the early years of the nation's atomic energy program at Linde Air Products, Tonawanda, NY, are suspected to be in the Tonawanda landfill. The Procedure used to identify the nature and extent of DOE wastes in the Tonawanda landfill is defined in the *Field Sampling and Analysis Plan for the Town of Tonawanda Landfill* (September 1994).

Investigations of the landfill have been performed since 1960. In 1991, DOE requested Oak Ridge National Laboratory (ORNL) to conduct a radiological survey of the landfill. The survey included surface gamma scans, gamma exposure rates at 1 m above ground surface and at ground surface, 132 systematic soil samples taken at selected surface [0-15 cm (0-6 in.)] and subsurface [15-46 cm (6-18 in.)] locations, and 42 biased soil samples [up to 76 cm (30 in.)] at 14 locations shown to have elevated gamma exposure rates. No deep sampling was performed.

The present effort used borehole sampling to define the maximum depth of radiological contamination. Sediment and surface water samples were collected to complete the characterization. In addition, water was sampled when encountered in drilling boreholes. The areas chosen for sampling were based on historical data and samples were analyzed for radiological and chemical contaminants.

METHODOLOGY:

The work was performed in two stages. In Stage 1, a state Plane Grid of the landfill and mudflat area was established. Five deep boreholes (based on historical data of suspected contamination) were marked, utilities were verified, and an exclusion zone was prepared. See Attachment A for Borehole and Surface Water/Sediment locations.

Stage 1 129412

- A total of five boreholes were drilled or hand augered (Borehole 5) to the depth of undisturbed material. Drilling logs are presented in Attachment B.

- Soil was collected continuously with a split-spoon sampler except for the following; Borehole 5 was sampled with a hand auger and Borehole 4 encountered water, preventing recovery in some intervals.

- Downhole gamma surveys were performed using a gamma probe. Survey results are presented in Attachment C. It was intended that a correlation between downhole gamma counts and actual soil activity levels would be determined in the field. However, because of equipment failure, soil samples were sent to the laboratory for the initial screening using wet gamma spectroscopy.

- All soil samples from the boreholes were screened for contamination by wet gamma spectroscopy. Results are presented in Attachment D. Soil samples that were suspected of having contaminant levels above guidelines (and the soil samples from intervals below the suspect soil samples) were dried and analyzed by alpha or gamma spectroscopy for the contaminants of concern. Analysis results are presented in Attachment E.

- One grab sample for TCLP VOA and one composite soil sample for TCLP total was collected from each of the five boreholes. Analysis results are presented in Attachment F.

- Sediment samples were collected from an area where water collects and from the entry to the storm sewer and screened for contaminants by wet gamma spectroscopy (Attachment D). Dried samples were analyzed by alpha spectroscopy (Attachment E).

- One surface water sample was collected from a small area where water collects on the north side of the landfill and water samples were collected when water was surfacing in Boreholes 4 and 5. The two water samples collected from these boreholes had significant amounts of sediment. Samples were analyzed for radiological and chemical constituents (Attachment E).

Stage 1 Radiological Results

Since the purpose of this investigation was to define the maximum depth of radiological and chemical contamination from areas showing elevated activity levels in previous surveys, no samples were taken for radiological analysis from the first 15 cm (6 in.) of soil below the surface. The wet gamma screening identified samples requiring further analysis (Table 1). Radiological data results from identified samples from Boreholes 1, 2, and 3 showed no radionuclide concentrations above FUSRAP guidelines for the intervals below the surface layer (Table 2). The soil sample from the 0-0.5 m (0-1.5 ft) interval in Borehole 4 exceeded the FUSRAP guideline for Ra-226 (58.3 pCi/g). Soil samples extending from 0-0.5 to 3.5 m (0-1.5 to 11.5 ft) in Borehole 5 exceeded guideline values for all contaminants of concern. Soil from the 3.5-3.8 m (11.5-12.5 ft) interval did not exceed guidelines. Table 3 shows the radiological results of samples that exceeded FUSRAP Guidelines and Table 4 shows the soil guidelines for FUSRAP sites.

129412

The sediment sample collected from the entry to the storm sewer had no radionuclide concentrations above FUSRAP guidelines. The sediment sample collected from the area where water collects exceeded guidelines for Ra-226 (65.7 pCi/g), Th-230 (121.8 pCi/g), and uranium-234/238 (382.3/393.5 pCi/g).

Water collected and analyzed from Borehole 4 was below DOE guidelines. Water collected and analyzed from Borehole 5 exceeded DOE guidelines for U-238 (4328 pCi/L) and Th-230 (693 pCi/L). Surface water exceeded DOE guidelines for Ra-226 (521 pCi/L). (See Table 4 for DOE Guidelines for Water.)

Stage 1 TCLP results

No TCLP-volatiles, -herbicides, -pesticides, or -semivolatiles were detected. See Table 5.

The only TCLP-metal that exceeded regulatory levels was one sample (Borehole 5) for lead. The lead, TCLP leachate results was 7320 ug/L (7.32 mg/L). The regulatory level is 5.0 mg/L.

Stage 2

- Sampling activities during Stage 2 were determined in the field based on the results of downhole gamma logging and wet gamma spectroscopy. See Attachment A for borehole locations.

- Borehole 4, on the perimeter of the landfill, had results above guidelines for radium-226 (58-3 pCi/g). To determine whether the contamination extended further into the landfill, Borehole 6 was drilled about 15 m (50 ft) to the southeast of Borehole 4.

- Boreholes 7, 8, 9, and 10 were drilled to determine the boundary of contamination from Borehole 5.

Stage 2 Results

Borehole 6, was drilled closer to the center of the landfill to determine if contamination extended to this area. Sample results from this borehole were within FUSRAP guidelines.

To determine the boundary of the contamination in Borehole 5, Boreholes 7, 8, 9, and 10 were drilled. Sample results from these four boreholes were within FUSRAP guidelines.

SUMMARY:

The analytical results indicate that radionuclide concentrations are above FUSRAP guidelines in two of the ten boreholes (Boreholes 4 and 5), in the surface water collected from the wet area, and in the sediment from this wet area. The sample collected from Borehole 5 for RCRA characteristics exceeded the regulatory level (5.0 mg/L) for TCLP lead. This investigation successfully bounded the known areas of subsurface contamination.

129412

Attachments:

A. Figure showing borehole locations
B. Drilling logs
C. Downhole gamma survey results
D. Screening results for soil and sediment
E. Analysis results for soil, sediment, surface water, and water from borehole samples
F. TCLP results

129412

Table 1
Tonawanda Screening Results

Borehole - 1 The Flats

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B01-001	0-1.5	50-60	3.2	3	12.3
129-B01-002	1.5-3	50-100	1.1	6.3	9.8
129-B01-003	3-5	50-70	0.74	BDL	15.4
129-B01-004	5-7	60-80	0.62	BDL	11.7

Borehole - 2 The Flats

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B02-005	0-1.5	50-70	1.9	BDL	11
129-B02-006	1.5-3	60-100	0.59	BDL	13.8
129-B02-007	3-5	60-100	0.4	BDL	12.3
129-B02-008	5-7	60-80	0.41	BDL	14.7

Borehole - 3 Northwest Corner

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B03-015	0-1.5	60-120	0.64	BDL	6.6
129-B03-016	1.5-3	60-100	0.27	BDL	5.3
129-B03-017	3-5	60-80	0.2	BDL	14.7
129-B03-018	5-7	60-80	0.52	BDL	12.8

Borehole - 4 Northwest Corner

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B04-009	0-1.5	300	14.4	BDL	11.2
129-B04-010	1.5-3	100	0.42	1.4	9.8
129-B04-011	3-5	100	1.5	1.7	7.9
129-B04-012	5-7	60-80	2.3	BDL	8.6
no recovery	7-9	background			
no recovery	9-11	50-80			
129-B04-013	12.5-14.5	background	0.48	BDL	11.5
129-B04-014	14.5-16.5	background	0.28	BDL	11

Note: Water discharged from hole, sampled for rad analysis

729412

Table 1
Tonawanda Screening Results

Borehole - 5 **Wet Area**

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B05- 026	0-1.5	180-200	6	13.1	6.3
129-B05- 027	1.5-3	1000-2000	217	115	2.7
129-B05- 028	3-5	600-6000	41.2	259	4.1
129-B05- 029	5-7	500	9.2	111	5
129-B05- 030	7-9	600-800	11.4	153	4.9
129-B05- 031	9-11	400-20000	5.8	192	3.8
129-B05- 032	11-11.5	60-80	4.1	66.4	6.1
129-B05- 033	11.5-12.5	60-80	0.5	3.7	13.9

Note: Hand auger - inaccessible to drilling
Ore or incinerated ore transport boxes?

Borehole - 6 **Northwest Corner**

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B06- 019	0-2	60-80	0.43	BDL	11.3
129-B06- 020	2-4	60-80	0.36	BDL	13.6
129-B06- 021	4-6	60-90	0.61	BDL	14.8
129-B06- 022	6-8	60-90	0.28	BDL	10.4
129-B06- 023	8-10	80-100	BDL	BDL	12.5
129-B06- 024	10-12	60-80	BDL	BDL	BDL
no recovery	12-14	60-80			
no recovery	14-16	60-80			
no recovery	16-18	60-80			
no recovery	18-20	60-80			
129-B06- 025	20-22	60-80	1	BDL	9.7
no recovery	22-24	60-80			
no recovery	24-26	60-80			

Note: Bottom of fill not reached, drilling stopped due to high volatile organics.

Borehole - 7 **Wet Area**

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B07- 034	0-2	80-100	0.45	BDL	3.7
129-B07- 035	2-4	40-120	0.89	BDL	7.8
no recovery	4-6	60-80			
no recovery	6-8	60-100			
129-B07- 036	8-10	80-100	0.52	1.8	5.1
129-B07- 037	10-12	80-100	0.63	BDL	6.1
129-B07- 038	12-14	60-80	0.94	BDL	6.3
129-B07- 039	14-16	60-80	7	23.9	7.7
129-B07- 040	16-18	160-180	0.63	19.6	5.7
no recovery	18-20				
129-B07- 041	20-22	60-80	0.27	BDL	12.2

129412

Table 1
Tonawanda Screening Results

Borehole - 8 **Wet Area**

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B08- 046	0-2	60-80	BDL	BDL	4.2
129-B08- 047	2-4.5	60-80	1.3	3.3	5.9
129-B08- 048	4.5-7	60-100	0.6	2.2	5.2
129-B08- 049	7-9.5	60-80	0.98	2.4	5.1
129-B08- 050	9.5-12	60-80	no analysis		
129-B08- 051	12-14.5	80-100	0.83	3.2	8.08
no recovery	14.5-17	80-100			
129-B08- 052	17-19.5	80-100	0.67	2.7	6.7
129-B08- 053	19.5-22	60-80	0.8	11.5	5.9
129-B08- 054	22-24.5	60-80	0.38	1.9	10.8

Borehole -9 **Wet Area**

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B09- 055	0-2.5	60-80	0.68	BDL	10
129-B09- 056	2.5-5	60-80	2.3	BDL	55

Borehole -10 **Wet Area**

Sample Number	Depth (ft)	Spa-3 (cpm)	Wet Gamma Spec (pCi/g) Ra-226	U-238	K-40
129-B10- 057	0-2.5	60-80	0.35	BDL	10.3
129-B10- 058	2.5-5	60-80	0.45	BDL	12.8

Sediment Samples

SD02 - Hot Spot in Wet Area

Sample Number	Depth (ft)	Spa-3 (cpm)	Ra-226	U-238	K-40
129-SD2 043	n/a	n/a	32.9	164	3.4

SD01 - Entry to Storm Sewer

Sample Number	Depth (ft)	Spa-3 (cpm)	Ra-226	U-238	K-40
129-SD1 042	n/a	n/a	0.43	3.2	4.7

Note: Shaded samples were dried and analyzed by alpha or gamma spectroscopy for Ra-226, Th-228, Th-230, Th-232, and U-238
BDL = below detection limit
n/a = not applicable

129412

Table 2
Summary of Tonawanda Landfill Sample Results

Depth (ft)	Date Collected	Analytical Method	Analyte	Result pCi/g	Error	MDA*
The Flats						
Borehole #1						
B01-001	0-1.5	11/14/94	Gamma Spec	Ra-226	4.2	0.27	0.47
B01-001	0-1.5	11/14/94	Gamma Spec	Th-232	0.88	0	0.88
B01-001	0-1.5	11/14/94	Gamma Spec	U-238	6.4	2.2	4.9
B01-001	0-1.5	11/14/94	Alpha Spec	Th-228	1.1	0.4	0.13
B01-001	0-1.5	11/14/94	Alpha Spec	Th-230	7.9	1.9	0.13
B01-001	0-1.5	11/14/94	Alpha Spec	Th-232	1.1	0.39	0.1
B01-002	1.5-3	11/14/94	Gamma Spec	Ra-226	2.4	0.32	0.84
B01-002	1.5-3	11/14/94	Gamma Spec	Th-232	1.6	0	1.6
B01-002	1.5-3	11/14/94	Gamma Spec	U-238	20.8	5.9	8
B01-002	1.5-3	11/14/94	Alpha Spec	Th-228	0.77	0.26	0.12
B01-002	1.5-3	11[illegible]	Alpha Spec	Th-230	3	0.69	0.0[illegible]
B01-002	1.5-3	11/14/94	Alpha Spec	Th-232	0.98	0.3	0.07
Borehole #2							
B02-005	0-1.5	11/14/94	Gamma Spec	Ra-226	4.3	0.39	0.82
B02-005	0-1.5	11/14/94	Gamma Spec	Th-232	1.8	0	1.8
B02-005	0-1.5	11/14/94	Gamma Spec	U-238	4.1	2.6	8
B02-005	0-1.5	11/14/94	Alpha Spec	Th-228	1.2	0.42	0.13
B02-005	0-1.5	11/14/94	Alpha Spec	Th-230	4	1.1	0.1
B02-005	0-1.5	11/14/94	Alpha Spec	Th-232	1.5	0.48	0.06
Northwest Corner							
Borehole #3							
B03-015	0-1.5	11/16/94	Gamma Spec	Ra-226	1.3	0.18	0.43
B03-015	0-1.5	11/16/94	Gamma Spec	Th-232	0.85	0	0.85
B03-015	0-1.5	11/16/94	Gamma Spec	U-238	4.1	0	4.1
B03-015	0-1.5	11/16/94	Alpha Spec	Th-228	0.53	0.22	0.1
B03-015	0-1.5	11/16/94	Alpha Spec	Th-230	0.65	0.25	0.08
B03-015	0-1.5	11/16/94	Alpha Spec	Th-232	0.74	0.27	0.04
Borehole #4							
B04-009	0-1.5	11/15/94	Gamma Spec	Ra-226	58.3	1.7	1.3
B04-009	0-1.5	11/15/94	Gamma Spec	Th-232	1.7	0	1.7
B04-009	0-1.5	11/15/94	Gamma Spec	U-238	15	0	15
B04-009	0-1.5	11/15/94	Alpha Spec	Th-228	1.2	0.46	0.2
B04-009	0-1.5	11/15/94	Alpha Spec	Th-230	1.3	0.46	0.17
B04-009	0-1.5	11/15/94	Alpha Spec	Th-232	1.1	0.41	0.12
B04-010	1.5-3	11/15/94	Gamma Spec	Ra-226	1.8	0.27	0.69
B04-010	1.5-3	11/15/94	Gamma Spec	Th-232	1.7	0.3	1.1
B04-010	1.5-3	11/15/94	Gamma Spec	U-238	7	0	7
B04-010	1.5-3	11/15/94	Alpha Spec	Th-228	1.2	0.4	0.05
B04-010	1.5-3	11/15/94	Alpha Spec	Th-230	1.5	0.49	0.1
B04-010	1.5-3	11/15/94	Alpha Spec	Th-232	1.1	0.38	0.09

129412

Table 2
Summary of Tonawanda Landfill Sample Results

Depth (ft)	Date Collected	Analytical Method	Analyte	Result pCi/g	Error	MDA*
Wet Area						
Borehole #5						
B05-026	0-1.5	11/17/94	Gamma Spec	Ra-226	1.3	0.16	0.4
B05-026	0-1.5	11/17/94	Gamma Spec	Th-232	1.3	0.15	0.59
B05-026	0-1.5	11/17/94	Gamma Spec	U-238	33.3	8.4	4.9
B05-026	0-1.5	11/17/94	Alpha Spec	Th-228	1.6	0.58	0.14
B05-026	0-1.5	11/17/94	Alpha Spec	Th-230	13.4	3.4	0.16
B05-026	0-1.5	11/17/94	Alpha Spec	Th-232	1.4	0.5	0.07
B05-027	1.5-3	11/17/94	Gamma Spec	Ra-226	557	14.7	3.7
B05-027	1.5-3	11/17/94	Gamma Spec	Th-232	1.6	0	1.6
B05-027	1.5-3	11/17/94	Gamma Spec	U-238	230	60.7	33.7
B05-027	1.5-3	11/17/94	Alpha Spec	Th-228	5.3	34.9	104
B05-027	1.5-3	11/17/94	Alpha Spec	Th-230	346	164.8	86.7
B05-027	1.5-3	11/17/94	Alpha Spec	Th-232	16	32.1	43.3
B05-dup	1.5-3	11/17/94	Gamma Spec	Ra-226	533	13.1	3
B05-dup	1.5-3	11/17/94	Gamma Spec	Th-232	2.2	0	2.2
B05-dup	1.5-3	11/17/94	Gamma Spec	U-238	306	94.2	55.3
B05-dup	1.5-3	11/17/94	Alpha Spec	Th-228	17.2	29.9	54.2
B05-dup	1.5-3	11/17/94	Alpha Spec	Th-230	396	149.9	54.3
B05-dup	1.5-3	11/17/94	Alpha Spec	Th-232	-3.4	4.9	54.2
B05-028	3-5	11/17/94	Gamma Spec	Ra-226	124	3.1	1.7
B05-028	3-5	11/17/94	Gamma Spec	Th-232	1.5	0.29	0.91
B05-028	3-5	11/17/94	Gamma Spec	U-238	585	148	26.8
B05-028	3-5	11/17/94	Alpha Spec	Th-228	11.3	48.2	134.6
B05-028	3-5	11/17/94	Alpha Spec	Th-230	59.4	79.2	121.1
B05-028	3-5	11/17/94	Alpha Spec	Th-232	-7.6	10.9	120.9
B05-029	5-7	11/17/94	Gamma Spec	Ra-226	19.1	0.73	0.93
B05-029	5-7	11/17/94	Gamma Spec	Th-232	2.6	0.45	1.4
B05-029	5-7	11/17/94	Gamma Spec	U-238	244	60.2	15.8
B05-029	5-7	11/17/94	Alpha Spec	Th-228	3.1	0.95	0.18
B05-029	5-7	11/17/94	Alpha Spec	Th-230	25.5	6.4	0.15
B05-029	5-7	11/17/94	Alpha Spec	Th-232	3.4	1	0.07
B05-030	7-9	11/17/94	Gamma Spec	Ra-226	24.3	0.76	0.65
B05-030	7-9	11/17/94	Gamma Spec	Th-232	1.5	0.14	0.42
B05-030	7-9	11/17/94	Gamma Spec	U-238	244	60.9	9.7
B05-030	7-9	11/17/94	Alpha Spec	Th-228	-15	13.8	119.6
B05-030	7-9	11/17/94	Alpha Spec	Th-230	51.3	60.2	46.4
B05-030	7-9	11/17/94	Alpha Spec	Th-232	-2.9	5.8	79
B05-031	9-11	11/17/94	Gamma Spec	Ra-226	8.4	0.35	0.61
B05-031	9-11	11/17/94	Gamma Spec	Th-232	1	0.12	0.36
B05-031	9-11	11/17/94	Gamma Spec	U-238	220	55.5	10
B05-031	9-11	11/17/94	Alpha Spec	Th-228	1.3	0.45	0.12
B05-031	9-11	11/17/94	Alpha Spec	Th-230	2.9	0.84	0.1
B05-031	9-11	11/17/94	Alpha Spec	Th-232	1.5	0.51	0.1

129412

Table 2
Summary of Tonawanda Landfill Sample Results

Borehole #6

	Depth (ft)	Date Collected	Analytical Method	Analyte	Result pCi/g	Error	MDA*
B05-032	11-11.5	11/17/94	Gamma Spec	Ra-226	8.1	0.36	0.54
B05-032	11-11.5	11/17/94	Gamma Spec	Th-232	1.2	0.21	0.56
B05-032	11-11.5	11/17/94	Gamma Spec	U-238	96.8	24	8.9
B05-032	11-11.5	11/17/94	Alpha Spec	Th-228	0.94	0.32	0.08
B05-032	11-11.5	11/17/94	Alpha Spec	Th-230	3.6	0.9	0.05
B05-032	11-11.5	11/17/94	Alpha Spec	Th-232	0.77	0.28	0.05
B05-033	11.5-12.5	11/17/94	Gamma Spec	Ra-226	0.97	0.16	0.42
B05-033	11.5-12.5	11/17/94	Gamma Spec	Th-232	0.87	0.13	0.51
B05-033	11.5-12.5	11/17/94	Gamma Spec	U-238	6.1	1.9	3.7
B05-033	11.5-12.5	11/17/94	Alpha Spec	Th-228	1.1	0.38	0.11
B05-033	11.5-12.5	11/17/94	Alpha Spec	Th-230	1.1	0.39	0.1
B05-033	11.5-12.5	11/17/94	Alpha Spec	Th-232	0.72	0.29	0.1

Borehole #7

B07-039	14-16	11/17/94	Gamma Spec	Ra-226	3.4	0.22	0.39
B07-039	14-16	11/17/94	Gamma Spec	Th-232	1.4	0.15	0.42
B07-039	14-16	11/17/94	Gamma Spec	U-238	27.3	6.9	3.9
B07-039	14-16	11/17/94	Alpha Spec	Th-228	1.4	0.41	0.11
B07-039	14-16	11/17/94	Alpha Spec	Th-230	2.5	0.65	0.08
B07-039	14-16	11/17/94	Alpha Spec	Th-232	1.2	0.38	0.07
B07-040	16-18	11/17/94	Gamma Spec	Ra-226	1.2	0.15	0.37
B07-040	16-18	11/17/94	Gamma Spec	Th-232	1.3	0.21	0.58
B07-040	16-18	11/17/94	Gamma Spec	U-238	27.1	6.9	4.9
B07-040	16-18	11/17/94	Alpha Spec	Th-228	0.84	0.27	0.09
B07-040	16-18	11/17/94	Alpha Spec	Th-230	1.4	0.37	0.04
B07-040	16-18	11/17/94	Alpha Spec	Th-232	0.84	0.26	0.04
B07-041	20-22	11/17/94	Gamma Spec	Ra-226	0.51	0.13	0.36
B07-041	20-22	11/17/94	Gamma Spec	Th-232	0.71	0	0.71
B07-041	20-22	11/17/94	Gamma Spec	U-238	3.4	0	3.4
B07-041	20-22	11/17/94	Alpha Spec	Th-228	1.2	0.42	0.11
B07-041	20-22	11/17/94	Alpha Spec	Th-230	1.5	0.48	0.11
B07-041	20-22	11/17/94	Alpha Spec	Th-232	1.1	0.39	0.1

Borehole #8

B08-053	19.5-22	11/18/94	Gamma Spec	Ra-226	1.7	0.18	0.43
B08-053	19.5-22	11/18/94	Gamma Spec	Th-232	1.8	0.21	0.56
B08-053	19.5-22	11/18/94	Gamma Spec	U-238	18.6	4.9	4.8
B08-053	19.5-22	11/18/94	Alpha Spec	Th-228	1.4	0.41	0.1
B08-053	19.5-22	11/18/94	Alpha Spec	Th-230	1.9	0.49	0.07
B08-053	19.5-22	11/18/94	Alpha Spec	Th-232	1.3	0.37	0.04
B08-054	22-24.5	11/18/94	Gamma Spec	Ra-226	0.7	0.1	0.26
B08-054	22-24.5	11/18/94	Gamma Spec	Th-232	0.54	0	0.54

129412

Table 2
Summary of Tonawanda Landfill Sample Results

	Depth (ft)	Date Collected	Analytical Method	Analyte	Result pCi/g	Error	MDA*
Borehole #8							
B08-054	22-24.5	11/18/94	Gamma Spec	U-238	3.1	1.1	2.5
B08-054	22-24.5	11/18/94	Alpha Spec	Th-228	1	0.41	0.12
B08-054	22-24.5	11/18/94	Alpha Spec	Th-230	1.5	0.53	0.12
B08-054	22-24.5	11/18/94	Alpha Spec	Th-232	1.4	0.52	0.07
Sediment From Storm Sewer Entry							
SD-01	N/A	11/18/94	Alpha Spec	Ra-226	2.9	0.61	0.18
SD-01	N/A	11/18/94	Alpha Spec	Th-228	1.4	0.44	0.12
SD-01	N/A	11/18/94	Alpha Spec	Th-230	1.1	0.36	0.08
SD-01	N/A	11/18/94	Alpha Spec	Th-232	0.62	0.24	0.08
SD-01	N/A	11/18/94	Alpha Spec	U-234	2.8	0.77	0.09
SD-01	N/A	11/18/94	Alpha Spec	U-235	0.12	0.1	0.05
SD-01	N/A	11/18/94	Alpha Spec	U-238	3.3	0.9	0.04
Sediment From Wet Area							
SD-02	N/A	11/18/94	Alpha Spec	Ra-226	65.7	5.7	0.2
SD-02	N/A	11/18/94	Alpha Spec	Th-228	2.7	0.72	0.09
SD-02	N/A	11/18/94	Alpha Spec	Th-230	121.8	26.1	0.05
SD-02	N/A	11/18/94	Alpha Spec	Th-232	2	0.55	0.08
SD-02	N/A	11/18/94	Alpha Spec	U-234	382.3	124	1.6
SD-02	N/A	11/18/94	Alpha Spec	U-235	19.5	8.5	2
SD-02	N/A	11/18/94	Alpha Spec	U-238	393.5	127.5	0.93
Wet Area							
Surface Water		Date Collected	Analytical Method	Analyte	Result pCi/L	Error	MDA
SD-043	N/A**	11/19/94	Alpha Spec	Ra-226	521	45.7	0.37
SD-043	N/A	11/19/94	Alpha Spec	Th-230	0.2	0.27	0.41
SD-043	N/A	-11/19/94	Alpha Spec	Th-232	0.06	0.15	0.35
SD-043	N/A	11/19/94	Alpha Spec	U-238	48.2	12.9	0.22
Water Collected From Borehole #4							
B04-059	N/A	11/15/94	Alpha Spec	Ra-226	12.1	3.3	1
B04-059	N/A	11/15/94	Alpha Spec	Th-230	2.4	0.84	0.25
B04-059	N/A	11/15/94	Alpha Spec	Th-232	1.1	0.49	0.19
B04-059	N/A	11/15/94	Alpha Spec	U-238	20.2	5.5	0.1
Water Collected From Borehole #5							
B05-060	N/A	11/17/94	Alpha Spec	Ra-226	4.1	2.4	1.9
B05-060	N/A	11/17/94	Alpha Spec	Th-230	693	174.1	0.28
B05-060	N/A	11/17/94	Alpha Spec	Th-232	6.7	2.1	0.28
B05-060	N/A	11/17/94	Alpha Spec	U-238	4328	1154	12.7

*MDA minimum detectable activity
**N/A not applicable

129412

Table 3
RADIOLOGICAL RESULTS FOR SAMPLES ABOVE FUSRAP GUIDELINES

STAGE 1						
Soil	Depth (ft)	Ra-226 pCi/g	Th-232 pCi/g	U-238 pCi/g	Th-228 pCi/g	Th-230 pCi/g
Borehole 4	0-1.5	58.3	1.7	15	1.2	1.3
Borehole 5	0-1.5	1.3	1.4	33.3	1.6	113.4
	1.5-3	557	16	230	5.3	346
	3-5	124	1.6	585	11.3	59.4
	5-7	19.1	3.4	244	3.1	25.5
	7-9	24.3	1.5	244	-15	51.3
	9-11	8.4	1.5	220	1.3	2.9
	11-11.5	8.1	1.2	96.8	0.9	3.6
	11.5-12.5	No results over FUSRAP guidelines				
SEDIMENT		Ra-226 pCi/g	Th-232 pCi/g	U-238 pCi/g	Th-228 pCi/g	Th-230 pCi/g
SD-02	N/A	65.7	2	393.5	2.7	121.8
WATER		Ra-226 pCi/L	Th-232 pCi/L	U-238 pCi/L	N/A	Th-230 pCi/L
Surface Water	N/A	521	0.66	48.2	N/A	0.2
Borehole 5	N/A	4.1	6.7	4324	N/A	693
STAGE 2						
No results over FUSRAP guidelines						

129412

Table 4
SOIL and WATER GUIDELINES

Soil Guidelines for residual radioactivity in soil at Tonawanda

Radionuclide	Soil Concentration (pCi/g) Above Background*
Ra-226, Th-230 & Th-232	5 pCi/g, averaged over the first 15 cm of soil below the surface; 15 pCi/g when averaged over any 15-cm-thick soil layer below the surface layer.
Total Uranium	60 pCi/g for any 15-cm-thick soil layer, which (proposed) equates to a cleanup guideline of approximately 30 pCi/g for U-238.

*DOE guidelines for radionuclide concentrations above background in water

Radionuclide	Water Concentration (pCi/L) Above Background
Ra-226	100 pCi/L
Th-232	50 pCi/L
Th-230	300 pCi/L
total uranium	600 pCi/L, which equates to approximately 300 pCi/L for U-238

*Average background reported for the Ashland 2 South and Tonawanda Area in the "Remedial Investigation Report for the Tonawanda Site," DOE/OR/21949-300 (February 1993).

Radionuclide	Range (pCi/g)	Average Concentration (pCi/g)
Ra-226	1.0-1.6	1.1
Th-232	1.0-1.6	1.2
Th-230	1.1-1.8	1.4
U-238	2.0-4.0	3.1

129412

Table 5
RCRA CHARACTERISTIC RESULTS ABOVE GUIDELINES

Borehole Number	Depth	Metals, TCLP	Herbicides TCLP	Pesticide, TCLP	Depth (VOA)	VOA/BNAE TCLP
B01	0-3'	None	None	None	1.3-5'	None
B02	0-3'	None	None	None	1.3-5'	None
B03	0-3'	None	None	None	1.3-5'	None
B04	0-3'	None	None	None	1.3-5'	None
B05	0-3'	7320 ug/L = 7.32 mg/L*	None	None	1.3-5'	None

*Regulatory level = 5.0 mg/L

0100

129412

Attachment A
Figure of Tonawanda Landfill showing sample locations



1296 033.DGN

Tonawanda Landfill
Borehole and Surface Water/Sediment Locations

199412

0 0 0 1 1

129412

Attachment B
Drilling Logs

0000111

129412

GEOLOGIC DRILL LOG

SITE	PROJECT	JOB NO.	SHEET NO.	HOLE NO.
Tonawanda Landfill	FUSRAP	14501-129	1 OF 1	R29RBHI

COORDINATES				
N 1,001,351.5 E 415,952.9				

BEGUN	COMPLETED	DRILLER	DRILL MAKE AND MODEL	SIZE	OVERBURDEN	ANGLE FROM HORIZ.	BEARING
11-14-94	11-14-94	Earth Dimension	Mobile Drill B11-5	8"		Vertical	----

CORE RECOVERY (FT./%)	CORE BOX	SAMPLES	ELEV. TOP CASING	GROUND EL.	DEPTH/EL. GROUND WATER	ROCK (FT.)	TOTAL DEPTH
6.2/88		6		605.6	/		7.0

SAMPLE HAMMER WEIGHT/FALL	CASING LEFT IN HOLE DIA./LENGTH	LOGGED BY	DEPTH/EL. TOP OF ROCK
140lb/30"	8.0	[redacted]	

SAMPLE TYPE	SAMPLE NO.	CORE BOX NO.	RECOVERY	LOSS G.W.	WATER PRESSURE TESTS PRESS.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	1.5	1.5	1.5/1								[illegible] FILL [illegible] Dark brown Reddish brown clayey silt with fine angular gravel. Damp.	Rad and Chemical samples taken using a 1.5' length, 2" OD stainless steel split spoon sampler. 2-1.5 ft RAD sample 2-1.5 ft TCLP sample
SS	1.5	1.5	1.5/11.5									
SS	2.0	1.5	1.5/10.5				602.6				[illegible] CLAY [illegible] Brown [illegible] Damp, silty clay with some roots. Caving clay refusing drill, with some black fine/stones on broken surfaces.	1.5-2.0 ft RAD sample. Sample taken using a 2' length, 2" split spoon sampler.
SS	2.0	2.0	2.0/13.5									3.5-5.0 ft RAD only
							598.6				Bottom of borehole 7.0 ft. Backfilled (11/14/94)	5.0-7.0 ft RAD only. Borehole backfilled with cement/bentonite grout (11/14/94). Sample data recorded on sample logbook 125-R121

SS = SPLIT SPOON; NO = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE	Last Updated: 4/13/95	HOLE NO.
Tonawanda Landfill		R29RBHI

129412

GEOLOGIC DRILL LOG

PROJECT	JOB NO.	SHEET NO.	HOLE NO.
FUSRAP	14501-129	1 of 1	B29RBH2

SITE	COORDINATES	ANGLE FROM HORIZ	BEARING
Tonawanda Landfill	N 1,091,338.4 E 415,858.3	Vertical	----

BEGUN	COMPLETED	DRILLER	DRILL MAKE AND MODEL	SIZE	OVERBURDEN	ROCK (FT.)	TOTAL DEPTH
11-14-94	11-14-94	Earth Dimension	Mobile Drill B11-5	8"	7.0		7.0

CORE RECOVERY (FT./%)	CORE BOXES	SAMPLES	EL. TOP CASING	GROUND EL.	DEPTH/EL. GROUND WATER	DEPTH/EL. TOP OF ROCK
6.0/85		4		601.9	/	/

SAMPLE HAMMER WEIGHT/FALL	CASING LEFT IN HOLE: DIA./LENGTH	LOGGED BY:
140lb/30"	0.0	[redacted]

SAMP. TYPE	SAMP. DIAM.	SAMP. LEN.	CORE BOX	SAMPLE OR CORE RECOVERY	WATER LOSS G.P.M.	PRESSURE TESTS PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS SYMBOLS	(Templates: ZRTMD) DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	1.5	0.5		6-6-4				601.9			0.0 - 3.0 ft FILL 0 - 1.5 ft Wet, silty gray clay mixed with brick, gravel, and gray slag. 3/4 inch angular gravel in sample.	Rad and Chemical samples from 0-3 ft with 2" OD, 1.5' length stainless steel split spoon.
SS	1.5	1.5		11-10-14							1.5 to 1.8 ft is gravelly, wet. 1.8 to 3.0 ft is medium dense, moist, orange red clay.	0-1.5 ft RAD sample 0-3.0 ft TCLP sample
SS	2.0	2.0		7-13 18-20							3-5 ft density compacted disturbed reddish brown silty clay fill with gravels.	1.5-3.0 ft RAD sample 3-7 ft samples with 2" OD, 2.0' length split spoon.
SS	2.0	2.0		7-13 19-20				598.9	3		3.0 - 7.0 ft CLAY Reddish brown (10R4/6), dense silty clay with 1cm rounded gravels. Almost Dry. Some mud cracks near the lower 0-7ft with gray mottling.	3.0-5.0 ft RAD only
								594.9			Bottom of borehole 7.0 ft. Backfilled (11/14/94)	5.0-7.0 ft RAD only Borehole backfilled with cement/bentonite grout (11/14/94). Sample data recorded in sample logbook 129-E-021

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE	Last Updated: 4/13/95	HOLE NO.
Tonawanda Landfill		B29RBH2

129412

GEOLOGIC DRILL LOG

PROJECT	JOB NO.	SHEET NO.	HOLE NO.
FUSRAP	14501-129	1 OF 1	B29RBH2

SITE	COORDINATES	ANGLE FROM HORIZ	BEARING
Tonawanda Landfill	N 1,091,338.4 E 415,858.3	Vertical	----

BEGUN	COMPLETED	DRILLER	DRILL MAKE AND MODEL	SIZE	OVERBURDEN	ROCK (FT.)	TOTAL DEPTH
11-14-94	11-14-94	Earth Dimension	Mobile Drill B11-5	8"	7.0		7.0

CORE RECOVERY (FT./%)	CORE BOXES	SAMPLES	EL. TOP CASING	GROUND EL.	DEPTH/EL. GROUND WATER	DEPTH/EL. TOP OF ROCK
6.6/85		4		601.9		

SAMPLE HAMMER WEIGHT/FALL	CASING LEFT IN HOLE: DIA./LENGTH	LOGGED BY:
140lb/30"	0.0	[redacted]

(Template: 2MTWO)

SAMP. TYPE AND DIAM.	SAMP. AND LEN. CORE	BLOWS PER 6 IN. OR RQD FOR CORE	% RECOVERY	WATER PRESSURE TESTS: LOSS GPM	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
							601.9					
SS	1.5	0.5	6-6-4								0.0 - 5.0 Ft FILL 0 - 1.5 ft Wet, silty gray clay mixed with brick, gravel, and gray slag. 3-4 inch angular gravel in sample.	Rad and Chemical samples from 0-3 ft with 2" OD, 1.5'length stainless steel split spoon.
SS	1.5	1.5	11-10-14								1.5 to 1.8 ft is gravelly, wet. 1.8 to 3.0 ft is medium dense, moist, orange red clay.	0-1.5 ft RAD sample 0-3.0 ft TCLP sample
SS	2.0	2.0	7-13 18-20								3-5 ft densely compacted disturbed reddish brown silty clay fill with gravels.	1.5-3.0 ft RAD sample 3-7 ft samples with 2" OD, 2.0' length split spoon.
							596.9	5				
SS	2.0	2.0	7-13 19-20								5.0 - 7.0 Ft CLAY Reddish Brown (10R4/6), dense silty clay with 1cm rounded gravels. Almost Dry. Some mud cracks near the lower 6-7ft with gray infilling.	3.0-5.0 ft RAD only
							594.9					
											Bottom of borehole 7.0 ft. Backfilled (11/14/94)	5.0-7.0 ft RAD only Borehole backfilled with cement/bentonite grout (11/14/94). Sample data recorded in sample logbook 129-E-021

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE	Last Updated: 4/13/95	HOLE NO.
Tonawanda Landfill		B29RBH2

129412

GEOLOGIC DRILL LOG

PROJECT: FUSRAP	JOB NO. 14501-129	SHEET NO. 1 OF 1	HOLE NO. B29RBH3		
SITE: Tonawanda Landfill	COORDINATES: N 1,092,896.6 E 416,859.2		ANGLE FROM HORIZ: Vertical	BEARING: —	
BEGUN: 11-16-94	COMPLETED: 11-16-94	DRILLER: Earth Dimension	DRILL MAKE AND MODEL: Mobile Drill BH-5	SIZE: 8"	OVERBURDEN
ROCK (FT.)	TOTAL DEPTH: 7.0	CORE RECOVERY (FT./%): 4.8/69	CORE BOXES	SAMPLES	EL. TOP CASING
GROUND EL.: 614.8	DEPTH/EL. GROUND WATER	DEPTH/EL. TOP OF ROCK	SAMPLE HAMMER WEIGHT/FALL: 140lb/30"	CASING LEFT IN HOLE: DIA./LENGTH: 0.0	LOGGED BY: [redacted]

(Template: 2HYWO)

SAMP. TYPE NO. DIAM.	SAMP. ADV. LEN. CORE	SAMPLE REC. CORE BOX	BLOWS PER 6"	% CORE RECOVERY	WATER PRESSURE TESTS: LOSS IN G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	1.5	1.3	1-4-26					614.8			0.0 - 3.0 FT FILL 0-3 ft Damp, reddish brown to black, organic clay with glass, metal shavings, slag, and ash.	0-3.0 ft samples collected with 1.5' length 2" OD split spoons. Water at surface, berm built to contain water. 0-1.5 ft RAD sample 0-3.0 ft TCLP metals.
SS	1.5	1.3	101-24-7									
SS	2.0	1.1	6-6-12-15					611.8			3.0 - 7.0 FT CLAY Wet, Reddish brown (10R4/6) clay with some small gravels, medium dense.	1.5-3.0 ft RAD and TCLP VOA sample. 3.0-7.0 ft samples collected with 2' length, 2" OD split spoons. 3.0-5.0 ft RAD only.
SS	2.0	1.0	8-14-22-24						5			
								607.8			Bottom of borehole 7.0 ft. Backfilled (11/16/94).	5.0-7.0 ft RAD only. Borehole backfilled with cement/bentonite grout (11/16/94). Sample data recorded in sample logbook 129-E-021

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Updated: 4/20/95

HOLE NO. B29RBH3

129412

GEOLOGIC DRILL LOG

SITE	PROJECT	JOB NO.	SHEET NO.	HOLE NO.
Tonawanda Landfill	FUSRAP	14501-129	1 OF 2	B29RBH4

COORDINATES	ANGLE FROM HORIZ	BEARING
N 1,092,934.2 E 417,002.3	Vertical	------

BEGUN	COMPLETED	DRILLER	DRILL MAKE AND MODEL	SIZE	OVERBURDEN	ROCK (FT.)	TOTAL DEPTH
11-15-94	11-15-94	Earth Dimension	Mobile Drill B11-5	8"			16.5

CORE RECOVERY (FT./%)	CORE BOXES	SAMPLES	EL. TOP CASING	GROUND EL.	DEPTH/EL. GROUND WATER	DEPTH/EL. TOP OF ROCK
8.8/61		6		617.7	1.0 AGS	

SAMPLE HAMMER WEIGHT/FALL	CASING LEFT IN HOLE: DIA./LENGTH	LOGGED BY:
140lb/30"	0.0	[redacted]

(Template: 2HYLO)

SAMPLE TYPE AND DIAM.	SAMPLE NO.	LENGTH CORED	LENGTH SAMPLE RECOVERY	BLOWS PER 6"	WATER PRESSURE TESTS: LOSS G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	1.5	1.5	1-2-3									0.0 - 14.5 FILL 0 - 1.5 Ft. Greyish Red (10R 4/2) Silty clay w/ cl. Organics with roots to 3ft. Some debris, pottery, and few gravel	0-3.0 ft samples collected with 1.5'length 2" OD split spoons.
SS	1.5	1.5	12-12-12									1.5 - 3.0 Ft. Darker Greyish red (5R 4/2) silty clay with more organics, gravel and debris. Some black charcoal like debris in the hole. Moist.	Setup on side slope of landfill 0-1.5 ft RAD sample. 0-3.0 ft TCLP metals.
SS	1.5	1.5	6-8-7-7									3-5 ft. Moist, black and brown organic silt with greyish orange pink (10R 8/2) non-cohesive fill.	1.5-3.0 ft RAD and TCLP/VOA sample. 3.0-16.5 ft samples collected with 2' length, 2" OD split spoons.
SS	2.0	0.5	5-3-4-2						5				4.5-5.0 No Sample Taken 3.0-5.0 ft RAD only.
SS	2.0	0.0	1-1-1-1										ARTESIAN FLOW.Head ~ 1 ft above ground, berm contains water. 5.0-7.0 ft RAD only.
SS	2.0	0.0	1-0-0-0						10				7.0-9.0 ft No Recovery
													9.0-11.0 ft No Recovery
SS	2.0	2.0	8-14-21-22									12.5-14.5 ft Disturbed, dense, moderate reddish brown (10R 4/6) clay with some small gravels	11.0-12.5 No Sample Taken
SS	2.0	2.0	1-18-25-30					603.2				14.5 - 16.5 Ft CLAY (CL) Dense, moderate reddish brown (10R4/6) clay with some small gravels.	12.5 to 14.5 ft RAD only.

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Updated: 4/20/95

HOLE NO. B29RBH4

129412

GEOLOGIC DRILL LOG

PROJECT	JOB NO.	SHEET NO.	HOLE NO.
FUSRAP	14501-129	2 OF 2	B29RBH4

(Template: 2HYWD)

SAMP TYPE AND DIAM. / SAMP LEN CORE / SAMPLE BLOWS / % CORE RECOVERY	WATER PRESSURE TESTS: LOSS G.P.M. / PRESS. P.S.I. / TIME MIN.	ELEV.	DEPTH	GRAPHICS	SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
		(01.?				Bottom of borehole 16.5 ft. Backfilled (11/15/94).	14.5 to 16.5 ft RAD only. Borehole backfilled with cement/bentonite grout (11/15/94). Sample data recorded in sample logbook 129-E-021

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Update: 04/20/95

HOLE NO. B29RBH4

129412

GEOLOGIC DRILL LOG

PROJECT: FUSRAP			JOB NO.: 14501-129	SHEET NO.: 1 OF 1	HOLE NO.: R29RBH5
SITE: Tonawanda Landfill	COORDINATES: N 1,093,120.3 E 417,447.7			ANGLE FROM HORIZ: Vertical	BEARING: ----
BEGUN: 11-17-94	COMPLETED: 11-17-94	DRILLER:	DRILL MAKE AND MODEL:	SIZE: 4"	DIMENSIONS: 12.0
ROCK (FT.):	TOTAL DEPTH: 12.0	CORE RECOVERY (FT./%):	CORE BOXES:	SAMPLE EL.:	TOP CASING:
GROUND EL.: 619.3	DEPTH/EL. GROUND WATER: / 0.5 AGS	DEPTH/EL. TOP OF ROCK:	SAMPLE HAMMER WEIGHT/FALL: N/A	CASING LEFT IN HOLE: DIA./LENGTH: 0.0	LOGGED BY: [redacted]

SAMP. TYPE AND DIAM.	SAMP. BOX, CORE BOX, SAMPLE NO.	SAMPLE BLOWS	RECOVERY	WATER LOSS G.P.M.	PRESSURE TESTS PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SYMBOLS	DESCRIPTION AND CLASSIFICATION (Template: Jerry6)	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
							619.3				0.5-11.5 FT FILL 0-1 ft Black gravelly sand with lime and other debris	Samples collected with 3" hand augers from 0 to 12.0 ft
												0-1.5 ft RAD sample
											1.5-3.5 ft Wet, black and tan mottled silt. Gamma blue aggregate are similar to Lundy Ave. Ground Federal building ?	ARTESIAN FLOW from borehole.
												1.5-3.0 ft RAD and TCLP/A-OA
											3.5-11.0 Wet, silty black fill.	0-3.0 ft composite TCLP labeled
												3.5-4.0 ft RAD screen 6000-6000 cpm
								1				3.0-5.0 ft RAD sample only
												5.0-6 ft RAD screen 500 cpm
												5.0-7.0 ft RAD sample only
												Sample data recorded in Sample Logbook Number 1 [illegible]
												7.0-9.0 ft RAD sample only
								10				Temporary 4" PVC set to prevent sloughing to 9 ft
							608.3				11.0-12.0 ft CLAY (CL) Dense, moderate reddish brown (10R4/6) clay with some small gravels	9.0-11.0 ft RAD sample only
							607.3				Bottom of borehole 12.0 ft. Backfilled (11/17/94)	11.0-11.5 ft RAD sample only
												11.5-12.5 ft RAD sample only
												Borehole backfilled with bentonite pellets and chips (11/17/94)
												Gamma logged borehole to 11 ft in 3 inch PVC

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Updated: 4/18/95

HOLE NO.: R29RBH5

129412

GEOLOGIC DRILL LOG

PROJECT: FUSRAP	JOB NO.: 14501-129	SHEET NO.: 1 OF 2	HOLE NO.: B29RBH6		
SITE: Tonawanda Landfill	COORDINATES: N 1,092,881.9 E 417,018.6	ANGLE FROM HORIZ: Vertical	BEARING: -----		
BEGUN: 11-16-94	COMPLETED: 11-16-94	DRILLER: Earth Dimension	DRILL MAKE AND MODEL: Mobile Drill BH-5	SIZE: 8"	OVERBURDEN: 26.0
ROCK (FT.):	TOTAL DEPTH: 26.0	CORE RECOVERY (FT./%): 6.5/25	CORE BOXES:	SAMPLES: 6	EL. TOP CASING:
GROUND EL.: 623.8	DEPTH/EL. GROUND WATER: 8 / -2.0	DEPTH/EL. TOP OF ROCK:	SAMPLE HAMMER WEIGHT/FALL: 140lb/30"	CASING LEFT IN HOLE: DIA./LENGTH: 0.0	LOGGED BY: [redacted]

(Template: 2HVAO)

SAMP. TYPE NO. DIAM.	SAMP. ADV. LEN. CORE	CORE BOX NO.	BLOWS PER 6"	RECOVERY	WATER PRESSURE TESTS: LOSS G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SYMBOLS	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	2.0	0.8	3-3-4-3					623.8				00.-26.0 FT FILL	Offset B29RBH4
												0-10.0 ft Damp Reddish brown, cohesive organic clay with some black specs. Clay cover.	
SS	2.0	1.9	3-3-3-3										0-2.0 ft RAD sample only
													All samples taken with a 2 ft long 2" OD split spoon. RAD samples only.
SS	2.0	0.8	3-3-3-4										2.0-4.0 ft RAD sample only
									5				
SS	2.0	1.4	2-3-3-3										4.0-6.0 ft RAD sample only
SS	2.0	0.7	2-4-10-10										6.0-8.0 ft RAD sample only
													Organic vapors in the borehole
SS	2.0	0.2	4-9-2						10			10-12 ft Black, wet, debris	8.0-10.0 ft RAD sample only
SS	2.0	0.0	3-2-1-1										10.0-12.0 ft RAD sample only
													12.0-14.0 ft No Recovery
SS	2.0	0.0	3-1-2-1										

SS = SPLIT SPOON; NO = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill — Last Updated: 4/18/95 — HOLE NO.: B29RBH6

129412

GEOLOGIC DRILL LOG

PROJECT	JOB NO.	SHEET NO.	HOLE NO.
FUSRAP	14501-129	2 OF 2	B29RBH6

(Template: 2HYWD)

SAMP TYPE AND DIAM.	SAMP. ADV. LEN CORE	SAMPLE REC. CORE REC.	SAMPLE BLOWS % CORE RECOVERY	WATER PRESSURE TESTS: LOSS IN G.P.M	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
											14.0-16.0 ft No Recovery
SS	2.0	0.0	2-1-3-3								
											16.0-18.0 ft No Recovery
SS	2.0	0.1	3-1-1-1							18.0 - 20.0 Ft. Sandy debris, wet.	
SS	2.0	0.3	1-0-1-1					20			18.0-20.0 ft RAD sample only
SS	2.0	0.1	1-1-4-4								20.0-22.0 ft RAD sample only
											Organic vapors in breathing zone let vent to clear.
SS	2.0	0.2	2-2-2-2							24-26 ft. Black organic debris, very loose. Wet.	Oil sheen on drill rods.
								25			22.0-24.0 ft RAD sample only
											Borehole did not reach the base of the landfill, too hazardous.
							597.8				
										Bottom of borehole 26.0 Ft. Backfilled (11/18/94).	24.0-26.0 ft RAD sample only
											Borehole backfilled with cement/bentonite grout (11/18/94).
											Sample data recorded in Sample Logbook 129-E-021.

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Update: 04/18/95

HOLE NO. B29RBH6 KS

129412

GEOLOGIC DRILL LOG

PROJECT: FUSRAP	JOB NO. 14501-129	SHEET NO. 1 OF 2	HOLE NO. B29RBH7		
SITE: Tonawanda Landfill	COORDINATES: N 1,093,096.9 E 417,508.6	ANGLE FROM HORIZ: Vertical	BEARING: ----		
BEGUN: 11-17-94	COMPLETED: 11-18-94	DRILLER: Earth Dimension	DRILL MAKE AND MODEL: Mobile Drill BH-5	SIZE: 8"	OVERBURDEN: 22.0
ROCK (FT.):	TOTAL DEPTH: 22.0	CORE RECOVERY (FT./%): 5.4/27	CORE BOXES:	SAMPLES: 7	EL. TOP CASING:
GROUND EL.: 619.4	DEPTH/EL. GROUND WATER:	DEPTH/EL. TOP OF ROCK:	SAMPLE HAMMER WEIGHT/FALL: 140lb/30"	CASING LEFT IN HOLE: DIA./LENGTH: 0.0	LOGGED BY: [redacted]

(Template: 2HYWO)

SAMP. TYPE AND DIAM.	SAMP. ADV. LEN. CORE	SAMP. REC. LEN. CORE	SAMPLE BLOWS	% CORE RECOVERY	WATER PRESSURE TESTS: LOSS G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	2.0	1.0	1-1-2-2					619.4				0.0 - 21.0 Ft FILL 0-2 ft. Dark brown clayey fill with debris, loose, damp.	Offset B29RBH5
SS	2.0	0.5	0-1-2-1										Samples taken with a 2 ft. long, 2"OD split spoon sampler. Rad samples only. 0-2.0 ft RAD sample only
SS	2.0	0.0	2-2-1-0										2.0-4.0 ft RAD sample only
									5				4.0-6.0 ft No Recovery
SS	2.0	0.3	WOH										Drilling mud poured into augers to prevent offgassing of methane.
SS	2.0	0.6	3-1-1-2										6.0-8.0 ft RAD sample only
SS	2.0	0.4	4-2-2-2						10			10-12 ft Loose, wet, debris with more clay. Dark gray, some reddish brown chunks.	8.0-10.0 ft RAD sample only
SS	2.0	0.5	4-1-1-2										10.0-12.0 ft RAD sample only
SS	2.0	0.5	4-1-1-1										12.0-14.0 ft RAD sample only

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Updated: 4/20/95

HOLE NO. B29RBH7

129412

GEOLOGIC DRILL LOG

PROJECT	JOB NO.	SHEET NO.	HOLE NO.
FUSRAP	14501-129	2 OF 2	H29RBH7

SAMP. TYPE	SAMP. NO.	LEN. CORE	SAMPLE BLOWS	RECOVERY	WATER PRESSURE TESTS: LOSS G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	DESCRIPTION AND CLASSIFICATION (Complete: Jewell)	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	2.0	0.6	3-3-4-3									14.0-16.0 ft RAD sample only
												16.0-18.0 ft RAD sample only
												18.0-20.0 ft No Sample Taken
SS	2.0	1.0	5-6-17-16						20		20-21 ft. Soft, some debris with some decomposed moderate reddish brown clay	
								398.4			21.0-22.0 ft CLAY (CL) Medium dense, moderate reddish brown (10R4/6) clay with some small gravels	
								377.4			Bottom of borehole 22.0 ft. Backfilled (11/18/94)	20.0-22.0 ft RAD sample only
												Borehole backfilled with cement/bentonite grout (11/18/94)
												Sample data recorded on Sample Logbook number 129-E-021

SS = SPLIT SPOON; NO = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Update: 04/20/95

HOLE NO. H29RBH7

129412

GEOLOGIC DRILL LOG

PROJECT	JOB NO.	SHEET NO.	HOLE NO.
FUSRAP	14501-129	1 OF 2	B29RBH8

SITE	COORDINATES	ANGLE FROM HORIZ.	BEARING
Tonawanda Landfill	N 1,093,072.4 E 417,455.5	Vertical	------

BEGUN	COMPLETED	DRILLER	DRILL MAKE AND MODEL	SIZE	OVERBURDEN	ROCK (FT.)	TOTAL DEPTH
11-18-94	11-18-94	Earth Dimension	Mobile Drill B11-5	8"	23.5		24.0

CORE RECOVERY (FT./%)	CORE BOXES	SAMPLES	ELEV. TOP CASING	GROUND EL.	DEPTH/EL. GROUND WATER	DEPTH/EL. TOP OF ROCK
10.6/45		4		619.9		

SAMPLE HAMMER WEIGHT/FALL	CASING LEFT IN HOLE: DIA./LENGTH	LOGGED BY:
140lb/30"	0.0	[redacted]

(Template: 2wrsb)

SAMP. TYPE	SAMP. DIAM.	SAMP. LEN. COVE.	SAMPLE BLOWS	% RECOVERY	WATER PRESSURE TESTS: LOSS G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SYMBOL	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	2.0	0.2	1-3-3-3					619.9				0.0-23.0 ft FILL 0-3 ft Roots, grass, ash, and glass with other organic debris.	Offset B29RBH5
SS	2.5	2.0	3-6-8-7									2-5 ft Loose, fine sandy ash and debris.	Sample collected with a 2 ft. long, 2" OD split spoon sampler. 0-2.0 ft RAD sample only 2.0-24.0 ft Samples collected with a 2.5 ft. 3" OD split spoon.
SS	2.5	2.1	3-5-4-5-2						5				2.0-4.5 ft RAD sample only Drilling mud poured into augers to prevent offgassing of methane.
SS	2.5	2.0	2-1-1-0-2										4.5-7.0 ft RAD sample only
SS	2.5	0.0	3-5-5-5-4						10				7.0-9.5 ft RAD sample only
SS	2.5	0.3	7-3-1-1-1										9.5-12.0 ft RAD sample only
SS	2.5	0.0	2-1-0-1										12.0-14.5 ft RAD sample only

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Updated: 4/18/95

HOLE NO. B29RBH8

0001 2

129412

GEOLOGIC DRILL LOG

PROJECT	JOB NO.	SHEET NO.	HOLE NO.
FUSRAP	14501-129	2 OF 2	B29RBH8

(Template: 2MYWO)

SAMPLE TYPE AND DIAM.	SAMPLE DIST. CONT.	SAMPLE LENGTH	BLOWS PER 6 INCHES	RECOVERY	WATER PRESSURE TESTS: LOSS G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	2.5	0.5	7-3-3-3										14.5-17.0 ft No Recovery Sample data recorded in Sample Logbook number 129-E-021.
SS	2.5	1.2	6-4-3-3						20				17.0-19.5 ft RAD sample only Oil sheen on drill rods.
SS	2.0	2.0	9-7-8-12									22-23 ft Black organic debris	19.5-22.0 ft RAD sample only
								592.0				23.0 - 24.0 Ft CLAY Stiff, reddish brown (10R4/6) clay with rounded gravels. Base of landfill.	
								595.2					22.0-24.5 ft RAD sample only
												Bottom of borehole 24.0 Ft. Backfilled (11/18/94)	Borehole backfilled with granular bentonite and topped off with cement/bentonite grout (11/18/94).

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill

Last Update: 04/18/95

HOLE NO. B29RBH8

129412

GEOLOGIC DRILL LOG

PROJECT	JOB NO.	SHEET NO.	HOLE NO.
FUSRAP	14501-129	1 OF 1	B29RBH9

SITE	COORDINATES	ANGLE FROM HORIZ.	BEARING
Tonawanda Landfill	N 1,093,184.4 E 417,475.4	Vertical	----

BEGUN	COMPLETED	DRILLER	DRILL MAKE AND MODEL	SIZE	OVERBURDEN	ROCK (FT.)	TOTAL DEPTH
11-19-94	11-19-94	Earth Dimension	Mobile Drill RH-5	8"	5.0		5.0

CORE RECOVERY (FT./%)	CORE BOXES	SAMPLE	EL. TOP CASING	GROUND EL.	DEPTH/EL. GROUND WATER	DEPTH/EL. TOP OF ROCK
4.2/84		2		619.8	/	

SAMPLE HAMMER WEIGHT/FALL	CASING LEFT IN HOLE: DIA./LENGTH	LOGGED BY:
140lb/30"	0.0	[redacted]

(Template: 2HYLO)

SAMPLE TYPE AND DIAM.	SAMPLE LEN. CORE BOX	SAMPLE REC. CORE REC.	BLOWS PER 6" RECOVERY	WATER PRESSURE TESTS: LOSS G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS	SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	2.5	2.0	2-4-9 9-15				619.8				0.0 - 3.0 Ft FILL 0-3.0 ft Reddish brown clay mixed with ash and organic debris. Loose, wet.	Offset B29RBH5 Samples taken using a 2.5 ft. long, 3" OD split spoon sampler.
SS	2.5	2.2	5-7-9 13-17				616.6					0-2.5 ft RAD sample only
							614.8				3.2 - 5.0 Ft CLAY (CL) Reddish brown (10R4/6) clay with roots and gray mud cracks, stiff clay.	
											Bottom of borehole 5.0 Ft. Backfilled (11/19/94)	2.5-5.0 ft RAD sample only Borehole backfilled with granular bentonite (11/19/94). Sample data recorded in Sample Logbook number 129-E-021.

SS = SPLIT SPOON; NO = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE	Last Updated: 4/18/95	HOLE NO.
Tonawanda Landfill		B29RBH9

129412

GEOLOGIC DRILL LOG

PROJECT: FUSRAP			JOB NO. 14501-129	SHEET NO. 1 OF 1	HOLE NO. B29RBH10
SITE: Tonawanda Landfill	COORDINATES: N 1,093,144.3 E 417,418.0			ANGLE FROM HORIZ: Vertical	BEARING: ----
BEGUN: 11-19-94	COMPLETED: 11-19-94	DRILLER: Earth Dimension	DRILL MAKE AND MODEL: Mobile Drill BH-5	SIZE: 8"	OVERBURDEN:
CORE RECOVERY (FT./%): 4.8/96	CORE BOXES:	SAMPLES: 2	ELEV. TOP CASING:	GROUND EL.: 619.1	DEPTH/EL. GROUND WATER: / /
ROCK (FT.):	TOTAL DEPTH: 5.0	SAMPLE HAMMER WEIGHT/FALL: 140lb/30"	CASING LEFT IN HOLE: DIA./LENGTH: 0.0	LOGGED BY: [redacted]	DEPTH/EL. TOP OF ROCK:

(Template: 2HYWO)

SAMP. TYPE AND DIAM.	SAMP. ADV. LEN CORE	SAMPLE REC. CORE REC.	SAMPLE BLOWS PER 6" CORERY % RECOVERY	WATER PRESSURE TESTS: LOSS G.P.M.	PRESS. P.S.I.	TIME MIN.	ELEV.	DEPTH	GRAPHICS SAMPLE	DESCRIPTION AND CLASSIFICATION	NOTES ON: WATER LEVELS, WATER RETURN, CHARACTER OF DRILLING, ETC.
SS	2.5	2.3	2-6-7-7-6				619.1			0.0 - 2.7 Ft FILL 0-0.4 ft Silty dark brown organic clay with roots and debris. 0.4 - 2.5 ft Reddish fill and clay with ash and debris.	Offset from B29RBH5 Sampled with a 2 1/2' length, 3" OD stainless steel.
SS	2.5	2.5	5-11-17 28-39				616.4			2.7 - 5.0 Ft. CLAY Reddish brown (10R4/6) clay with some gravels, desication cracks, and roots in gray clay material. Some lighter pinkish brown silt stringers. Almost dry at the bottom. Crumbly, stiff, clay.	0-2.5 ft RAD sample only
							614.1	5		Bottom of borehole 5.0 ft.Backfilled (11/19/94).	2.5-5.0 ft RAD sample only Borehole backfilled granular bentonite (11/19/94). Sample data recorded in Sample Logbook number 129-E-021.

SS = SPLIT SPOON; NQ = CORE BARREL; HX = HAND AUGER; O = OTHER

SITE: Tonawanda Landfill — Last Updated: 4/13/95 — HOLE NO. B29RBH10

129412

Attachment C
Downhole Gamma Survey Results

129412

TMA/Eberline
SUBSURFACE GAMMA-RAY RADIATION LOG

D-19426

SURVEY #: 129SG9401

SITE: TONAWANDA LANDFILL JOB NUMBER: 129 SURVEYORS: [redacted]

AREA: MUD FLATS RECORDER: [redacted]

DATE: 11-14-94 COUNT TIME: 1 MINUTE(S) DEPTH (UNITS)= FEET

W(-X) / S(-Y) COORDINATES E(+X) / N(-Y)

Depth	Hole # & Coord. 129BH01	Depth	Hole # & Coord. 129BH02	Depth	Hole # & Coord.	Depth	Hole # & Coord.
1	19628	1	19481				
2	19328	2	12683				
3	13414	3	10876				
4	13380	4	10609				
5	11807	5	11011				
6	11260	6	7396				
7	11020	7	11795				

SCALER MODEL: LUDLUM 2350 SERIAL NUMBER: S 7640

DETECTOR(SHIELDED): BHP SERIAL NUMBER: S 7797

SCALER MODEL: SERIAL NUMBER:

DETECTOR(UNSHIELDED): SERIAL NUMBER:

COMMENTS:

NOTE: COMMENTS MUST BE MADE FOR SPECIFIC GRID LOCATIONS. GIVE COORDINATES OF THE LOCATIONS TO WHICH EACH COMMENT APPLIES.

129412

TMA/Eberline

SUBSURFACE GAMMA-RAY RADIATION LOG

D-19426

SURVEY #: 129SG9403

SITE: TONAWANDA LANDFILL JOB NUMBER: 129 SURVEYORS: [redacted]

AREA: NORTH SIDE OF LANDFILL RECORDER: [redacted]

DATE: 11-16-94 COUNT TIME: 1 MINUTE(S) DEPTH (UNITS)= FEET

W(-X) S(-Y) COORDINATES E(+X) N(-Y)

	Hole # & Coord. 129BH03		Hole # & Coord.		Hole # & Coord.		Hole # & Coord.
Depth		Depth		Depth		Depth	
0	17852						
1	8037						
2	7052						
3	12996						
4	13305						
5	13275						
6	13117						
7	9913						

SCALER MODEL: LUDLUM 2350 SERIAL NUMBER: S 7640

DETECTOR(SHIELDED): BHP SERIAL NUMBER: S 7797

SCALER MODEL: SERIAL NUMBER:

DETECTOR(UNSHIELDED): SERIAL NUMBER:

COMMENTS:

NOTE: COMMENTS MUST BE MADE FOR SPECIFIC GRID LOCATIONS. GIVE COORDINATES OF THE LOCATIONS TO WHICH EACH COMMENT APPLIES.

000013

129412

TMA/Eberline D-19426

SUBSURFACE GAMMA-RAY RADIATION LOG

SITE: TONAWANDA LANDFILL JOB NUMBER: 129 SURVEY #: 129SG9402
AREA: NORTH SIDE OF LANDFILL SURVEYORS: [redacted]
DATE: 11-15-94 COUNT TIME: 1 MINUTE(S) RECORDER [redacted] DEPTH (UNITS)= FEET

W(-X) S(-Y) COORDINATES E(+X) N(-Y)

Depth	Hole # & Coord. 129BH04	Depth	Hole # & Coord.	Depth	Hole # & Coord.	Depth	Hole # & Coord.
0	9883						
1	33905						
2	21107						
3	10318						
4	9280						
5	11851						

SCALER MODEL: LUDLUM 2350 SERIAL NUMBER: S 7640
DETECTOR(SHIELDED): BHP SERIAL NUMBER: S 7797
SCALER MODEL: SERIAL NUMBER:
DETECTOR(UNSHIELDED): SERIAL NUMBER:

COMMENTS: DUE TO A HEAVY INFLUX OF WATER IT WAS POSSIBLE TO LOG ONLY THE FIRST FIVE FEET OF THE BOREHOLE.

NOTE: COMMENTS MUST BE MADE FOR SPECIFIC GRID LOCATIONS. GIVE COORDINATES OF THE LOCATIONS TO WHICH EACH COMMENT APPLIES.

0001 31

129412

TMA/Eberline

SUBSURFACE GAMMA-RAY RADIATION LOG

D-19426

SURVEY #: 129SG9404

SITE: TONAWANDA LANDFILL JOB NUMBER: 129 SURVEYORS: [redacted]

AREA: NORTH SIDE OF LANDFILL RECORDER: [redacted]

DATE: 11-17-94 COUNT TIME: 1 MINUTE(S) DEPTH (UNITS)= FEET

W(-X) / S(-Y) COORDINATES E(+X) / N(-Y)

	Hole # & Coord.		Hole # & Coord.		Hole # & Coord.		Hole # & Coord.
	129BH05						
Depth		Depth		Depth		Depth	
0	16295						
0.5	24628						
1.5	141725						
2.5	1014834						
3.5	892292						
4.5	203217						
5.5	67609						
6.5	55501						
7.5	54010						
8.5	21843						
9.5	18960						
10.5	18902						

SCALER MODEL: LUDLUM 2350 SERIAL NUMBER: S 7640

DETECTOR(SHIELDED): BHP SERIAL NUMBER: S 7797

SCALER MODEL: SERIAL NUMBER:

DETECTOR(UNSHIELDED): SERIAL NUMBER:

COMMENTS:

NOTE: COMMENTS MUST BE MADE FOR SPECIFIC GRID LOCATIONS. GIVE COORDINATES OF THE LOCATIONS TO WHICH EACH COMMENT APPLIES.

0001 32

129412

TMA/Eberline

D-19426

SUBSURFACE GAMMA-RAY RADIATION LOG

SURVEY #: 129SG9405

SITE: TONAWANDA LANDFILL JOB NUMBER: 129 SURVEYORS: [redacted]

AREA: NORTH SIDE OF LANDFILL RECORDER: [redacted]

DATE: 11-18-94 COUNT TIME: 1 MINUTE(S) DEPTH (UNITS)= FEET

W(-X) / S(-Y) COORDINATES E(+X) / N(-Y)

	Hole # & Coord. 129BH07		Hole # & Coord. 129BH07		Hole # & Coord. 129BH08		Hole # & Coord. 129BH08
Depth		Depth		Depth		Depth	
0	3770	18	9594	0	3549	17.5	13926
1	5553	19	8209	0.5	4713	18.5	13139
2	10629	20	8863	1.5	4338	19.5	12742
3	13623	21	9343	2.5	9945	20.5	12510
4	14226	22	9136	3.5	13086	21.5	12742
5	18987			4.5	13888	22.5	8739
6	13576			5.5	14322	23.5	9192
7	12307			6.5	11540		
8	11157			7.5	9966		
9	11292			8.5	9461		
10	10474			9.5	10946		
11	10263			10.5	10548		
12	10002			11.5	10434		
13	12231			12.5	9763		
14	11423			13.5	12270		
15	11717			14.5	11810		
16	11594			15.5	11709		
17	11329			16.5	12382		

SCALER MODEL: LUDLUM 2350 SERIAL NUMBER: S 7640

DETECTOR(SHIELDED): BHP SERIAL NUMBER: S 7797

SCALER MODEL: SERIAL NUMBER:

DETECTOR(UNSHIELDED): SERIAL NUMBER:

COMMENTS:

NOTE: COMMENTS MUST BE MADE FOR SPECIFIC GRID LOCATIONS. GIVE COORDINATES OF THE LOCATIONS TO WHICH EACH COMMENT APPLIES.

000133

129412

D-19426

TMA/Eberline
SUBSURFACE GAMMA-RAY RADIATION LOG

SURVEY #: [redacted] 129SG9406

SITE: TONAWANDA LANDFILL JOB NUMBER: 129 SURVEYORS: [redacted]

AREA: NORTH SIDE OF LANDFILL RECORDER: [redacted]

DATE: 11-18-94 COUNT TIME: 1 MINUTE(S) DEPTH (UNITS)= FEET

W(-X) / S(-Y) COORDINATES E(+X) / N(-Y)

Depth	Hole # & Coord. 129BH09	Depth	Hole # & Coord. 129BH10	Depth	Hole # & Coord. 129BH06	Depth	Hole # & Coord.
0	11853	0	8810	0	8985		
1	13785	1	10300	1	10516		
2	14558	2	10900	2	10511		
3	13266	3	13000	3	10779		
4	12625	4	11000	4	10937		
5	10596	5	9940	5	9058		
				6	8458		
				7	8203		
				8	7996		
				9	7758		
				10	4272		

SCALER MODEL: LUDLUM 2350 SERIAL NUMBER: S 7640

DETECTOR(SHIELDED): BHP SERIAL NUMBER: S 7797

SCALER MODEL: SERIAL NUMBER:

DETECTOR(UNSHIELDED): SERIAL NUMBER:

COMMENTS:

NOTE: COMMENTS MUST BE MADE FOR SPECIFIC GRID LOCATIONS. GIVE COORDINATES OF THE LOCATIONS TO WHICH EACH COMMENT APPLIES.

0001 3 4

129412

Attachment D

Screening results for soil and sediment -- depth units = feet

00013 5

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CK94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	BNI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAPUMP Number
129-B01-001	0.000	1.500	11/14/94	RA-226	3.20	0.130	PCI/G	0.16			GAMMASPEC	9411100	19281
129-B01-001	0.000	1.500	11/14/94	RA-228	0.32	0.000	PCI/G	0.32	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-001	0.000	1.500	11/14/94	TH-228	0.06	0.110	PCI/G	0.32	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-001	0.000	1.500	11/14/94	TH-232	0.58	0.070	PCI/G	0.17	J	LCS	GAMMASPEC	9411100	19281
129-B01-001	0.000	1.500	11/14/94	U-235	0.42	0.040	PCI/G	0.08	J	LCS	GAMMASPEC	9411100	19281
129-B01-001	0.000	1.500	11/14/94	U-238	3.00	0.860	PCI/G	1.30			GAMMASPEC	9411100	19281
129-B01-001	0.000	1.500	11/14/94	AM-241	0.16	0.000	PCI/G	0.16	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-001	0.000	1.500	11/14/94	K-40	12.30	1.000	PCI/G	1.20	J	LCS	GAMMASPEC	9411100	19281
129-B01-002	1.500	3.000	11/14/94	RA-226	1.10	0.090	PCI/G	0.16			GAMMASPEC	9411100	19281
129-B01-002	1.500	3.000	11/14/94	RA-228	0.53	0.000	PCI/G	0.53	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-002	1.500	3.000	11/14/94	TH-228	0.53	0.000	PCI/G	0.53	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-002	1.500	3.000	11/14/94	TH-232	0.61	0.070	PCI/G	0.24	J	LCS	GAMMASPEC	9411100	19281
129-B01-002	1.500	3.000	11/14/94	U-235	0.41	0.040	PCI/G	0.08	J	LCS	GAMMASPEC	9411100	19281
129-B01-002	1.500	3.000	11/14/94	U-238	6.30	1.600	PCI/G	1.30			GAMMASPEC	9411100	19281
129-B01-002	1.500	3.000	11/14/94	AM-241	0.16	0.000	PCI/G	0.16	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-002	1.500	3.000	11/14/94	K-40	9.80	0.960	PCI/G	1.50	J	LCS	GAMMASPEC	9411100	19281
129-B01-003	3.000	5.000	11/14/94	RA-226	0.74	0.060	PCI/G	0.14			GAMMASPEC	9411100	19281
129-B01-003	3.000	5.000	11/14/94	RA-228	0.29	0.000	PCI/G	0.29	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-003	3.000	5.000	11/14/94	TH-228	0.29	0.000	PCI/G	0.29	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-003	3.000	5.000	11/14/94	TH-232	0.59	0.070	PCI/G	0.02	J	LCS	GAMMASPEC	9411100	19281
129-B01-003	3.000	5.000	11/14/94	U-235	0.09	0.020	PCI/G	0.06	J	LCS	GAMMASPEC	9411100	19281
129-B01-003	3.000	5.000	11/14/94	U-238	1.20	0.000	PCI/G	1.20	UJ	ERR	GAMMASPEC	9411100	19281
129-B01-003	3.000	5.000	11/14/94	AM-241	0.12	0.000	PCI/G	0.12	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-003	3.000	5.000	11/14/94	K-40	15.40	1.200	PCI/G	1.00	J	LCS	GAMMASPEC	9411100	19281
129-B01-004	5.000	7.000	11/14/94	RA-226	0.62	0.060	PCI/G	0.10			GAMMASPEC	9411100	19281
129-B01-004	5.000	7.000	11/14/94	RA-228	0.25	0.000	PCI/G	0.25	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-004	5.000	7.000	11/14/94	TH-228	0.25	0.000	PCI/G	0.25	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-004	5.000	7.000	11/14/94	TH-232	0.57	0.050	PCI/G	0.16	J	LCS	GAMMASPEC	9411100	19281
129-B01-004	5.000	7.000	11/14/94	U-235	0.08	0.020	PCI/G	0.05	J	LCS	GAMMASPEC	9411100	19281
129-B01-004	5.000	7.000	11/14/94	U-238	0.94	0.000	PCI/G	0.94	UJ	ERR	GAMMASPEC	9411100	19281
129-B01-004	5.000	7.000	11/14/94	AM-241	0.09	0.000	PCI/G	0.09	UJ	LCS	GAMMASPEC	9411100	19281
129-B01-004	5.000	7.000	11/14/94	K-40	11.70	0.940	PCI/G	0.91	J	LCS	GAMMASPEC	9411100	19281
129-B02-005	0.000	1.500	11/14/94	RA-226	1.90	0.120	PCI/G	0.21			GAMMASPEC	9411100	19281
129-B02-005	0.000	1.500	11/14/94	RA-228	0.42	0.000	PCI/G	0.42	UJ	LCS	GAMMASPEC	9411100	19281
129-B02-005	0.000	1.500	11/14/94	TH-228	0.12	0.190	PCI/G	0.42	UJ	LCS	GAMMASPEC	9411100	19281
129-B02-005	0.000	1.500	11/14/94	TH-232	0.50	0.140	PCI/G	0.37	J	LCS	GAMMASPEC	9411100	19281
129-B02-005	0.000	1.500	11/14/94	U-235	0.19	0.030	PCI/G	0.09	J	LCS	GAMMASPEC	9411100	19281
129-B02-005	0.000	1.500	11/14/94	U-238	0.97	0.500	PCI/G	1.40	UJ	MDA	GAMMASPEC	9411100	19281
129-B02-005	0.000	1.500	11/14/94	AM-241	0.17	0.000	PCI/G	0.17	UJ	LCS	GAMMASPEC	9411100	19281

03/09/95

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIX_CH9<

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	MDC Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFILE Number
129-B02-005	0.000	1.500	11/14/94	U-40	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-006	1.500	3.000	11/14/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-006	1.500	3.000	11/14/94	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-006	1.500	3.000	11/14/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-006	1.500	3.000	11/14/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-006	1.500	3.000	11/14/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-006	1.500	3.000	11/14/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-006	1.500	3.000	11/14/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-006	1.500	3.000	11/14/94	K-40	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-007	3.000	5.000	11/14/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-007	3.000	5.000	11/14/94	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-007	3.000	5.000	11/14/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-007	3.000	5.000	11/14/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-007	3.000	5.000	11/14/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-007	3.000	5.000	11/14/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-007	3.000	5.000	11/14/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-007	3.000	5.000	11/14/94	K-40	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-008	5.000	7.000	11/14/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-008	5.000	7.000	11/14/94	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-008	5.000	7.000	11/14/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-008	5.000	7.000	11/14/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-008	5.000	7.000	11/14/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-008	5.000	7.000	11/14/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-008	5.000	7.000	11/14/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B02-008	5.000	7.000	11/14/94	K-40	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-015	[illegible]	[illegible]	[illegible]	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-015	[illegible]	[illegible]	[illegible]	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-015	[illegible]	[illegible]	[illegible]	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-015	[illegible]	[illegible]	[illegible]	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-015	[illegible]	[illegible]	[illegible]	U-235	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-015	[illegible]	[illegible]	[illegible]	U-238	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-015	[illegible]	[illegible]	[illegible]	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-015	[illegible]	[illegible]	[illegible]	K-40	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-016	[illegible]	[illegible]	[illegible]	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-016	[illegible]	[illegible]	[illegible]	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-016	[illegible]	[illegible]	[illegible]	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-016	[illegible]	[illegible]	[illegible]	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-016	[illegible]	[illegible]	[illegible]	U-235	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]
129-B03-016	[illegible]	[illegible]	[illegible]	U-238	[illegible]	[illegible]	PCI/G	[illegible]	[illegible]	[illegible]	GAMMASPEC	[illegible]	[illegible]

TMA/Oberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CH94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	BNI Flag	Qualifier Code	Analytical Method	TMA/E Number	CATALYST Number
129-B03-016	1.500	3.000	11/16/94	AM-241	0.10	0.000	PCI/G	0.10	UJ	LCS	GAMMASPEC	9411074	19164
129-B03-016	1.500	3.000	11/16/94	K-40	5.30	0.440	PCI/G	1.10	J	LCS	GAMMASPEC	9411074	19164
129-B03-017	3.000	5.000	11/16/94	RA-226	0.20	0.070	PCI/G	0.16	J	WET	GAMMASPEC	9411074	19164
129-B03-017	3.000	5.000	11/16/94	RA-228	0.47	0.000	PCI/G	0.42	UJ	LCS	GAMMASPEC	9411074	19164
129-B03-017	3.000	5.000	11/16/94	TH-228	2.17	0.150	PCI/G	0.42	UJ	LCS	GAMMASPEC	9411074	19164
129-B03-017	3.000	5.000	11/16/94	TH-232	0.57	0.100	PCI/G	0.27	J	LCS	GAMMASPEC	9411074	19164
129-B03-017	3.000	5.000	11/16/94	U-235	0.09	0.000	PCI/G	0.09	UJ	LCS	GAMMASPEC	9411074	19164
129-B03-017	3.000	5.000	11/16/94	U-238	1.60	0.000	PCI/G	1.60	UJ	LCS	GAMMASPEC	9411074	19164
129-B03-017	3.000	5.000	11/16/94	AM-241	0.16	0.000	PCI/G	0.16	UJ	WET	GAMMASPEC	9411074	19164
129-B03-018	5.000	7.000	11/16/94	K-40	14.70	1.100	PCI/G	1.40	J	LCS	GAMMASPEC	9411074	19164
129-B03-018	5.000	7.000	11/16/94	RA-226	0.53	0.080	PCI/G	0.15	J	LCS	GAMMASPEC	9411074	19164
129-B03-018	5.000	7.000	11/16/94	RA-228	0.38	0.000	PCI/G	0.38	UJ	WET	GAMMASPEC	9411074	19164
129-B03-018	5.000	7.000	11/16/94	TH-228	0.21	0.190	PCI/G	0.38	UJ	LCS	GAMMASPEC	9411074	19164
129-B03-018	5.000	7.000	11/16/94	TH-232	0.34	0.160	PCI/G	0.24	J	LCS	GAMMASPEC	9411074	19164
129-B03-018	5.000	7.000	11/16/94	U-235	0.08	0.000	PCI/G	0.08	UJ	LCS	GAMMASPEC	9411074	19164
129-B03-018	5.000	7.000	11/16/94	U-238	1.40	0.000	PCI/G	1.40	UJ	LCS	GAMMASPEC	9411074	19164
129-B03-018	5.000	7.000	11/16/94	AM-241	0.14	0.000	PCI/G	0.14	UJ	WET	GAMMASPEC	9411074	19164
129-B04-009	0.000	1.500	11/15/94	K-40	12.80	1.200	PCI/G	1.20	J	LCS	GAMMASPEC	9411074	19164
129-B04-009	0.000	1.500	11/15/94	RA-226	14.40	0.510	PCI/G	0.35		LCS	GAMMASPEC	9411074	19164
129-B04-009	0.000	1.500	11/15/94	RA-228	0.84	0.000	PCI/G	0.84	UJ		GAMMASPEC	9411100	19281
129-B04-009	0.000	1.500	11/15/94	TH-228	0.84	0.000	PCI/G	0.84	UJ	LCS	GAMMASPEC	9411100	19281
129-B04-009	0.000	1.500	11/15/94	TH-232	0.39	0.000	PCI/G	0.39	UJ	LCS	GAMMASPEC	9411100	19281
129-B04-009	0.000	1.500	11/15/94	U-235	1.20	0.090	PCI/G	0.19	J	LCS	GAMMASPEC	9411100	19281
129-B04-009	0.000	1.500	11/15/94	U-238	3.30	0.000	PCI/G	3.30	UJ	LCS	GAMMASPEC	9411100	19281
129-B04-009	0.000	1.500	11/15/94	AM-241	0.33	0.000	PCI/G	0.33	UJ	EBR	GAMMASPEC	9411100	19281
129-B04-010	1.500	3.000	11/15/94	K-40	11.20	1.100	PCI/G	2.30	J	LCS	GAMMASPEC	9411100	19281
129-B04-010	1.500	3.000	11/15/94	RA-226	0.42	0.080	PCI/G	0.15		LCS	GAMMASPEC	9411100	19281
129-B04-010	1.500	3.000	11/15/94	RA-228	0.32	0.000	PCI/G	0.32	UJ		GAMMASPEC	9411100	19281
129-B04-010	1.500	3.000	11/15/94	TH-228	0.32	0.000	PCI/G	0.32	UJ	LCS	GAMMASPEC	9411100	19281
129-B04-010	1.500	3.000	11/15/94	TH-232	0.61	0.070	PCI/G	0.27	J	LCS	GAMMASPEC	9411100	19281
129-B04-010	1.500	3.000	11/15/94	U-235	0.08	0.020	PCI/G	0.07	J	LCS	GAMMASPEC	9411100	19281
129-B04-010	1.500	3.000	11/15/94	U-238	1.40	0.520	PCI/G	1.20			GAMMASPEC	9411100	19281
129-B04-010	1.500	3.000	11/15/94	AM-241	0.13	0.000	PCI/G	0.13	UJ	LCS	GAMMASPEC	9411100	19281
129-B04-011	3.000	5.000	11/15/94	K-40	9.80	0.980	PCI/G	1.50	J	LCS	GAMMASPEC	9411100	19281
129-B04-011	3.000	5.000	11/15/94	RA-226	1.50	0.080	PCI/G	0.13			GAMMASPEC	9411100	19281
129-B04-011	3.000	5.000	11/15/94	RA-228	0.23	0.000	PCI/G	0.23	UJ	LCS	GAMMASPEC	9411100	19281
129-B04-011	3.000	5.000	11/15/94	TH-228	0.50	0.200	PCI/G	0.23	J	LCS	GAMMASPEC	9411100	19281
129-B04-011	3.000	5.000	11/15/94	TH-232	0.98	0.180	PCI/G	0.08	J	LCS	GAMMASPEC	9411100	19281
129-B04-011	3.000	5.000	11/15/94	U-235	0.15	0.020	PCI/G	0.06	J	LCS	GAMMASPEC	9411100	19281

03/09/95

129-B03/B04

0 0 0 1 3 8

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIX_CH94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	Rel Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAPOR Number
129-B04-011	3.000	5.000	11/15/94	U-234	[illegible]	[illegible]	PCI/G	[illegible]			GAMMASPEC	9411100	[illegible]
129-B04-011	3.000	5.000	11/15/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-011	3.000	5.000	11/15/94	[illegible]	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-012	5.000	7.000	11/15/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]			GAMMASPEC	9411100	19241
129-B04-012	5.000	7.000	11/15/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-012	5.000	7.000	11/15/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-012	5.000	7.000	11/15/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-012	5.000	7.000	11/15/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-012	5.000	7.000	11/15/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-012	5.000	7.000	11/15/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-012	5.000	7.000	11/15/94	[illegible]	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-013	12.500	14.500	11/15/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]			GAMMASPEC	9411100	19241
129-B04-013	12.500	14.500	11/15/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-013	12.500	14.500	11/15/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-013	12.500	14.500	11/15/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-013	12.500	14.500	11/15/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-013	12.500	14.500	11/15/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-013	12.500	14.500	11/15/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-013	12.500	14.500	11/15/94	[illegible]	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]			GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B04-014	14.500	16.500	11/15/94	[illegible]	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411100	19241
129-B05-026	0.000	1.500	11/17/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411100	19241
129-B05-026	0.000	1.500	11/17/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	J	MRT	GAMMASPEC	9411092	19213
129-B05-026	0.000	1.500	11/17/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-026	0.000	1.500	11/17/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-026	0.000	1.500	11/17/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411092	19213
129-B05-026	0.000	1.500	11/17/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411092	19213
129-B05-026	0.000	1.500	11/17/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-026	0.000	1.500	11/17/94	[illegible]	[illegible]	[illegible]	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411092	19213
129-B05-027	1.500	3.000	11/17/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	J	MRT	GAMMASPEC	9411092	19213
129-B05-027	1.500	3.000	11/17/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-027	1.500	3.000	11/17/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-027	1.500	3.000	11/17/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411092	19213

01/09/95

1/29/95

0 0 0 1 3 9

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CH94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MCA	MRI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFILE Number
129-B05-027	1.500	3.000	11/17/94	U-235	12.00	0.710	PCI/G	0.44	J	LCS	GAMMASPEC	9411092	19213
129-B05-027	1.500	3.000	11/17/94	U-238	115.00	14.900	PCI/G	11.[illegible]	J	LCS	GAMMASPEC	9411092	19213
129-B05-027	1.500	3.000	11/17/94	AM-241	1.20	0.000	PCI/G	[illegible]	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-027	1.500	3.000	11/17/94	K-40	3.70	1.400	PCI/G	5.10	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-028	3.000	5.000	11/17/94	RA-226	41.20	1.400	PCI/G	0.45	J	MET	GAMMASPEC	9411092	19213
129-B05-028	3.000	5.000	11/17/94	RA-228	2.40	0.000	PCI/G	1.40	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-028	3.000	5.000	11/17/94	TH-228	2.40	0.000	PCI/G	1.40	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-028	3.000	5.000	11/17/94	TH-232	0.44	0.040	PCI/G	0.45	J	LCS	GAMMASPEC	9411092	19213
129-B05-028	3.000	5.000	11/17/94	U-235	14.90	1.550	PCI/G	0.35	J	LCS	GAMMASPEC	9411092	19213
129-B05-028	3.000	5.000	11/17/94	U-238	259.00	45.400	PCI/G	8.92	J	LCS	GAMMASPEC	9411092	19213
129-B05-028	3.000	5.000	11/17/94	AM-241	0.94	0.030	PCI/G	1.94	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-028	3.000	5.000	11/17/94	K-40	4.10	1.000	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411092	19213
129-B05-029	5.000	7.000	11/17/94	RA-226	9.20	0.330	PCI/G	[illegible]	J	MET	GAMMASPEC	9411092	19213
129-B05-029	5.000	7.000	11/17/94	RA-228	0.42	0.000	PCI/G	0.42	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-029	5.000	7.000	11/17/94	TH-228	0.42	0.000	PCI/G	0.42	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-029	5.000	7.000	11/17/94	TH-232	1.30	0.120	PCI/G	0.72	J	LCS	GAMMASPEC	9411092	19213
129-B05-029	5.000	7.000	11/17/94	U-235	5.40	0.240	PCI/G	0.19	J	LCS	GAMMASPEC	9411092	19213
129-B05-029	5.000	7.000	11/17/94	U-238	111.00	17.100	PCI/G	5.6[illegible]	J	LCS	GAMMASPEC	9411092	19213
129-B05-029	5.000	7.000	11/17/94	AM-241	0.54	0.000	PCI/G	0.54	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-029	5.000	7.000	11/17/94	K-40	5.00	.730	PCI/G	[illegible]	J	LCS	GAMMASPEC	9411092	19213
129-B05-030	7.000	9.000	11/17/94	RA-226	11.40	.400	PCI/G	0.37	J	MET	GAMMASPEC	9411092	19213
129-B05-030	7.000	9.000	11/17/94	RA-228	0.64	0.000	PCI/G	0.64	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-030	7.000	9.000	11/17/94	TH-228	0.64	0.000	PCI/G	0.64	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-030	7.000	9.000	11/17/94	TH-232	0.94	0.100	PCI/G	0.20	J	LCS	GAMMASPEC	9411092	19213
129-B05-030	7.000	9.000	11/17/94	U-235	9.40	0.360	PCI/G	0.22	J	LCS	GAMMASPEC	9411092	19213
129-B05-030	7.000	9.000	11/17/94	U-238	153.00	17.400	PCI/G	5.90	J	LCS	GAMMASPEC	9411092	19213
129-B05-030	7.000	9.000	11/17/94	AM-241	0.66	0.000	PCI/G	0.66	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-030	7.000	9.000	11/17/94	K-40	4.90	0.750	PCI/G	1.90	J	LCS	GAMMASPEC	9411092	19213
129-B05-031	9.000	11.000	11/17/94	RA-226	5.80	2.500	PCI/G	0.45	J	MET	GAMMASPEC	9411092	19213
129-B05-031	9.000	11.000	11/17/94	RA-228	0.60	0.000	PCI/G	0.60	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-031	9.000	11.000	11/17/94	TH-228	0.60	0.000	PCI/G	0.60	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-031	9.000	11.000	11/17/94	TH-232	0.78	0.220	PCI/G	0.52	J	LCS	GAMMASPEC	9411092	19213
129-B05-031	9.000	11.000	11/17/94	U-235	16.80	0.570	PCI/G	0.28	J	LCS	GAMMASPEC	9411092	19213
129-B05-031	9.000	11.000	11/17/94	U-238	192.00	47.300	PCI/G	7.10	J	LCS	GAMMASPEC	9411092	19213
129-B05-031	9.000	11.000	11/17/94	AM-241	0.78	0.000	PCI/G	0.78	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-031	9.000	11.000	11/17/94	K-40	3.80	0.640	PCI/G	1.70	J	LCS	GAMMASPEC	9411092	19213
129-B05-032	11.000	11.500	11/17/94	RA-226	4.10	0.190	PCI/G	0.25	J	MET	GAMMASPEC	9411092	19213
129-B05-032	11.000	11.500	11/17/94	RA-228	0.51	0.000	PCI/G	0.51	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-032	11.000	11.500	11/17/94	TH-228	0.51	0.000	PCI/G	0.51	UJ	LCS	GAMMASPEC	9411092	19213

03/09/95

0 0 0 1 4 0

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CK96

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	RRI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFILE Number
129-B05-032	11.000	11.500	11/17/96	TH-232	0.61	0.592	PCI/G	0.37	J	LCS	GAMMASPEC	9411092	19213
129-B05-032	11.000	11.500	11/17/96	U-235	4.30	0.182	PCI/G	0.15	J	LCS	GAMMASPEC	9411092	19213
129-B05-032	11.000	11.500	11/17/96	U-238	44.40	14.100	PCI/G	0.41	J	LCS	GAMMASPEC	9411092	19213
129-B05-032	11.000	11.500	11/17/96	AM-241	0.46	0.222	PCI/G	0.44	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-032	11.000	11.500	11/17/96	K-40	6.00	2.700	PCI/G	1.30	J	LCS	GAMMASPEC	9411092	19213
129-B05-033	11.500	12.500	11/17/96	RA-226	0.55	0.111	PCI/G	0.34	J	MRT	GAMMASPEC	9411092	19213
129-B05-033	11.500	12.500	11/17/96	RA-228	0.38	0.222	PCI/G	0.34	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-033	11.500	12.500	11/17/96	TH-228	0.36	0.222	PCI/G	0.34	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-033	11.500	12.500	11/17/96	TH-232	0.44	0.251	PCI/G	0.18	J	LCS	GAMMASPEC	9411092	19213
129-B05-033	11.500	12.500	11/17/96	U-235	0.35	0.111	PCI/G	0.17	J	LCS	GAMMASPEC	9411092	19213
129-B05-033	11.500	12.500	11/17/96	U-238	3.32	0.222	PCI/G	1.40	J	LCS	GAMMASPEC	9411092	19213
129-B05-033	11.500	12.500	11/17/96	AM-241	0.16	0.140	PCI/G	0.16	UJ	LCS	GAMMASPEC	9411092	19213
129-B05-033	11.500	12.500	11/17/96	K-40	13.90	2.200	PCI/G	2.10	J	LCS	GAMMASPEC	9411092	19213
129-B06-019	0.000	2.000	11/16/96	RA-226	0.63	0.111	PCI/G	0.19	J	MRT	GAMMASPEC	9411092	19213
129-B06-019	0.000	2.000	11/16/96	RA-228	0.62	0.222	PCI/G	0.42	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-019	0.000	2.000	11/16/96	TH-228	0.52	0.222	PCI/G	0.42	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-019	0.000	2.000	11/16/96	TH-232	0.51	0.111	PCI/G	0.12	J	LCS	GAMMASPEC	9411076	19164
129-B06-019	0.000	2.000	11/16/96	U-235	0.15	0.111	PCI/G	0.11	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-019	0.000	2.000	11/16/96	U-238	0.75	0.111	PCI/G	0.12	UJ	MRT	GAMMASPEC	9411076	19164
129-B06-019	0.000	2.000	11/16/96	AM-241	0.19	0.111	PCI/G	0.18	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-020	2.000	4.000	11/16/96	K-40	11.70	1.900	PCI/G	2.06	J	LCS	GAMMASPEC	9411076	19164
129-B06-020	2.000	4.000	11/16/96	RA-226	0.34	0.101	PCI/G	0.19	J	MRT	GAMMASPEC	9411076	19164
129-B06-020	2.000	4.000	11/16/96	RA-228	0.33	0.111	PCI/G	0.37	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-020	2.000	4.000	11/16/96	TH-228	0.15	0.111	PCI/G	0.35	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-020	2.000	4.000	11/16/96	TH-232	0.54	0.191	PCI/G	0.32	J	LCS	GAMMASPEC	9411076	19164
129-B06-020	2.000	4.000	11/16/96	U-235	0.19	0.111	PCI/G	0.49	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-020	2.000	4.000	11/16/96	U-238	0.76	0.222	PCI/G	0.94	UJ	MRT	GAMMASPEC	9411076	19164
129-B06-020	2.000	4.000	11/16/96	AM-241	0.17	0.093	PCI/G	0.17	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-021	4.000	6.000	11/16/96	K-40	13.60	2.300	PCI/G	1.60	J	LCS	GAMMASPEC	9411076	19164
129-B06-021	4.000	6.000	11/16/96	RA-226	0.43	0.243	PCI/G	0.33	J	MRT	GAMMASPEC	9411076	19164
129-B06-021	4.000	6.000	11/16/96	RA-228	0.93	0.092	PCI/G	0.60	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-021	4.000	6.000	11/16/96	TH-228	0.93	0.081	PCI/G	0.60	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-021	4.000	6.000	11/16/96	TH-232	0.43	0.112	PCI/G	0.36	J	LCS	GAMMASPEC	9411076	19164
129-B06-021	4.000	6.000	11/16/96	U-235	0.13	0.093	PCI/G	0.13	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-021	4.000	6.000	11/16/96	U-238	1.70	0.093	PCI/G	1.98	UJ	MRT	GAMMASPEC	9411076	19164
129-B06-021	4.000	6.000	11/16/96	AM-241	0.19	0.050	PCI/G	0.19	UJ	LCS	GAMMASPEC	9411076	19164
129-B06-022	6.000	8.000	11/16/96	K-40	14.65	1.500	PCI/G	1.90	J	LCS	GAMMASPEC	9411076	19164
129-B06-022	6.000	8.000	11/16/96	RA-226	0.20	0.072	PCI/G	0.19	J	MRT	GAMMASPEC	9411076	19164
	6.000	8.000	11/16/96	RA-228	0.56	0.065	PCI/G	0.56	UJ	LCS	GAMMASPEC	9411076	19164

03/09/99

129412

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event LIM_CN94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	Not Flag	Qualifier Code	Analytical Method	TMA/E Number	DATA/CMS Number
129-B06-022	6.000	8.000	11/16/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-022	6.000	8.000	11/16/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	J	LOB	GAMMASPEC	9411874	19164
129-B06-022	6.000	8.000	11/16/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-022	6.000	8.000	11/16/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	UJ	NET	GAMMASPEC	9411874	19164
129-B06-022	6.000	8.000	11/16/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-022	6.000	8.000	11/16/94	K-40	[illegible]	[illegible]	PCI/G	[illegible]	J	LOB	GAMMASPEC	9411874	19164
129-B06-023	8.000	10.000	11/16/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	UJ	NET	GAMMASPEC	9411874	19164
129-B06-023	8.000	10.000	11/16/94	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-023	8.000	10.000	11/16/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-023	8.000	10.000	11/16/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-023	8.000	10.000	11/16/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-023	8.000	10.000	11/16/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	UJ	NET	GAMMASPEC	9411874	19164
129-B06-023	8.000	10.000	11/16/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-023	8.000	10.000	11/16/94	K-40	[illegible]	[illegible]	PCI/G	[illegible]	J	LOB	GAMMASPEC	9411874	19164
129-B06-024	10.000	12.000	11/16/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	UJ	NET	GAMMASPEC	9411874	19164
129-B06-024	10.000	12.000	11/16/94	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-024	10.000	12.000	11/16/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-024	10.000	12.000	11/16/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-024	10.000	12.000	11/16/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-024	10.000	12.000	11/16/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	UJ	NET	GAMMASPEC	9411874	19164
129-B06-024	10.000	12.000	11/16/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-024	10.000	12.000	11/16/94	K-40	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-025	20.000	22.000	11/16/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	J	NET	GAMMASPEC	9411874	19164
129-B06-025	20.000	22.000	11/16/94	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-025	20.000	22.000	11/16/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-025	20.000	22.000	11/16/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-025	20.000	22.000	11/16/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-025	20.000	22.000	11/16/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	UJ	NET	GAMMASPEC	9411874	19164
129-B06-025	20.000	22.000	11/16/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411874	19164
129-B06-025	20.000	22.000	11/16/94	K-40	[illegible]	[illegible]	PCI/G	[illegible]	J	LOB	GAMMASPEC	9411874	19164
129-B07-034	0.000	2.000	11/17/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	J	NET	GAMMASPEC	9411092	19213
129-B07-034	0.000	2.000	11/17/94	RA-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411092	19213
129-B07-034	0.000	2.000	11/17/94	TH-228	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411092	19213
129-B07-034	0.000	2.000	11/17/94	TH-232	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411092	19213
129-B07-034	0.000	2.000	11/17/94	U-235	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411092	19213
129-B07-034	0.000	2.000	11/17/94	U-238	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411092	19213
129-B07-034	0.000	2.000	11/17/94	AM-241	[illegible]	[illegible]	PCI/G	[illegible]	UJ	LOB	GAMMASPEC	9411092	19213
129-B07-034	0.000	2.000	11/17/94	K-40	[illegible]	[illegible]	PCI/G	[illegible]	J	LOB	GAMMASPEC	9411092	19213
129-B07-035	2.000	4.000	11/17/94	RA-226	[illegible]	[illegible]	PCI/G	[illegible]	J	NET	GAMMASPEC	9411092	19213

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CK94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	MRI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAPERS Number
129-B07-035	2.000	4.000	11/17/94	RA-226	0.98	0.000	PCI/G	0.98	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-035	2.000	4.000	11/17/94	TH-228	0.94	0.000	PCI/G	0.98	[illegible]	[illegible]	GAMMASPEC	9411092	19[illegible]
129-B07-035	2.000	4.000	11/17/94	TH-232	0.82	0.000	PCI/G	0.88	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-035	2.000	4.000	11/17/94	U-235	0.35	0.000	PCI/G	0.35	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-035	2.000	4.000	11/17/94	U-238	0.92	0.000	PCI/G	0.92	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-035	2.000	4.000	11/17/94	AM-241	0.24	0.000	PCI/G	0.24	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-035	2.000	4.000	11/17/94	K-40	0.61	0.000	PCI/G	0.93	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-036	8.000	10.000	11/17/94	RA-226	0.52	0.000	PCI/G	0.34	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-036	8.000	10.000	11/17/94	RA-226	0.24	0.000	PCI/G	0.24	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-036	8.000	10.000	11/17/94	TH-228	0.24	0.000	PCI/G	0.24	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-036	8.000	10.000	11/17/94	TH-232	0.93	0.000	PCI/G	0.24	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-036	8.000	10.000	11/17/94	U-235	0.14	0.000	PCI/G	0.31	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-036	8.000	10.000	11/17/94	U-238	0.83	0.000	PCI/G	0.14	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-036	8.000	10.000	11/17/94	AM-241	0.45	0.000	PCI/G	0.51	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-036	8.000	10.000	11/17/94	K-40	0.45	0.000	PCI/G	0.45	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-037	10.000	12.000	11/17/94	RA-226	0.43	0.000	PCI/G	0.31	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-037	10.000	12.000	11/17/94	RA-226	0.32	0.000	PCI/G	0.43	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-037	10.000	12.000	11/17/94	TH-228	0.32	0.000	PCI/G	0.32	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-037	10.000	12.000	11/17/94	TH-232	0.74	0.000	PCI/G	0.32	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-037	10.000	12.000	11/17/94	U-235	0.14	0.000	PCI/G	0.26	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-037	10.000	12.000	11/17/94	U-238	0.43	0.000	PCI/G	0.30	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-037	10.000	12.000	11/17/94	AM-241	0.18	0.000	PCI/G	0.43	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-037	10.000	12.000	11/17/94	K-40	0.61	0.000	PCI/G	0.24	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-038	12.000	14.000	11/17/94	RA-226	0.94	0.000	PCI/G	0.55	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-038	12.000	14.000	11/17/94	RA-226	0.92	0.000	PCI/G	0.18	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-038	12.000	14.000	11/17/94	TH-228	0.91	0.000	PCI/G	0.92	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-038	12.000	14.000	11/17/94	TH-232	0.97	0.000	PCI/G	0.91	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-038	12.000	14.000	11/17/94	U-235	0.10	0.000	PCI/G	0.39	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-038	12.000	14.000	11/17/94	U-238	0.83	0.000	PCI/G	0.10	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-038	12.000	14.000	11/17/94	AM-241	0.18	0.000	PCI/G	0.81	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-038	12.000	14.000	11/17/94	K-40	0.91	0.000	PCI/G	0.18	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-039	14.000	16.000	11/17/94	RA-226	0.92	0.000	PCI/G	0.93	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-039	14.000	16.000	11/17/94	RA-226	0.92	0.000	PCI/G	0.27	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-039	14.000	16.000	11/17/94	TH-228	0.19	0.000	PCI/G	0.19	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-039	14.000	16.000	11/17/94	TH-232	0.97	0.000	PCI/G	0.95	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-039	14.000	16.000	11/17/94	U-235	0.83	0.000	PCI/G	0.41	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-039	14.000	16.000	11/17/94	U-238	22.92	0.000	PCI/G	0.15	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-039	14.000	16.000	11/17/94	AM-241	0.39	0.000	PCI/G	0.91	[illegible]	[illegible]	GAMMASPEC	9411092	19213
129-B07-039	14.000	16.000	11/17/94	K-40	0.72	0.000	PCI/G	0.76	[illegible]	[illegible]	GAMMASPEC	9411092	19213

01/09/95

129 of 12

0 0 0 1 4 3

THA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CK94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	RMI Flag	Qualifier Code	Analytical Method	THA/E Number	DATAPOOL Number
129-B07-040	16.000	18.000	11/17/94	RA-226	0.43	0.070	PCI/G	0.14	J	WET	GAMMASPEC	9411092	19213
129-B07-040	16.000	18.000	11/17/94	RA-228	0.30	0.000	PCI/G	0.30	UJ	LCS	GAMMASPEC	9411092	19213
129-B07-040	16.000	18.000	11/17/94	TH-228	0.30	0.000	PCI/G	0.30	UJ	LCS	GAMMASPEC	9411092	19213
129-B07-040	16.000	18.000	11/17/94	TH-232	0.76	0.080	PCI/G	0.17	J	LCS	GAMMASPEC	9411092	19213
129-B07-040	16.000	18.000	11/17/94	U-235	1.20	0.070	PCI/G	0.08	J	LCS	GAMMASPEC	9411092	19213
129-B07-040	16.000	18.000	11/17/94	U-238	19.40	4.900	PCI/G	3.00	J	LCS	GAMMASPEC	9411092	19213
129-B07-040	16.000	18.000	11/17/94	AM-241	0.22	0.000	PCI/G	0.22	UJ	LCS	GAMMASPEC	9411092	19213
129-B07-041	14.000	18.000	11/17/94	K-40	5.70	0.620	PCI/G	0.94	J	LCS	GAMMASPEC	9411092	19213
129-B07-041	20.000	22.000	11/17/94	RA-226	0.47	0.040	PCI/G	0.14	J	LCS	GAMMASPEC	9411092	19213
129-B07-041	20.000	22.000	11/17/94	RA-228	0.56	0.000	PCI/G	0.56	UJ	WET	GAMMASPEC	9411092	19213
129-B07-041	20.000	22.000	11/17/94	TH-228	0.56	0.040	PCI/G	0.56	UJ	LCS	GAMMASPEC	9411092	19213
129-B07-041	20.000	22.000	11/17/94	TH-232	0.59	0.020	PCI/G	0.27	J	LCS	GAMMASPEC	9411092	19213
129-B07-041	20.000	22.000	11/17/94	U-235	0.04	0.000	PCI/G	0.07	UJ	LCS	GAMMASPEC	9411092	19213
129-B07-041	20.000	22.000	11/17/94	U-238	0.40	0.000	PCI/G	1.40	UJ	LCS	GAMMASPEC	9411092	19213
129-B07-041	20.000	22.000	11/17/94	AM-241	0.14	0.000	PCI/G	0.14	UJ	LCS	GAMMASPEC	9411092	19213
129-B08-044	0.000	2.000	11/18/94	K-40	12.20	1.100	PCI/G	2.30	J	LCS	GAMMASPEC	9411092	19213
129-B08-046	0.000	2.000	11/18/94	RA-226	0.31	0.000	PCI/G	0.31	UJ	LCS	GAMMASPEC	9411092	19213
129-B08-046	0.000	2.000	11/18/94	RA-228	0.57	0.000	PCI/G	0.57	UJ	ERR	GAMMASPEC	9411092	19213
129-B08-046	0.000	2.000	11/18/94	TH-228	0.57	0.000	PCI/G	0.57	UJ	LCS	GAMMASPEC	9411100	19281
129-B08-046	0.000	2.000	11/18/94	TH-232	0.15	0.000	PCI/G	0.33	UJ	LCS	GAMMASPEC	9411100	19281
129-B08-046	0.000	2.000	11/18/94	U-235	0.10	0.000	PCI/G	0.10	UJ	LCS	GAMMASPEC	9411100	19281
129-B08-046	0.000	2.000	11/18/94	U-238	1.50	0.000	PCI/G	1.50	UJ	LCS	GAMMASPEC	9411100	19281
129-B08-046	0.000	2.000	11/18/94	AM-241	0.15	0.000	PCI/G	0.15	UJ	ERR	GAMMASPEC	9411100	19281
129-B08-047	2.000	4.500	11/18/94	K-40	4.20	0.800	PCI/G	3.10	J	LCS	GAMMASPEC	9411100	19281
129-B08-047	2.000	4.500	11/18/94	RA-226	1.30	0.070	PCI/G	0.11	J	LCS	GAMMASPEC	9411100	19281
129-B08-047	2.000	4.500	11/18/94	RA-228	0.12	0.100	PCI/G	0.21	UJ	WET	GAMMASPEC	9411100	19281
129-B08-047	2.000	4.500	11/18/94	TH-228	0.21	0.000	PCI/G	0.21	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-047	2.000	4.500	11/18/94	TH-232	0.99	0.070	PCI/G	0.10	J	LCS	GAMMASPEC	9411101	19280
129-B08-047	2.000	4.500	11/18/94	U-235	0.26	0.020	PCI/G	0.05	J	LCS	GAMMASPEC	9411101	19280
129-B08-047	2.000	4.500	11/18/94	U-238	3.30	0.840	PCI/G	0.91	J	LCS	GAMMASPEC	9411101	19280
129-B08-047	2.000	4.500	11/18/94	AM-241	0.12	0.000	PCI/G	0.12	UJ	WET	GAMMASPEC	9411101	19280
129-B08-048	4.500	7.000	11/18/94	K-40	5.90	0.520	PCI/G	0.63	J	LCS	GAMMASPEC	9411101	19280
129-B08-048	4.500	7.000	11/18/94	RA-226	0.60	0.050	PCI/G	0.09	J	LCS	GAMMASPEC	9411101	19280
129-B08-048	4.500	7.000	11/18/94	RA-228	0.20	0.000	PCI/G	0.20	UJ	WET	GAMMASPEC	9411101	19280
129-B08-048	4.500	7.000	11/18/94	TH-228	0.10	0.080	PCI/G	0.20	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-048	4.500	7.000	11/18/94	TH-232	0.70	0.060	PCI/G	0.12	J	LCS	GAMMASPEC	9411101	19280
129-B08-048	4.500	7.000	11/18/94	U-235	0.20	0.020	PCI/G	0.05	J	LCS	GAMMASPEC	9411101	19280
129-B08-048	4.500	7.000	11/18/94	U-238	2.20	0.600	PCI/G	0.73	J	LCS	GAMMASPEC	9411101	19280
129-B08-048	4.500	7.000	11/18/94	AM-241	0.10	0.000	PCI/G	0.10	UJ	WET	GAMMASPEC	9411101	19280
										LCS	GAMMASPEC	9411101	19280

03/09/95

000144

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CH94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	BNI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFUSE Number
129-B08-048	4.500	7.000	11/18/94	K-40	5.20	0.500	PCI/G	0.60	J	LCS	GAMMASPEC	9411101	19280
129-B08-049	7.000	9.500	11/18/94	RA-226	0.98	0.060	PCI/G	0.11	J	WET	GAMMASPEC	9411101	19280
129-B08-049	7.000	9.500	11/18/94	RA-228	0.27	0.000	PCI/G	0.27	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-049	7.000	9.500	11/18/94	TH-228	0.12	0.100	PCI/G	0.27	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-049	7.000	9.500	11/18/94	TH-232	0.77	0.070	PCI/G	0.13	J	LCS	GAMMASPEC	9411101	19280
129-B08-049	7.000	9.500	11/18/94	U-235	0.21	0.020	PCI/G	0.06	J	LCS	GAMMASPEC	9411101	19280
129-B08-049	7.000	9.500	11/18/94	U-238	2.40	0.480	PCI/G	0.33	J	WET	GAMMASPEC	9411101	19280
129-B08-049	7.000	9.500	11/18/94	AM-241	0.11	0.000	PCI/G	0.11	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-051	12.000	14.500	11/18/94	K-40	5.10	0.520	PCI/G	0.85	J	LCS	GAMMASPEC	9411101	19280
129-B08-051	12.000	14.500	11/18/94	RA-226	0.83	0.050	PCI/G	0.24	J	WET	GAMMASPEC	9411101	19280
129-B08-051	12.000	14.500	11/18/94	RA-228	0.38	0.000	PCI/G	0.38	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-051	12.000	14.500	11/18/94	TH-228	0.06	0.150	PCI/G	0.38	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-051	12.000	14.500	11/18/94	TH-232	0.97	0.100	PCI/G	0.29	J	LCS	GAMMASPEC	9411101	19280
129-B08-051	12.000	14.500	11/18/94	U-235	0.21	0.030	PCI/G	0.08	J	LCS	GAMMASPEC	9411101	19280
129-B08-051	12.000	14.500	11/18/94	U-238	3.20	0.900	PCI/G	1.30	J	WET	GAMMASPEC	9411101	19280
129-B08-051	12.000	14.500	11/18/94	AM-241	0.17	0.000	PCI/G	0.17	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-052	17.000	19.500	11/18/94	K-40	8.08	0.820	PCI/G	1.32	J	LCS	GAMMASPEC	9411101	19280
129-B08-052	17.000	19.500	11/18/94	RA-226	0.67	0.060	PCI/G	0.12			GAMMASPEC	9411101	19280
129-B08-052	17.000	19.500	11/18/94	RA-228	0.28	0.000	PCI/G	0.28	UJ	LCS	GAMMASPEC	9411100	19281
129-B08-052	17.000	19.500	11/18/94	TH-228	0.28	0.000	PCI/G	0.28	UJ	LCS	GAMMASPEC	9411100	19281
129-B08-052	17.000	19.500	11/18/94	TH-232	1.10	0.080	PCI/G	0.17	J	LCS	GAMMASPEC	9411100	19281
129-B08-052	17.000	19.500	11/18/94	U-235	0.25	0.020	PCI/G	0.06	J	LCS	GAMMASPEC	9411100	19281
129-B08-052	17.000	19.500	11/18/94	U-238	2.70	0.780	PCI/G	1.20			GAMMASPEC	9411100	19281
129-B08-052	17.000	19.500	11/18/94	AM-241	0.13	0.000	PCI/G	0.13	UJ	LCS	GAMMASPEC	9411100	19281
129-B08-053	19.500	22.000	11/18/94	K-40	6.70	0.610	PCI/G	0.90	J	LCS	GAMMASPEC	9411100	19281
129-B08-053	19.500	22.000	11/18/94	RA-226	0.80	0.060	PCI/G	0.10	J	WET	GAMMASPEC	9411101	19280
129-B08-053	19.500	22.000	11/18/94	RA-228	0.30	0.000	PCI/G	0.30	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-053	19.500	22.000	11/18/94	TH-228	0.50	0.200	PCI/G	0.30	J	LCS	GAMMASPEC	9411101	19280
129-B08-053	19.500	22.000	11/18/94	TH-232	0.80	0.200	PCI/G	0.10	J	LCS	GAMMASPEC	9411101	19280
129-B08-053	19.500	22.000	11/18/94	U-235	0.70	0.040	PCI/G	0.06	J	LCS	GAMMASPEC	9411101	19280
129-B08-053	19.500	22.000	11/18/94	U-238	11.50	2.800	PCI/G	1.20	J	WET	GAMMASPEC	9411101	19280
129-B08-053	19.500	22.000	11/18/94	AM-241	0.20	0.000	PCI/G	0.20	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-054	22.000	24.500	11/18/94	K-40	5.90	0.500	PCI/G	0.80	J	LCS	GAMMASPEC	9411101	19280
129-B08-054	22.000	24.500	11/18/94	RA-226	0.38	0.040	PCI/G	0.08	J	WET	GAMMASPEC	9411101	19280
129-B08-054	22.000	24.500	11/18/94	RA-228	0.19	0.000	PCI/G	0.19	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-054	22.000	24.500	11/18/94	TH-228	0.16	0.100	PCI/G	0.19	UJ	LCS	GAMMASPEC	9411101	19280
129-B08-054	22.000	24.500	11/18/94	TH-232	0.35	0.080	PCI/G	0.11	J	LCS	GAMMASPEC	9411101	19280
129-B08-054	22.000	24.500	11/18/94	U-235	0.09	0.010	PCI/G	0.04	J	LCS	GAMMASPEC	9411101	19280
129-B08-054	22.000	24.500	11/18/94	U-238	1.90	0.510	PCI/G	0.68	J	WET	GAMMASPEC	9411101	19280

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	Qual Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAPACK Number
129-B08-054	22.000	24.500	11/18/94	AM-241	0.09	0.000	PCI/G	0.09	UJ	LCS	GAMMASPEC	9411101	19283
129-B08-054	22.000	24.500	11/18/94	K-40	10.80	0.810	PCI/G	0.57	J	LCS	GAMMASPEC	9411101	19283
129-B09-055	0.000	2.500	11/19/94	RA-226	0.46	0.040	PCI/G	0.11			GAMMASPEC	9411100	19281
129-B09-055	0.000	2.500	11/19/94	RA-228	0.32	0.040	PCI/G	0.24	UJ	LCS	GAMMASPEC	9411100	19281
129-B09-055	0.000	2.500	11/19/94	TH-228	0.24	0.000	PCI/G	0.24	UJ	LCS	GAMMASPEC	9411100	19281
129-B09-055	0.000	2.500	11/19/94	TH-232	0.44	0.040	PCI/G	0.27	J	LCS	GAMMASPEC	9411100	19281
129-B09-055	0.000	2.500	11/19/94	U-235	0.04	0.020	PCI/G	0.05	J	LCS	GAMMASPEC	9411100	19281
129-B09-055	0.000	2.500	11/19/94	U-238	0.63	0.330	PCI/G	0.83	UJ	MDA	GAMMASPEC	9411100	19281
129-B09-055	0.000	2.500	11/19/94	AM-241	0.11	0.000	PCI/G	0.11	UJ	LCS	GAMMASPEC	9411100	19281
129-B09-055	0.000	2.500	11/19/94	K-40	10.00	0.810	PCI/G	0.85	J	LCS	GAMMASPEC	9411100	19281
129-B09-056	2.500	5.000	11/19/94	RA-226	0.30	0.040	PCI/G	0.37			GAMMASPEC	9411100	19281
129-B09-056	2.500	5.000	11/19/94	RA-228	0.87	0.000	PCI/G	0.87	UJ	LCS	GAMMASPEC	9411100	19281
129-B09-056	2.500	5.000	11/19/94	TH-228	0.38	0.570	PCI/G	0.87	UJ	LCS	GAMMASPEC	9411100	19281
129-B09-056	2.500	5.000	11/19/94	TH-232	0.45	0.520	PCI/G	0.35	J	LCS	GAMMASPEC	9411100	19281
129-B09-056	2.500	5.000	11/19/94	U-235	0.29	0.060	PCI/G	0.38	J	LCS	GAMMASPEC	9411100	19281
129-B09-056	2.500	5.000	11/19/94	U-238	1.67	0.000	PCI/G	1.67	UJ	EGR	GAMMASPEC	9411100	19281
129-B09-056	2.500	5.000	11/19/94	AM-241	0.97	0.000	PCI/G	0.97	UJ	LCS	GAMMASPEC	9411100	19281
129-B09-056	2.500	5.000	11/19/94	K-40	15.20	0.920	PCI/G	2.50	J	LCS	GAMMASPEC	9411100	19281
129-B10-057	0.000	2.500	11/19/94	RA-226	0.11	0.040	PCI/G	0.09			GAMMASPEC	9411100	19281
129-B10-057	0.000	2.500	11/19/94	RA-228	0.23	0.000	PCI/G	0.23	UJ	LCS	GAMMASPEC	9411100	19281
129-B10-057	0.000	2.500	11/19/94	TH-228	0.34	0.090	PCI/G	0.23	J	LCS	GAMMASPEC	9411100	19281
129-B10-057	0.000	2.500	11/19/94	TH-232	0.53	0.060	PCI/G	0.15	J	LCS	GAMMASPEC	9411100	19281
129-B10-057	0.000	2.500	11/19/94	U-235	0.06	0.030	PCI/G	0.05	J	LCS	GAMMASPEC	9411100	19281
129-B10-057	0.000	2.500	11/19/94	U-238	0.07	0.270	PCI/G	0.90	UJ	EGR	GAMMASPEC	9411100	19281
129-B10-057	0.000	2.500	11/19/94	AM-241	0.09	0.000	PCI/G	0.09	UJ	LCS	GAMMASPEC	9411100	19281
129-B10-057	0.000	2.500	11/19/94	K-40	10.30	0.650	PCI/G	0.95	J	LCS	GAMMASPEC	9411100	19281
129-B10-058	2.500	5.000	11/19/94	RA-226	0.45	0.050	PCI/G	0.11	J	WET	GAMMASPEC	9411101	19280
129-B10-058	2.500	5.000	11/19/94	RA-228	0.24	0.000	PCI/G	0.24	UJ	LCS	GAMMASPEC	9411101	19280
129-B10-058	2.500	5.000	11/19/94	TH-228	0.24	0.000	PCI/G	0.24	UJ	LCS	GAMMASPEC	9411101	19280
129-B10-058	2.500	5.000	11/19/94	TH-232	0.58	0.040	PCI/G	0.16	J	LCS	GAMMASPEC	9411101	19280
129-B10-058	2.500	5.000	11/19/94	U-235	0.06	0.020	PCI/G	0.05	J	LCS	GAMMASPEC	9411101	19280
129-B10-058	2.500	5.000	11/19/94	U-238	0.95	0.000	PCI/G	0.95	UJ	WET	GAMMASPEC	9411101	19280
129-B10-058	2.500	5.000	11/19/94	AM-241	0.10	0.000	PCI/G	0.10	UJ	LCS	GAMMASPEC	9411101	19280
129-B10-058	2.500	5.000	11/19/94	K-40	12.80	0.990	PCI/G	0.79	J	LCS	GAMMASPEC	9411101	19280

03/09/95

199419

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CH94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	BNI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFUSE Number
129-SD1-042	0.000	0.030	11/18/94	RA-226	0.43	0.080	PCI/G	0.19	J	WET	GAMMASPEC	9411101	19280
129-SD1-042	0.000	0.030	11/18/94	RA-228	0.56	0.000	PCI/G	0.56	UJ	LCS	GAMMASPEC	9411101	19280
129-SD1-042	0.000	0.030	11/18/94	TH-228	0.56	0.000	PCI/G	0.56	UJ	LCS	GAMMASPEC	9411101	19280
129-SD1-042	0.000	0.030	11/18/94	TH-232	0.44	0.200	PCI/G	0.21	J	LCS	GAMMASPEC	9411101	19280
129-SD1-042	0.000	0.030	11/18/94	U-235	0.07	0.030	PCI/G	0.10	UJ	LCS	GAMMASPEC	9411101	19280
129-SD1-042	0.000	0.030	11/18/94	U-238	3.20	0.950	PCI/G	1.40	J	WET	GAMMASPEC	9411101	19280
129-SD1-042	0.000	0.030	11/18/94	AM-241	0.16	0.000	PCI/G	0.16	UJ	LCS	GAMMASPEC	9411101	19280
129-SD1-042	0.000	0.030	11/18/94	K-40	4.70	0.950	PCI/G	2.70	J	LCS	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.000	11/19/94	RA-226	521.00	45.700	PCI/L	0.37	J	TCR	ALPHASPEC	9411099	19790
129-SD2-043	0.000	0.030	11/18/94	RA-226	32.90	0.980	PCI/G	0.66	J	WET	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.030	11/18/94	RA-228	1.40	0.000	PCI/G	1.40	UJ	LCS	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.030	11/18/94	TH-228	1.40	0.000	PCI/G	1.40	UJ	LCS	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.030	11/18/94	TH-232	0.52	0.330	PCI/G	0.27	J	LCS	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.030	11/18/94	U-235	10.40	0.500	PCI/G	0.43	J	LCS	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.030	11/18/94	U-238	164.00	41.400	PCI/G	9.00	J	WET	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.030	11/18/94	AM-241	1.00	0.000	PCI/G	1.00	UJ	LCS	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.030	11/18/94	K-40	3.40	1.400	PCI/G	4.30	UJ	LCS	GAMMASPEC	9411101	19280
129-SD2-043	0.000	0.000	11/19/94	TH-230	0.20	0.270	PCI/L	0.41	UJ	EGR	ALPHASPEC	9411099	19790
129-SD2-043	0.000	0.000	11/19/94	TH-232	0.06	0.150	PCI/L	0.35	UJ	EGR	ALPHASPEC	9411099	19790
129-SD2-043	0.000	0.000	11/19/94	U-238	48.20	12.900	PCI/L	0.22			ALPHASPEC	9411099	19790

0 0 0 1 4 7

129412

FLAGS AND CODES

Flags	Meaning
A	Acceptable
J	Estimate, qualitatively correct but quantitatively suspect
R	Reject, data are not suitable for any purpose. Resampling or reanalysis may be necessary for verification.
UJ	Undetected-estimated The result is below the MDA or less than the associated error.
U	Undetected. The blank's result is = to the MDA, or above the MDA and the results of the sample are< 5 times the blank's result.

Codes	
ALQ	Aliquot
BLK	Blank
COC	Chain of custody
CCR	Continuing Calibration Range
EGR	Error greater than result
ERR	Error term
HT	Holding time
ICR	Initial Calibration: Range
LCS	Lab control sample
MDA	Minimum detectable activity
MTH	Method
PSV	Preservative
RPL	Replicate
SAF	Self-Absorption
TCR	Tracer Recovery
WET	Wet (soil sample)

0001 4 8

129412

Attachment E

Analysis Results for soil, sediment, surface water, and water from borehole samples - depth units - feet

0001 49

129412

Soil Results

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CI'94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	BNI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFUSR Number
129-B01-001	0.000	1.500	11/14/94	RA-226	4.20	0.270	PCI/G	0.47			GAMMASPEC	9412013	19683
129-B01-001	0.000	1.500	11/14/94	TH-232	0.88	0.000	PCI/G	0.88	UJ	ERR	GAMMASPEC	9412013	19683
129-B01-001	0.000	1.500	11/14/94	U-238	6.40	2.200	PCI/G	4.90			GAMMASPEC	9412013	19683
129-B01-001	0.000	1.500	11/14/94	TH-228	1.10	0.400	PCI/G	0.13			ALPHASPEC	9412013	19683
129-B01-001	0.000	1.500	11/14/94	TH-230	7.90	1.900	PCI/G	0.13			ALPHASPEC	9412013	19683
129-B01-002	1.500	3.000	11/14/94	TH-232	1.10	0.390	PCI/G	0.10	U	BLK	ALPHASPEC	9412013	19683
129-B01-002	1.500	3.000	11/14/94	RA-226	2.40	0.320	PCI/G	0.84			GAMMASPEC	9412013	19683
129-B01-002	1.500	3.000	11/14/94	TH-232	1.60	0.000	PCI/G	1.60	UJ	ERR	GAMMASPEC	9412013	19683
129-B01-002	1.500	3.000	11/14/94	U-238	20.80	5.900	PCI/G	8.00			GAMMASPEC	9412013	19683
129-B01-002	1.500	3.000	11/14/94	TH-228	0.77	0.260	PCI/G	0.12			ALPHASPEC	9412013	19683
129-B01-002	1.500	3.000	11/14/94	TH-230	3.00	0.690	PCI/G	0.07	U	BLK	ALPHASPEC	9412013	19683
129-B02-005	0.000	1.500	11/14/94	TH-232	0.98	0.300	PCI/G	0.07	U	BLK	ALPHASPEC	9412013	19683
129-B02-005	0.000	1.500	11/14/94	RA-226	4.30	0.390	PCI/G	0.82			GAMMASPEC	9412013	19683
129-B02-005	0.000	1.500	11/14/94	TH-232	1.80	0.000	PCI/G	1.80	UJ	ERR	GAMMASPEC	9412013	19683
129-B02-005	0.000	1.500	11/14/94	U-238	4.10	2.600	PCI/G	8.00	UJ	MDA	GAMMASPEC	9412013	19683
129-B02-005	0.000	1.500	11/14/94	TH-228	1.20	0.420	PCI/G	0.13			ALPHASPEC	9412013	19683
129-B02-005	0.000	1.500	11/14/94	TH-230	4.00	1.100	PCI/G	0.10			ALPHASPEC	9412013	19683
129-B03-015	0.000	1.500	11/14/94	TH-232	1.50	0.480	PCI/G	0.06	U	BLK	ALPHASPEC	9412013	19683
129-B03-015	0.000	1.500	11/16/94	RA-226	1.30	0.180	PCI/G	0.43			GAMMASPEC	9412013	19683
129-B03-015	0.000	1.500	11/16/94	TH-232	0.85	0.000	PCI/G	0.85	UJ	ERR	GAMMASPEC	9412013	19683
129-B03-015	0.000	1.500	11/16/94	U-238	4.10	0.000	PCI/G	4.10	UJ	ERR	GAMMASPEC	9412013	19683
129-B03-015	0.000	1.500	11/16/94	TH-228	0.53	0.220	PCI/G	0.10			ALPHASPEC	9412013	19683
129-B03-015	0.000	1.500	11/16/94	TH-230	0.65	0.250	PCI/G	0.08	U	BLK	ALPHASPEC	9412013	19683
129-B03-015	0.000	1.500	11/16/94	TH-232	0.74	0.270	PCI/G	0.04	U	BLK	ALPHASPEC	9412013	19683
129-B04-009	0.000	1.500	11/15/94	RA-226	58.30	1.700	PCI/G	1.30			GAMMASPEC	9412013	19683
129-B04-009	0.000	1.500	11/15/94	TH-232	1.70	0.000	PCI/G	1.70	UJ	ERR	GAMMASPEC	9412013	19683
129-B04-009	0.000	1.500	11/15/94	U-238	15.00	0.000	PCI/G	15.00	UJ	ERR	GAMMASPEC	9412013	19683
129-B04-009	0.000	1.500	11/15/94	TH-228	1.20	0.460	PCI/G	0.20	J	TCR	ALPHASPEC	9412013	19683
129-B04-009	0.000	1.500	11/15/94	TH-230	1.30	0.460	PCI/G	0.17	J	TCR	ALPHASPEC	9412013	19683
129-B04-009	0.000	1.500	11/15/94	TH-232	1.10	0.410	PCI/G	0.12	J	TCR	ALPHASPEC	9412013	19683
129-B04-010	1.500	3.000	11/15/94	RA-226	1.80	0.270	PCI/G	0.69			GAMMASPEC	9412013	19683
129-B04-010	1.500	3.000	11/15/94	TH-232	1.70	0.300	PCI/G	1.10	U	BLK	GAMMASPEC	9412013	19683
129-B04-010	1.500	3.000	11/15/94	U-238	7.00	0.000	PCI/G	7.00	UJ	ERR	GAMMASPEC	9412013	19683
129-B04-010	1.500	3.000	11/15/94	TH-228	1.20	0.400	PCI/G	0.05			ALPHASPEC	9412013	19683
129-B04-010	1.500	3.000	11/15/94	TH-230	1.50	0.490	PCI/G	0.10	U	BLK	ALPHASPEC	9412013	19683
129-B04-010	1.500	3.000	11/15/94	TH-232	1.10	0.380	PCI/G	0.09	U	BLK	ALPHASPEC	9412013	19683
129-B05-026	0.000	1.500	11/17/94	RA-226	1.30	0.160	PCI/G	0.40			GAMMASPEC	9412013	19683
129-B05-026	0.000	1.500	11/17/94	TH-232	1.30	0.150	PCI/G	0.59	U	BLK	GAMMASPEC	9412013	19683
129-B05-026	0.000	1.500	11/17/94	U-238	33.30	8.400	PCI/G	4.90			GAMMASPEC	9412013	19683

03/09/95

Relabeled

0 0 0 1 5 1

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CH94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	BNI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFUSR Number
129-B05-026	0.000	1.500	11/17/94	TH-228	1.60	0.580	PCI/G	0.14	J	TCR	ALPHASPEC	9412013	19683
129-B05-026	0.000	1.500	11/17/94	TH-230	13.40	3.400	PCI/G	0.16	J	TCR	ALPHASPEC	9412013	19683
129-B05-026	0.000	1.500	11/17/94	TH-232	1.40	0.500	PCI/G	0.07	J	TCR	ALPHASPEC	9412013	19683
129-B05-027	1.500	3.000	11/17/94	U-238	230.00	60.700	PCI/G	33.70			GAMMASPEC	9412014	19688
129-B05-027	1.500	3.000	11/17/94	RA-226	557.00	14.700	PCI/G	3.70			GAMMASPEC	9412014	19688
129-B05-027	1.500	3.000	11/17/94	TH-232	1.60	0.000	PCI/G	1.60	UJ	ERR	GAMMASPEC	9412014	19688
129-B05-027	1.500	3.000	11/17/94	TH-228	5.30	34.900	PCI/G	104.50	UJ	EGR	ALPHASPEC	9412014	19688
129-B05-027	1.500	3.000	11/17/94	TH-230	346.30	164.800	PCI/G	86.70			ALPHASPEC	9412014	19688
129-B05-027	1.500	3.000	11/17/94	TH-232	16.00	32.100	PCI/G	43.30	UJ	EGR	ALPHASPEC	9412014	19688
129-B05-028	3.000	5.000	11/17/94	U-238	585.00	148.000	PCI/G	26.80			GAMMASPEC	9412014	19688
129-B05-028	3.000	5.000	11/17/94	RA-226	124.00	3.100	PCI/G	1.70			GAMMASPEC	9412014	19688
129-B05-028	3.000	5.000	11/17/94	TH-232	1.50	0.290	PCI/G	0.91			GAMMASPEC	9412014	19688
129-B05-028	3.000	5.000	11/17/94	TH-228	11.30	48.200	PCI/G	134.60	UJ	EGR	ALPHASPEC	9412014	19688
129-B05-028	3.000	5.000	11/17/94	TH-230	59.40	79.200	PCI/G	121.10	UJ	EGR	ALPHASPEC	9412014	19688
129-B05-028	3.000	5.000	11/17/94	TH-232	-7.60	10.900	PCI/G	120.90	UJ	EGR	ALPHASPEC	9412014	19688
129-B05-029	5.000	7.000	11/17/94	RA-226	19.10	0.730	PCI/G	0.93			GAMMASPEC	9412013	19683
129-B05-029	5.000	7.000	11/17/94	TH-232	2.60	0.450	PCI/G	1.40			GAMMASPEC	9412013	19683
129-B05-029	5.000	7.000	11/17/94	U-238	244.00	60.200	PCI/G	15.80			GAMMASPEC	9412013	19683
129-B05-029	5.000	7.000	11/17/94	TH-228	3.10	0.950	PCI/G	0.18	J	TCR	ALPHASPEC	9412013	19683
129-B05-029	5.000	7.000	11/17/94	TH-230	25.50	6.400	PCI/G	0.15	J	TCR	ALPHASPEC	9412013	19683
129-B05-030	7.000	9.000	11/17/94	TH-232	3.40	1.000	PCI/G	0.07	J	TCR	ALPHASPEC	9412013	19683
129-B05-030	7.000	9.000	11/17/94	U-238	244.00	60.900	PCI/G	9.70			GAMMASPEC	9412014	19688
129-B05-030	7.000	9.000	11/17/94	RA-226	24.30	0.760	PCI/G	0.65			GAMMASPEC	9412014	19688
129-B05-030	7.000	9.000	11/17/94	TH-232	1.50	0.140	PCI/G	0.42			GAMMASPEC	9412014	19688
129-B05-030	7.000	9.000	11/17/94	TH-228	-15.00	13.800	PCI/G	119.60	UJ	EGR	ALPHASPEC	9412014	19688
129-B05-030	7.000	9.000	11/17/94	TH-230	51.30	60.200	PCI/G	46.40	UJ	EGR	ALPHASPEC	9412014	19688
129-B05-031	9.000	11.000	11/17/94	TH-232	-2.90	5.800	PCI/G	79.00	UJ	EGR	ALPHASPEC	9412014	19688
129-B05-031	9.000	11.000	11/17/94	RA-226	8.40	0.350	PCI/G	0.61			GAMMASPEC	9412013	19683
129-B05-031	9.000	11.000	11/17/94	TH-232	1.00	0.120	PCI/G	0.36	U	BLK	GAMMASPEC	9412013	19683
129-B05-031	9.000	11.000	11/17/94	U-238	220.00	55.500	PCI/G	10.00			GAMMASPEC	9412013	19683
129-B05-031	9.000	11.000	11/17/94	TH-228	1.30	0.450	PCI/G	0.12			ALPHASPEC	9412013	19683
129-B05-031	9.000	11.000	11/17/94	TH-230	2.90	0.840	PCI/G	0.10	U	BLK	ALPHASPEC	9412013	19683
129-B05-032	11.000	11.500	11/17/94	TH-232	1.50	0.510	PCI/G	0.10	U	BLK	ALPHASPEC	9412013	19683
129-B05-032	11.000	11.500	11/17/94	RA-226	8.10	0.360	PCI/G	0.54			GAMMASPEC	9412013	19683
129-B05-032	11.000	11.500	11/17/94	TH-232	1.20	0.210	PCI/G	0.56	U	BLK	GAMMASPEC	9412013	19683
129-B05-032	11.000	11.500	11/17/94	U-238	96.80	24.000	PCI/G	8.90			GAMMASPEC	9412013	19683
129-B05-032	11.000	11.500	11/17/94	TH-228	0.94	0.320	PCI/G	0.08			ALPHASPEC	9412013	19683
129-B05-032	11.000	11.500	11/17/94	TH-230	3.60	0.900	PCI/G	0.05			ALPHASPEC	9412013	19683
129-B05-032	11.000	11.500	11/17/94	TH-232	0.77	0.280	PCI/G	0.05	U	BLK	ALPHASPEC	9412013	19683

03/09/95

129HH2

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CH94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	BDI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFORM Number
129-B05-033	11.500	12.500	11/17/94	RA-226	0.97	0.160	PCI/G	0.42			GAMMASPEC	9412013	19683
129-B05-033	11.500	12.500	11/17/94	TH-232	0.87	0.130	PCI/G	0.51	U	BLK	GAMMASPEC	9412013	19683
129-B05-033	11.500	12.500	11/17/94	U-238	4.10	2.900	PCI/G	3.70			GAMMASPEC	9412013	19683
129-B05-033	11.500	12.500	11/17/94	TH-228	1.10	0.180	PCI/G	0.11			ALPHASPEC	9412013	19683
129-B05-033	11.500	12.500	11/17/94	TH-230	1.10	0.190	PCI/G	0.10	U	BLK	ALPHASPEC	9412013	19683
129-B05-033	11.500	12.500	11/17/94	TH-232	1.72	0.290	PCI/G	0.10	U	BLK	ALPHASPEC	9412013	19683
129-B05-063	1.500	3.000	11/17/94	U-238	304.00	94.300	PCI/G	55.30			GAMMASPEC	9412014	19684
129-B05-063	1.500	3.000	11/17/94	RA-226	533.20	93.100	PCI/G	3.60			GAMMASPEC	9412014	19684
129-B05-063	1.500	3.000	11/17/94	TH-232	[illegible]	0.500	PCI/G	2.30	UJ	ERR	GAMMASPEC	9412014	19684
129-B05-063	1.500	3.000	11/17/94	TH-228	[illegible]	49.900	PCI/G	12.20	UJ	ERR	ALPHASPEC	9412014	19684
129-B05-063	1.500	3.000	11/17/94	TH-230	[illegible]	149.900	PCI/G	54.30			ALPHASPEC	9412014	19684
129-B05-063	1.500	3.000	11/17/94	TH-232	1.40	6.900	PCI/G	54.70	UJ	ERR	ALPHASPEC	9412014	19684
129-B07-039	14.000	16.000	11/17/94	RA-226	2.42	0.220	PCI/G	2.39			GAMMASPEC	9412013	19683
129-B07-039	14.000	16.000	11/17/94	TH-232	1.42	0.150	PCI/G	0.42	U	BLK	GAMMASPEC	9412013	19683
129-B07-039	14.000	16.000	11/17/94	U-238	[illegible]	4.900	PCI/G	3.90			GAMMASPEC	9412013	19683
129-B07-039	14.000	16.000	11/17/94	TH-228	1.40	0.410	PCI/G	0.11			ALPHASPEC	9412013	19683
129-B07-039	14.000	16.000	11/17/94	TH-230	2.50	0.450	PCI/G	0.08	U	BLK	ALPHASPEC	9412013	19683
129-B07-039	14.000	16.000	11/17/94	TH-232	1.20	0.360	PCI/G	0.07	U	BLK	ALPHASPEC	9412013	19683
129-B07-040	16.000	18.000	11/17/94	RA-226	1.20	0.150	PCI/G	0.37			GAMMASPEC	9412013	19683
129-B07-040	16.000	18.000	11/17/94	TH-232	1.10	0.210	PCI/G	0.58	U	BLK	GAMMASPEC	9412013	19683
129-B07-040	16.000	18.000	11/17/94	U-238	[illegible]	4.900	PCI/G	4.90			GAMMASPEC	9412013	19683
129-B07-040	16.000	18.000	11/17/94	TH-228	0.84	0.270	PCI/G	0.09			ALPHASPEC	9412013	19683
129-B07-040	16.000	18.000	11/17/94	TH-230	1.40	0.370	PCI/G	0.24	U	BLK	ALPHASPEC	9412013	19683
129-B07-040	16.000	18.000	11/17/94	TH-232	1.44	0.260	PCI/G	0.04	U	BLK	ALPHASPEC	9412013	19683
129-B07-041	20.000	22.000	11/17/94	RA-226	2.51	0.330	PCI/G	1.16			GAMMASPEC	9412013	19683
129-B07-041	20.000	22.000	11/17/94	TH-232	2.71	1.000	PCI/G	2.71	UJ	ERR	GAMMASPEC	9412013	19683
129-B07-041	20.000	22.000	11/17/94	U-238	1.40	0.300	PCI/G	1.40	UJ	ERR	GAMMASPEC	9412013	19683
129-B07-041	20.000	22.000	11/17/94	TH-228	1.22	0.430	PCI/G	0.11			ALPHASPEC	9412013	19683
129-B07-041	20.000	22.000	11/17/94	TH-230	1.51	0.480	PCI/G	0.11	U	BLK	ALPHASPEC	9412013	19683
129-B07-041	20.000	22.000	11/17/94	TH-232	1.10	0.190	PCI/G	0.10	U	BLK	ALPHASPEC	9412013	19683
129-B08-053	19.500	22.000	11/18/94	RA-226	1.22	0.180	PCI/G	0.43			GAMMASPEC	9412013	19683
129-B08-053	19.500	22.000	11/18/94	TH-232	1.40	0.210	PCI/G	0.56	U	BLK	GAMMASPEC	9412013	19683
129-B08-053	19.500	22.000	11/18/94	U-238	18.40	4.900	PCI/G	4.80			GAMMASPEC	9412013	19683
129-B08-053	19.500	22.000	11/18/94	TH-228	1.40	0.410	PCI/G	0.10			ALPHASPEC	9412013	19683
129-B08-053	19.500	22.000	11/18/94	TH-230	1.90	0.490	PCI/G	0.07	U	BLK	ALPHASPEC	9412013	19683
129-B08-053	19.500	22.000	11/18/94	TH-232	1.30	0.370	PCI/G	0.06	U	BLK	ALPHASPEC	9412013	19683
129-B08-054	22.000	24.500	11/18/94	RA-226	0.70	0.100	PCI/G	0.26			GAMMASPEC	9412013	19683
129-B08-054	22.000	24.500	11/18/94	TH-232	0.54	0.000	PCI/G	0.54	UJ	ERR	GAMMASPEC	9412013	19683
129-B08-054	22.000	24.500	11/18/94	U-238	3.10	1.100	PCI/G	2.50			GAMMASPEC	9412013	19683

03/09/95

T14601

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIX_CN94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	RAI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFORM Number
129-B08-054	22.000	24.500	11/18/94	TH-228	1.00	0.410	PCI/G	0.12			ALPHASPEC	9413013	19481
129-B08-054	22.000	24.500	11/18/94	TH-232	1.50	0.530	PCI/G	0.12	U	RLK	ALPHASPEC	9413013	19483
129-B08-054	22.000	24.500	11/18/94	TH-232	1.40	0.520	PCI/G	0.07	U	RLK	ALPHASPEC	9413013	19483

03/09/95

129472

129412

Surface Water Results

0001 5 5

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: L1M_CH94

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	RXI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAPOOL Number
129-SD2-043	0.000	0.000	11/19/94	RA-226	521.00	41.700	PCI/L	0.37	J	TCR	ALPHASPEC	9411999	[illegible]
129-SD2-043	0.000	0.000	11/19/94	TH-230	0.20	0.212	PCI/L	0.41	UJ	BDR	ALPHASPEC	9411999	[illegible]
129-SD2-043	0.000	0.000	11/19/94	TH-232	0.06	0.150	PCI/L	0.35	UJ	BDR	ALPHASPEC	9411999	19190
129-SD2-043	0.000	0.000	11/19/94	U-238	44.20	12.900	PCI/L	0.22			ALPHASPEC	9411999	19190

03/14/95

129 of 134

129412

Borehole Water Results

7 5 1 0 0 0

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CH94

Sample ID	Date Collected	Analyte	Result	Error	Units	MDA	BNI Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFUSE Number
129-B04-059	11/15/94	RA-226	12.10	3.300	PCI/L	1.00	J	TCR	ALPHASPEC	9411099	19790
129-B04-059	11/15/94	TH-230	2.40	0.860	PCI/L	0.35			ALPHASPEC	9411099	19790
129-B04-059	11/15/94	TH-232	1.10	0.490	PCI/L	0.19			ALPHASPEC	9411099	19790
129-B04-059	11/15/94	U-238	20.30	5.500	PCI/L	0.10			ALPHASPEC	9411099	19790
129-B05-060	11/17/94	RA-226	4.10	2.400	PCI/L	1.90	N	TCR	ALPHASPEC	9411099	19790
129-B05-060	11/17/94	TH-230	693.00	174.100	PCI/L	0.26	J	TCR	ALPHASPEC	9411099	19790
129-B05-060	11/17/94	TH-232	6.70	2.100	PCI/L	0.24	J	TCR	ALPHASPEC	9411099	19790
129-B05-060	11/17/94	U-238	4,328.00	1154.000	PCI/L	12.70	J	ALQ	ALPHASPEC	9411099	19790

03/09/95

0 0 0 5 8

129412

Sediment Results

0000 59

TMA/Eberline Oak Ridge, FUSRAP Radiological Reports
Sampling Event: LIN_CH55

Sample ID	Top Depth	Bottom Depth	Date Collected	Analyte	Result	Error	Units	MDA	BKG Flag	Qualifier Code	Analytical Method	TMA/E Number	DATAFILE Number
129SD1042	0.000	0.222	11/18/94	U-234	[illegible]	0.770	PCI/G	0.09	J	LCS	ALPHASPEC	9502071	20292
129SD1042	0.000	0.222	11/18/94	U-235	0.12	0.100	PCI/G	0.05	J	LCS	ALPHASPEC	9502071	20292
129SD1042	0.000	0.222	11/18/94	U-238	[illegible]	0.900	PCI/G	0.06			ALPHASPEC	9502071	20292
129SD1042	0.000	0.222	11/18/94	RA-226	[illegible]	0.650	PCI/G	0.18			ALPHASPEC	9502071	20292
129SD1042	0.000	0.222	11/18/94	TH-228	[illegible]	0.460	PCI/G	0.12			ALPHASPEC	9502071	20292
129SD1042	0.000	0.222	11/18/94	TH-230	[illegible]	0.360	PCI/G	0.08			ALPHASPEC	9502071	20292
129SD2043	0.000	0.222	11/18/94	TH-232	[illegible]	0.240	PCI/G	0.08			ALPHASPEC	9502071	20292
129SD2043	0.000	0.222	11/18/94	U-234	[illegible]	126.000	PCI/G	1.60	J	LCS	ALPHASPEC	9502071	20292
129SD2043	0.000	0.222	11/18/94	U-235	[illegible]	8.500	PCI/G	2.00	J	LCS	ALPHASPEC	9502071	20292
129SD2043	0.000	0.222	11/18/94	U-238	[illegible]	127.500	PCI/G	0.93	J	TCB	ALPHASPEC	9502071	20292
129SD2043	0.000	0.222	11/18/94	RA-226	[illegible]	5.300	PCI/G	0.20			ALPHASPEC	9502071	20292
129SD2043	0.000	0.222	11/18/94	TH-228	[illegible]	3.720	PCI/G	0.09			ALPHASPEC	9502071	20292
129SD2043	0.000	0.222	11/18/94	TH-230	[illegible]	24.100	PCI/G	0.05			ALPHASPEC	9502071	20292
			11/18/94	TH-232	[illegible]	2.550	PCI/G	0.08			ALPHASPEC	9502071	20292

03/13/95

0 0 0 6 0

129412

FLAGS AND CODES

Flags	Meaning
A	Acceptable
J	Estimate, qualitatively correct but quantitatively suspect
R	Reject, data are not suitable for any purpose. Resampling or reanalysis may be necessary for verification.
UJ	Undetected-estimated. The result is below the MDA or less than the associated error.
U	Undetected. The blank's result is = to the MDA, or above the MDA and the results of the sample are< 5 times the blank's result.

Codes	
ALQ	Aliquot
BLK	Blank
COC	Chain of custody
CCR	Continuing Calibration Range
EGR	Error greater than result
ERR	Error term
HT	Holding time
ICR	Initial Calibration Range
LCS	Lab control sample
MDA	Minimum detectable activity
MTH	Method
PSV	Preservative
RPL	Replicate
SAF	Self-Absorption
TCR	Tracer Recovery
WET	Wet (soil sample)

129412

Attachment F
TCLP results

R.F. Weston Lionville, FUSRAP Chemical Reports
Sampling Event: LINDE
Parameter: Herbicides, TCLP

Sample ID Number	Analyte	Results	Units	Detection Limit	Date Analyzed	RMI Flag	RPW Flag	D-Num
129-B01-002	2,4-D	10.000	UG/L	10.000	12/05/94		U	19601
129-B01-002	2,4,5-TP (Silvex)	5.000	UG/L	5.000	12/05/94		U	19601
129-B01-002	2,4,5-T	5.000	UG/L	5.000	12/05/94		U	19601
129-B02-006	2,4-D	10.000	UG/L	10.000	12/05/94		U	19601
129-B02-006	2,4,5-TP (Silvex)	5.000	UG/L	5.000	12/05/94		U	19601
129-B02-006	2,4,5-T	5.000	UG/L	5.000	12/05/94		U	19601
129-B03-016	2,4-D	10.000	UG/L	10.000	12/04/94		U	19603
129-B03-016	2,4,5-TP (Silvex)	5.000	UG/L	5.000	12/04/94		U	19603
129-B03-016	2,4,5-T	5.000	UG/L	5.000	12/04/94		U	19603
129-B04-010	2,4-D	10.000	UG/L	10.000	12/05/94		U	19600
129-B04-010	2,4,5-TP (Silvex)	5.000	UG/L	5.000	12/05/94		U	19600
129-B04-010	2,4,5-T	5.000	UG/L	5.000	12/05/94		U	19600
129-B05-027	2,4-D	10.000	UG/L	10.000	12/05/94		U	19603
129-B05-027	2,4,5-TP (Silvex)	5.000	UG/L	5.000	12/05/94		U	19603
129-B05-027	2,4,5-T	5.000	UG/L	5.000	12/05/94		U	19603

02/27/95

129412

0 0 0 1 6 3

B.F. Weston Lionville, FUSRAP Chemical Reports
Sampling Event: LINDE
Parameter: Volatile Organics, TCLP

Sample ID Number	Analyte	Results	Units	Detection Limit	Date Analyzed	BKI Flag	R/V Flag	D-Num
129-B01-002	Vinyl Chloride	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	1,1-Dichloroethene	0.050	MG/L	0.050	12/06/94		U	19601
129-B01-002	Chloroform	0.050	MG/L	0.050	12/06/94		U	19601
129-B01-002	1,2-Dichloroethane	0.050	MG/L	0.050	12/06/94		U	19601
129-B01-002	2-Butanone	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	Carbon Tetrachloride	0.050	MG/L	0.050	12/06/94		U	19601
129-B01-002	Trichloroethene	0.050	MG/L	0.050	12/06/94		U	19601
129-B01-002	Benzene	0.050	MG/L	0.050	12/06/94		U	19601
129-B01-002	Tetrachloroethene	0.050	MG/L	0.050	12/06/94		U	19601
129-B01-002	Chlorobenzene	0.050	MG/L	0.050	12/06/94		U	19601
129-B02-006	Vinyl Chloride	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	1,1-Dichloroethene	0.050	MG/L	0.050	12/06/94		U	19601
129-B02-006	Chloroform	0.050	MG/L	0.050	12/06/94		U	19601
129-B02-006	1,2-Dichloroethane	0.050	MG/L	0.050	12/06/94		U	19601
129-B02-006	2-Butanone	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	Carbon Tetrachloride	0.050	MG/L	0.050	12/06/94		U	19601
129-B02-006	Trichloroethene	0.050	MG/L	0.050	12/06/94		U	19601
129-B02-006	Benzene	0.050	MG/L	0.050	12/06/94		U	19601
129-B02-006	Tetrachloroethene	0.050	MG/L	0.050	12/06/94		U	19601
129-B02-006	Chlorobenzene	0.050	MG/L	0.050	12/06/94		U	19601
129-B03-016	Vinyl Chloride	0.100	MG/L	0.100	12/06/94		U	19602
129-B03-016	1,1-Dichloroethene	0.050	MG/L	0.050	12/06/94		U	19602
129-B03-016	Chloroform	0.050	MG/L	0.050	12/06/94		U	19602
129-B03-016	1,2-Dichloroethane	0.050	MG/L	0.050	12/06/94		U	19602
129-B03-016	2-Butanone	0.100	MG/L	0.100	12/06/94		U	19602
129-B03-016	Carbon Tetrachloride	0.050	MG/L	0.050	12/06/94		U	19602
129-B03-016	Trichloroethene	0.050	MG/L	0.050	12/06/94		U	19602
129-B03-016	Benzene	0.050	MG/L	0.050	12/06/94		U	19602
129-B03-016	Tetrachloroethene	0.050	MG/L	0.050	12/06/94		U	19602
129-B03-016	Chlorobenzene	0.050	MG/L	0.050	12/06/94		U	19602
129-B04-010	Vinyl Chloride	0.100	MG/L	0.100	12/06/94		U	19600
129-B04-010	1,1-Dichloroethene	0.050	MG/L	0.050	12/06/94		U	19600
129-B04-010	Chloroform	0.050	MG/L	0.050	12/06/94		U	19600
129-B04-010	1,2-Dichloroethane	0.050	MG/L	0.050	12/06/94		U	19600
129-B04-010	2-Butanone	0.100	MG/L	0.100	12/06/94		U	19600
129-B04-010	Carbon Tetrachloride	0.050	MG/L	0.050	12/06/94		U	19600
129-B04-010	Trichloroethene	0.050	MG/L	0.050	12/06/94		U	19600
129-B04-010	Benzene	0.050	MG/L	0.050	12/06/94		U	19600
129-B04-010	Tetrachloroethene	0.050	MG/L	0.050	12/06/94		U	19600
129-B04-010	Chlorobenzene	0.050	MG/L	0.050	12/06/94		U	19600
129-B05-027	Vinyl Chloride	0.100	MG/L	0.100	12/07/94		U	19603

03/14/95

19941-2

R.F. Weston Lionville, FUSRAP Chemical Reports
Sampling Event: LINDE
Parameter: Volatile Organics, TCLP

Sample ID Number	Analyte	Results	Units	Detection Limit	Date Analyzed	B&I Flag	R/W Flag	D-Num
129-805-027	1,1-Dichloroethene	0.050	MG/L	0.050	12/07/94		U	19603
129-805-027	Chloroform	0.012	MG/L	0.050	12/07/94	U	JB	19603
129-805-027	1,2-Dichloroethane	0.050	MG/L	0.050	12/07/94		U	19603
129-805-027	2-Butanone	0.100	MG/L	0.100	12/07/94		U	19603
129-805-027	Carbon Tetrachloride	0.050	MG/L	0.050	12/07/94		U	19603
129-805-027	Trichloroethene	0.056	MG/L	0.050	12/07/94		U	19603
129-805-027	Benzene	0.050	MG/L	0.050	12/07/94		U	19603
129-805-027	Tetrachloroethene	0.050	MG/L	0.050	12/07/94		U	19603
129-805-027	Chlorobenzene	0.050	MG/L	0.050	12/07/94		U	19603

03/14/95

129-805-027

0 0 0 1 6 5

R.F. Weston Lionville, FUSRAP Chemical Reports
Sampling Event: LINDE
Parameter: Metals, TCLP

Sample ID Number	Analyte	Results	Units	Detection Limit	Date Analyzed	BKI Flag	RFW Flag	D-Num
129-B01-002	Silver, TCLP Leachate	2.900	UG/L	2.900	12/03/94		U	19601
129-B01-002	Arsenic, TCLP	55.400	UG/L	55.400	12/03/94		U	19601
129-B01-002	Barium, TCLP Leachate	930.000	UG/L	3.400	12/03/94		*	19601
129-B01-002	Cadmium, TCLP	3.900	UG/L	3.900	12/03/94		U	19601
129-B01-002	Chromium, TCLP	3.900	UG/L	3.900	12/03/94		U	19601
129-B01-002	Mercury, TCLP	0.100	UG/L	0.100	11/30/94		U	19601
129-B01-002	Lead, TCLP Leachate	22.200	UG/L	22.200	12/03/94		U	19601
129-B01-002	Selenium, TCLP	61.800	UG/L	61.800	12/03/94		U	19601
129-B02-006	Silver, TCLP Leachate	7.000	UG/L	2.900	12/03/94		*	19601
129-B02-006	Arsenic, TCLP	55.400	UG/L	55.400	12/03/94		U	19601
129-B02-006	Barium, TCLP Leachate	555.000	UG/L	3.400	12/03/94		*	19601
129-B02-006	Cadmium, TCLP	3.900	UG/L	3.900	12/03/94		U	19601
129-B02-006	Chromium, TCLP	1.900	UG/L	3.900	12/03/94		U	19601
129-B02-006	Mercury, TCLP	0.100	UG/L	0.100	11/30/94		U	19601
129-B02-006	Lead, TCLP Leachate	22.200	UG/L	22.200	12/03/94		U	19601
129-B02-006	Selenium, TCLP	61.800	UG/L	61.800	12/03/94		U	19601
129-B03-016	Silver, TCLP Leachate	2.900	UG/L	2.900	12/11/94	B	U	19602
129-B03-016	Arsenic, TCLP	55.400	UG/L	55.400	12/11/94		U	19602
129-B03-016	Barium, TCLP Leachate	1,540.000	UG/L	3.400	12/11/94	J	*	19602
129-B03-016	Cadmium, TCLP	3.900	UG/L	[illegible]	12/11/94		U	19602
129-B03-016	Chromium, TCLP	3.900	UG/L	[illegible]	12/11/94		U	19602
129-B03-016	Mercury, TCLP	0.100	UG/L	0.100	11/30/94		U	19602
129-B03-016	Lead, TCLP Leachate	396.000	UG/L	22.200	12/11/94		*	19602
129-B03-016	Selenium, TCLP	61.800	UG/L	61.800	12/11/94		U	19602
129-B04-010	Silver, TCLP Leachate	2.900	UG/L	2.900	12/03/94		U	19600
129-B04-010	Arsenic, TCLP	55.400	UG/L	55.400	12/03/94		U	19600
129-B04-010	Barium, TCLP Leachate	1,390.000	UG/L	3.400	12/03/94		*	19600
129-B04-010	Cadmium, TCLP	3.900	UG/L	3.900	12/03/94		U	19600
129-B04-010	Chromium, TCLP	10.900	UG/L	1.900	12/03/94		*	19600
129-B04-010	Mercury, TCLP	0.100	UG/L	0.100	11/30/94		U	19600
129-B04-010	Lead, TCLP Leachate	22.200	UG/L	22.200	12/03/94		U	19600
129-B04-010	Selenium, TCLP	61.800	UG/L	61.800	12/03/94		U	19600
129-B05-027	Silver, TCLP Leachate	20.200	UG/L	2.900	12/12/94	J	*	19603
129-B05-027	Arsenic, TCLP	234.000	UG/L	55.400	12/12/94	U	*	19603
129-B05-027	Barium, TCLP Leachate	2,500.000	UG/L	3.400	12/11/94		*	19603
129-B05-027	Cadmium, TCLP	55.100	UG/L	3.900	12/12/94		*	19603
129-B05-027	Chromium, TCLP	305.000	UG/L	3.900	12/11/94		*	19603
129-B05-027	Mercury, TCLP	0.100	UG/L	0.100	12/05/94		U	19603
129-B05-027	Lead, TCLP Leachate	7,320.000	UG/L	22.200	12/11/94		*	19603
129-B05-027	Selenium, TCLP	61.800	UG/L	61.800	12/11/94		U	19603

02/27/95

19601-19603

0 0 0 1 6 6

R.F. Weston Lionville, FUSRAP Chemical Reports
Sampling Event: LINDE
Parameter: Semi Volatiles, TCLP

Sample ID Number	Analyte	Results	Units	Detection Limit	Date Analyzed	BNI Flag	RPM Flag	D-Num
129-B01-002	Pyridine	0.100	MG/L	0.100	12/06/94	UJ	U	19601
129-B01-002	1,4-Dichlorobenzene	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	2-Methylphenol	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	3- and/or	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	Hexachloroethane	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	Nitrobenzene	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	Hexachlorobutadiene	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	2,4,6-Trichlorophenol	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	2,4,5-Trichlorophenol	0.500	MG/L	0.500	12/06/94		U	19601
129-B01-002	2,4-Dinitrotoluene	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	Hexachlorobenzene	0.100	MG/L	0.100	12/06/94		U	19601
129-B01-002	Pentachlorophenol	0.500	MG/L	0.500	12/06/94		U	19601
129-B02-006	Pyridine	0.100	MG/L	0.100	12/06/94	UJ	U	19601
129-B02-006	1,4-Dichlorobenzene	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	2-Methylphenol	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	3- and/or	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	Hexachloroethane	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	Nitrobenzene	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	Hexachlorobutadiene	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	2,4,6-Trichlorophenol	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	2,4,5-Trichlorophenol	0.500	MG/L	0.500	12/06/94		U	19601
129-B02-006	2,4-Dinitrotoluene	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	Hexachlorobenzene	0.100	MG/L	0.100	12/06/94		U	19601
129-B02-006	Pentachlorophenol	0.500	MG/L	0.500	12/06/94		U	19601
129-B03-016	Pyridine	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	1,4-Dichlorobenzene	0.100	MG/L	0.100	12/06/94	UJ	U	19601
129-B03-016	2-Methylphenol	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	3- and/or	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	Hexachloroethane	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	Nitrobenzene	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	Hexachlorobutadiene	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	2,4,6-Trichlorophenol	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	2,4,5-Trichlorophenol	0.500	MG/L	0.500	12/06/94		U	19601
129-B03-016	2,4-Dinitrotoluene	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	Hexachlorobenzene	0.100	MG/L	0.100	12/06/94		U	19601
129-B03-016	Pentachlorophenol	0.500	MG/L	0.500	12/06/94		U	19601
129-B04-018	Pyridine	0.100	MG/L	0.100	12/06/94		U	19601
129-B04-018	1,4-Dichlorobenzene	0.100	MG/L	0.100	12/06/94	UJ	U	19601
129-B04-018	2-Methylphenol	0.100	MG/L	0.100	12/06/94		U	19601
129-B04-018	3- and/or	0.100	MG/L	0.100	12/06/94		U	19601
129-B04-018	Hexachloroethane	0.100	MG/L	0.100	12/06/94		U	19601

02/23/95

129941.2

R.F. Weston Lionville, FUSRAP Chemical Reports
Sampling Event: LINDE
Parameter: Semi Volatiles, TCLP

Sample ID Number	Analyte	Results	Units	Detection Limit	Date Analyzed	BOI Flag	RPW Flag	D-Num
129-B04-010	Nitrobenzene	0.100	MG/L	0.100	12/06/94		U	19600
129-B04-010	Hexachlorobutadiene	0.100	MG/L	0.100	12/06/94		U	19600
129-B04-010	2,4,6-Trichlorophenol	0.100	MG/L	0.100	12/06/94		U	19600
129-B04-010	2,4,5-Trichlorophenol	0.500	MG/L	0.500	12/06/94		U	19600
129-B04-010	2,4-Dinitrotoluene	0.100	MG/L	0.100	12/06/94		U	19600
129-B04-010	Hexachlorobenzene	0.100	MG/L	0.100	12/06/94		U	19600
129-B04-010	Pentachlorophenol	0.500	MG/L	0.500	12/06/94		U	19600
129-B05-027	Pyridine	0.100	MG/L	0.100	12/19/94	CU	U	19603
129-B05-027	1,4-Dichlorobenzene	0.100	MG/L	0.100	12/19/94		J	19603
129-B05-027	3-Methylphenol	0.100	MG/L	0.100	12/19/94		U	19603
129-B05-027	3- and/or	0.100	MG/L	0.100	12/19/94		U	19603
129-B05-027	Hexachloroethane	0.100	MG/L	0.100	12/19/94		U	19603
129-B05-027	Nitrobenzene	0.100	MG/L	0.100	12/19/94		U	19603
129-B05-027	Hexachlorobutadiene	0.100	MG/L	0.100	12/19/94		U	19603
129-B05-027	2,4,6-Trichlorophenol	0.100	MG/L	0.100	12/19/94		U	19603
129-B05-027	2,4,5-Trichlorophenol	0.500	MG/L	0.500	12/19/94		U	19603
129-B05-027	2,4-Dinitrotoluene	0.100	MG/L	0.100	12/19/94		U	19603
129-B05-027	Hexachlorobenzene	0.100	MG/L	0.100	12/19/94		U	19603
129-B05-027	Pentachlorophenol	0.500	MG/L	0.500	12/19/94		U	19603

02/27/95

129 of 132

0 0 0 1 6 8

E.P. Weston Lionville, FUSRAP Chemical Reports
Sampling Event: LINDE
Parameter: Pesticides, TCLP

Sample ID Number	Analyte	Results	Units	Detection Limit	Date Analyzed	BNI Flag	RPW Flag	D-Num
129-B01-002	Heptachlor	0.120	UG/L	0.120	12/04/94		U	19601
129-B01-002	alpha-Chlordane	0.120	UG/L	0.120	12/04/94		U	19601
129-B01-002	gamma-Chlordane	0.120	UG/L	0.120	12/04/94		U	19601
129-B01-002	gamma-BHC (Lindane)	0.120	UG/L	0.120	12/04/94		U	19601
129-B01-002	Endrin	0.240	UG/L	0.240	12/04/94		U	19601
129-B01-002	Methoxychlor	1.200	UG/L	1.200	12/04/94		U	19601
129-B01-002	Toxaphene	2.400	UG/L	2.400	12/04/94		U	19601
129-B01-002	Heptachlor Epoxide	0.120	UG/L	0.120	12/04/94		U	19601
129-B02-006	Heptachlor	0.120	UG/L	0.120	12/04/94		U	19601
129-B02-006	alpha-Chlordane	0.120	UG/L	0.120	12/04/94		U	19601
129-B02-006	gamma-Chlordane	0.120	UG/L	0.120	12/04/94		U	19601
129-B02-006	gamma-BHC (Lindane)	0.120	UG/L	0.120	12/04/94		U	19601
129-B02-006	Endrin	0.250	UG/L	0.250	12/04/94		U	19601
129-B02-006	Methoxychlor	1.200	UG/L	1.200	12/04/94		U	19601
129-B02-006	Toxaphene	2.500	UG/L	2.500	12/04/94		U	19601
129-B02-006	Heptachlor Epoxide	0.120	UG/L	0.120	12/04/94		U	19601
129-B03-016	Heptachlor	0.110	UG/L	0.110	12/05/94		U	19602
129-B03-016	alpha-Chlordane	0.110	UG/L	0.110	12/05/94		U	19602
129-B03-016	gamma-Chlordane	0.110	UG/L	0	12/05/94		U	19602
129-B03-016	gamma-BHC (Lindane)	0.110	UG/L	0.110	12/05/94		U	19602
129-B03-016	Endrin	0.230	UG/L	0.230	12/05/94		U	19602
129-B03-016	Methoxychlor	1.100	UG/L	1.100	12/05/94		U	19602
129-B03-016	Toxaphene	2.300	UG/L	2.300	12/05/94		U	19602
129-B03-016	Heptachlor Epoxide	0.110	UG/L	0.110	12/05/94		U	19602
129-B04-010	Heptachlor	0.110	UG/L	0.110	12/05/94		U	19600
129-B04-010	alpha-Chlordane	0.110	UG/L	0.110	12/05/94		U	19600
129-B04-010	gamma-Chlordane	0.110	UG/L	0.110	12/05/94		U	19600
129-B04-010	gamma-BHC (Lindane)	0.110	UG/L	0.110	12/05/94		U	19600
129-B04-010	Endrin	0.260	UG/L	0.260	12/05/94		U	19600
129-B04-010	Methoxychlor	1.300	UG/L	1.300	12/05/94		U	19600
129-B04-010	Toxaphene	2.600	UG/L	2.600	12/05/94		U	19600
129-B04-010	Heptachlor Epoxide	0.110	UG/L	0.110	12/05/94		U	19600
129-B05-027	Heptachlor	0.120	UG/L	0.120	12/16/94		U	19603
129-B05-027	alpha-Chlordane	0.120	UG/L	0.120	12/16/94		U	19603
129-B05-027	gamma-Chlordane	0.120	UG/L	0.120	12/16/94		U	19603
129-B05-027	gamma-BHC (Lindane)	0.120	UG/L	0.120	12/16/94		U	19603
129-B05-027	Endrin	0.230	UG/L	0.230	12/16/94		U	19603
129-B05-027	Methoxychlor	1.200	UG/L	1.200	12/16/94		U	19603
129-B05-027	Toxaphene	2.300	UG/L	2.300	12/16/94		U	19603
129-B05-027	Heptachlor Epoxide	0.120	UG/L	0.120	12/16/94		U	19603

02/27/95

129411R

0 0 0 6 9

129412

FLAGS AND CODES

Flags	Meaning
A	Acceptable
J	Estimate, qualitatively correct but quantitatively suspect
R	Reject, data are not suitable for any purpose. Resampling or reanalysis may be necessary for verification.
UJ	Undetected-estimated. The result is below the MDA or less than the associated error.
U	Undetected. The blank's result is = to the MDA, or above the MDA and the results of the sample are< 5 times the blank's result.

Codes	
ALQ	Aliquot
BLK	Blank
COC	Chain of custody
CCR	Continuing Calibration Range
EGR	Error greater than result
ERR	Error term
HT	Holding time
ICR	Initial Calibration Range
LCS	Lab control sample
MDA	Minimum detectable activity
MTH	Method
PSV	Preservative
RPL	Replicate
SAF	Self-Absorption
TCR	Tracer Recovery
WET	Wet (soil sample)