

## Pilon, Raymond L LRB

**From:** Brouwer, David J NAN02  
**Sent:** Thursday, July 06, 2000 1:36 PM  
**To:** Pilon, Raymond L LRB  
**Subject:** RE: LOOW BD/DR

Ray

If there is a connection between the building and the work that you are doing now, we could probably stretch things to get it done under the present contract. The rationale, however, should be more than simply that they are in the same vicinity. The other alternative is to prepare a BDDR INPR.

Dave

-----Original Message-----

**From:** Pilon, Raymond L LRB  
**Sent:** Friday, June 30, 2000 8:29 AM  
**To:** Brouwer, David J NAN02  
**cc:** Boglione, Fredrick L LRB  
**Subject:** LOOW BD/DR

Dave:

I received a June 28, 2000 letter from the Town of Lewiston, NY requesting us to remove the defunct Lewiston Treatment Plant building that is in the vicinity of the TNT pipeline removal. This was a DOD building that was associated with the pipeline process. We are removing the pipeline but leaving the structure.... This is currently a dangerous place since it is unsecured, has a large pit that if someone fell into they would probably drown since there is no way out.

There is evidence that teenagers use the area as a night (beer bottles, camp fires, paintings etc.) which makes it more dangerous in the dark.

I would expect this would not be expensive to do. The town started to do some work on their own last year and got shutdown by NY State for asbestos issues.

I am sure I will be asked about this at the RAB meeting

Possibilities include...

- I could mod our IRA pipeline removal contract to collapse the building and just cover it over. I expect this would be an easy addition for less than 1 00k (no formal estimate has been prepared). This would probably require some additional coordination (documentation) and some extra funds.
- We could prepare an INPR and request action under BD/DR. That would be slow and tedious.

Do you have any suggestions how to address this?

Ray P.