



Table 1
Former Guterl Specialty Steel Corporation
2007 and 2012 Erie Canal Surface Water Sample Results

SEPTEMBER 2007			
Sample ID ^a	²³⁴ U	²³⁵ U	²³⁸ U
	pCi/L ^b	pCi/L ^b	pCi/L ^b
A09-SW-001	0.14 ± 0.14	--	0.13 ± 0.14
A09-SW-002	0.22 ± 0.16	-0.01 ± 0.06	0.21 ± 0.14
A09-SW-003	0.02 ± 0.06	-0.01 ± 0.07	0.17 ± 0.13
A09-SW-004	0.24 ± 0.15	-0.01 ± 0.05	0.25 ± 0.15
A09-SW-005	0.16 ± 0.13	-0.01 ± 0.06	0.09 ± 0.09
A09-SW-006	0.24 ± 0.18	0.00 ± 0.08	0.15 ± 0.14
A09-SW-007	0.16 ± 0.14	ND	0.17 ± 0.13
A09-SW-008	0.16 ± 0.09	0.04 ± 0.06	0.14 ± 0.09
A09-SW-009	0.17 ± 0.14	ND	0.13 ± 0.11
A09-SW-010	0.24 ± 0.15	ND	0.09 ± 0.10
A09-SW-011	0.09 ± 0.11	0.02 ± 0.07	0.10 ± 0.11
A09-SW-012	0.18 ± 0.14	0.06 ± 0.10	0.11 ± 0.11

JANUARY 2012				
Sample ID	²³⁴ U	²³⁵ U	²³⁸ U	Total U
	(pCi/L) (c)	(pCi/L) (c)	(pCi/L) (c)	(µg/L) (d)
SW-1	0.174	-0.02 ND	0.234	0.609
SW-1F	0.241	0.034 ND	0.174	0.587

Notes:

(a) Laboratory duplicate and field duplicate results are combined with original sample results using weighted averaging.

(b) Uranium isotopes determined by alpha spectrometry.

(c) Analysis for isotopic uranium, Method EML U-02 Modified

(d) Analysis for uranium, Method ASTM D5174 Modified

ND Non-Detect (result is below the Minimum Detectable Activity/ Concentration)

J Estimated



US Army Corps
of Engineers.
Buffalo District
BUILDING STRONG®

TABLE 2
FORMER GUTERL SPECIALTY STEEL CORPORATION FUSRAP SITE
GROUNDWATER RESULTS 2007-2011

Sample ID	Sample Date	²³⁴ U (pCi/L) (a)	²³⁵ U (pCi/L) (a)	²³⁸ U (pCi/L) (a)	Total U (µg/L) (b)	
On-Site Wells						
MW-01	Aug-07	1.32	-0.005	ND	1.27	--
	Nov-07	1.03	0.046	ND	0.72	--
	Sep-09	2.06	0.0263	ND	1.24	ND 3.21
	Sep-10	1.98	0.126	ND	1.29	3.28
	Aug-11	1.86	0.02	ND	1.22	4.00 J
MW-01-F	Aug-07	1.46	0.07	ND	1.3	--
	Nov-07	0.83	0.056	ND	0.93	--
	Sep-09	1.7	0.221		1.18	3.1
	Sep-10	2.16	0.245		1.75	2.93
	Aug-11	1.32	0	ND	1.24	3.50 J
MW-02	Aug-07	6.3	0.22		7.2	--
	Nov-07	6	0.4		7.1	--
	Sep-09	12.4	1.02		15.5	35.3
	Sep-10	7.31	0.298		7.7	21.4
	Aug-11	12.0	0.620		12.9	41.3 J
MW-02-F	Aug-07	6.1	0.3		6.5	--
	Nov-07	5.85	0.33		7.1	--
	Sep-09	12.5	0.728		12.2	37.1
	Sep-10	6.9	0.9		6.77	21.8
	Aug-11	9.68	0.360		10.4	39.7 J
MW-03	Aug-07	2.38	0.13	ND	1.8	--
	Nov-07	1.89	-0.01	ND	1.56	--
	Sep-09	1.2	0.431		1.04	2.78
	Sep-10	1.44	ND 0.198		1.29	1.95
	Aug-11	0.880	0.040	ND	0.920	2.60
MW-03-F	Aug-07	2.2	0.09		2.31	--
	Nov-07	1.68	0.068	ND	1.62	--
	Sep-09	1.43	0.274	ND	1.64	3.26
	Sep-10	2.02	0.473		1.38	1.86
	Aug-11	1.06	0.010	ND	0.860	2.50
MW-04	Aug-07	17.8	0.72		16.2	--
	Nov-07	17.3	0.66		15.7	--
	Sep-09	15.3	0.92		13.4	30.5
	Sep-10	13.6	1.04		13.7	39.9
	Aug-11	14.9	0.870		14.4	48.0
MW-04-F	Aug-07	18.2	0.79		15.9	--
	Nov-07	17.9	0.76		16.8	--
	Sep-09	13.3	0.554		12.8	33.4
	Sep-10	11.7	0.622		11	39.2
	Aug-11	16.1	0.800		16.7	46.0
MW-05	Aug-07	3.03	0.25		2.61	--
	Nov-07	2.2	0.045	ND	2.09	--
	Sep-09	2.08	0.18		1.56	5.16
	Sep-10	3.62	0.546		2.64	5.95
	Aug-11	2.36	0.090		2.06	6.10
MW-05-F	Aug-07	3.19	0.25		2.77	--
	Nov-07	2.16	0.15		1.82	--
	Sep-09	2.59	0.193		2	5.91
	Sep-10	2.5	0.143		2.03	5.75



US Army Corps
of Engineers.
Buffalo District
BUILDING STRONG®

TABLE 2
FORMER GUTERL SPECIALTY STEEL CORPORATION FUSRAP SITE
GROUNDWATER RESULTS 2007-2011

Sample ID	Sample Date	²³⁴ U (pCi/L) (a)		²³⁵ U (pCi/L) (a)		²³⁸ U (pCi/L) (a)		Total U (µg/L) (b)	
MW-05-F cont.	Aug-11	2.40		0.110		2.21		6.20	
MW-06	Aug-07	1.55		0.028	ND	1.29		--	
	Nov-07	3.91		0.15		2.94		--	
	Sep-09	0.803		0.053	ND	0.474		1.2	
	Sep-10	1.92		0.231	J	1.5		5.07	
	Aug-11	1.77		0.03		1.16		3.60	
MW-06-F	Aug-07	1.3		0.06	ND	1.06		--	
	Nov-07	2.95		0.09	ND	2.62		--	
	Sep-09	0.308	ND	0.104	ND	0.317		0.819	ND
	Sep-10	2.81		0.38	ND	2.1		4.87	
	Aug-11	1.57		0.100		1.04		3.60	
MW-07	Sep-09	0.271	ND	0.267	ND	0.487		1.27	
	Sep-10	13.2		1.09		13.6		75.8	
	Aug-11	11.8		0.670		12.1		33.4	
MW-07-F	Sep-09	0.777		0.187	ND	0.331		1.24	
	Sep-10	11.2		0.693		10.9		33.9	
	Aug-11	10.5		0.540		10.6		32.4	
MW-08	Aug-07	0.51		0	ND	0.26		--	
	Nov-07	0.41		0	ND	0.26		--	
	Sep-09	0.754		0.0376	ND	0.309	ND	0.966	ND
	Sep-10	0.79		0.12	ND	0.48		1	ND
	Aug-11	0.370	J	0	ND, J	0.240	J	1.10	J
MW-08-F	Aug-07	0.39		-0.005	ND	0.18		--	
	Nov-07	0.23		0.045	ND	0.084	ND	--	
	Sep-09	0.667		0.0373	ND	0.111	ND	0.809	ND
	Sep-10	1.19		0.348	J	0.718		1	ND
	Aug-11	0.400		0.020	ND	0.340		1.10	J
MW-09	Aug-07	4.2		0.27		4.99		--	
	Nov-07	4.22		0.23		4.5		--	
	Sep-09	6.42		0.436		6.8		18.9	
	Sep-10	8.48		1.3		8.66		19.5	
	Aug-11	6.07		0.320		6.48		21.8	J
MW-09-F	Aug-07	4.74		0.16		5.17		--	
	Nov-07	4.03		0.22		4.11		--	
	Sep-09	6.86		0.677		8.38		18	
	Sep-10	7.44		0.617		6.85		20.8	
	Aug-11	6.26		0.280		6.70		21.1	J
MW-10	Sep-09	0.596		0.0394	ND	0.491		0.965	ND
	Sep-10	1.25		0.208	J	0.7		1.21	
	Aug-11	0.580		0.020		0.410		1.60	
MW-10-F	Sep-09	0.198		0.0889	ND	0.36		1	
	Sep-10	1.38		0.29	J	1.4		1.17	
	Aug-11	0.650		0.010	ND	0.530		1.50	
MW-11	Aug-07	1.82		0.13		1.9		--	
	Nov-07	6.8		0.38		5.91		--	
	Sep-09	1.36		0.27		1.27		2.61	
	Sep-10	4.5		0.359		4.8		20.9	
	Aug-11	4.13		0.260		4.56		17.7	J
MW-11-F	Aug-07	1.65		0.1		1.41		--	



US Army Corps
of Engineers.
Buffalo District
BUILDING STRONG®

TABLE 2
FORMER GUTERL SPECIALTY STEEL CORPORATION FUSRAP SITE
GROUNDWATER RESULTS 2007-2011

Sample ID	Sample Date	²³⁴ U (pCi/L) (a)	²³⁵ U (pCi/L) (a)	²³⁸ U (pCi/L) (a)	Total U (µg/L) (b)
MW-11-F cont.	Nov-07	5.32	0.33	5.28	--
	Sep-09	2.22	0.184 ND	2.34	6.39
	Sep-10	8.62	1.19	7.77	22.1
	Aug-11	4.75	0.220	4.65	14.5 J
MW-12	Sep-09	0.7	0.0682 ND	0.422	1.31
	Sep-10	1.35	0.098	1.02	1.68
	Aug-11	1.49	0.130	1.43	3.90
MW-12-F	Sep-09	0.614	0.0123 ND	0.482	0.73 ND
	Sep-10	0.99	0.261 J	0.782	1.91
	Aug-11	1.06	0.140	1.36	3.80
MW-13D	Aug-07	19.6	0.82	21	--
	Nov-07	20.3	1	22.4	--
	Sep-09	30.5	1.83	32.4	102
	Sep-10	27.2	0.546	29	72.6
	Aug-11	23.9	1.13	24.6	79.8
MW-13D-F	Aug-07	21.4	0.98	20.9	--
	Nov-07	20.4	1.05	22.3	--
	Sep-09	34.3	1.91	35.6	106
	Sep-10	19.6	0.328 J	20.9	69.1
	Aug-11	22.6	1.13	23.6	80.2
MW-14	Aug-07	0.92	0.1	0.9	--
	Nov-07	1.52	0.021 ND	1.08	--
	Sep-09	2.47	0.229	2.94	6.39
	Sep-10	2.02	0.157 ND	1.73	7.01
	Aug-11	2.49	0.17	2.08	8.00
MW-14-F	Aug-07	0.87	0.036 ND	0.8	--
	Nov-07	0.93	0.048 ND	1.17	--
	Sep-09	2.44	0.251	2.83	7
	Sep-10	2.36	0.226 J	2.2	7.29
	Aug-11	2.49	0 ND	2.09	8.00
MW-15	Aug-07	0.17	0.06 ND	0.11 ND	--
	Nov-07	4.13	0.34	4.58	--
	Sep-09	1.03	0.14 ND	0.387	0.842 ND
	Sep-10	0.688 J	0.174 J	0.459	1 ND
	Aug-11	0.370	0.020 ND	0.610	2.00
MW-15-F	Aug-07	0.12	-0.005 ND	0.082 ND	--
	Nov-07	5.7	0.33	7.2	--
	Sep-09	0.4	0.0872 ND	0.633	1.09
	Sep-10	0.812	0.036 ND	0.643	1.39
	Aug-11	0.480	0 ND	0.580	1.50
MW-16	Aug-07	5.55	0.31	6.3	--
	Nov-07	8.6	0.43	9.6	--
	Sep-09	11.4	0.701	10.3	29.8
	Sep-10	3.04	0.198	3.57	21.9
	Aug-11	8.80	0.440	9.70	29.3
MW-16-F	Aug-07	5.59	0.39	6.4	--
	Nov-07	9	0.33	9.7	--
	Sep-09	11	0.905	11.6	32
	Sep-10	7.03	0.586	8.18	26.7
	Aug-11	8.90	0.450	10.2	27.7



US Army Corps
of Engineers.
Buffalo District
BUILDING STRONG®

TABLE 2
FORMER GUTERL SPECIALTY STEEL CORPORATION FUSRAP SITE
GROUNDWATER RESULTS 2007-2011

Sample ID	Sample Date	²³⁴ U (pCi/L) (a)	²³⁵ U (pCi/L) (a)	²³⁸ U (pCi/L) (a)	Total U (µg/L) (b)
MW-17	Aug-07	0.66	0.071	0.64	--
	Nov-07	0.61	0.016 ND	0.57	--
	Sep-09	2.55	0.319	2.43	6.21
	Sep-10	2.65	0.3	2.48	7.7
	Aug-11	2.27	0.180	1.82	8.50
MW-17-F	Aug-07	0.78	0.1 ND	0.93	--
	Nov-07	0.48	0.049 ND	0.54	--
	Sep-09	2.09	0.136 ND	2.06	6.86
	Sep-10	2.43	0.257 J	2.31	7.16
	Aug-11	2.39	0.160	2.30	8.30
MW-606D	Sep-09	2.86	0.268	3.03	7.24
	Sep-10	1.76	0.18 ND	1.92	6.91
	Aug-11	2.60 J	0.190 J	2.91 J	7.50
MW-606D-F	Sep-09	2.62	0.213	3.1	5.67
	Sep-10	1.58	0.118 ND	1.69	6.09
	Aug-11	2.88 J	0.060 J	2.37 J	7.40
MW-606DR	Nov-07	2.66	0.16	2.9	--
	Sep-09	5.27	0.438	4.43	13.2
	Sep-10	5.77	0.824	4.56	12.8
	Aug-11	3.37	0.230	3.73	12.8
MW-606DR-F	Nov-07	2.51	0.2	2.4	--
	Sep-09	5.78	0.555	6.42	15
	Sep-10	4.95	0.396	4.76	14.7
	Aug-11	4.20 J	0.170 J	4.54 J	12.4
MW-607D	Aug-07	0.033 ND	-0.008 ND	-0.01 ND	--
	Nov-07	0.023 ND	-0.005 ND	0.064 ND	--
	Sep-09	5.5	0.269	4.92	14.9
	Sep-10	3.36	0.178 ND	3.71	10
	Aug-11	5.35	0.240	4.99	19.5
MW-607D-F	Aug-07	0.064 ND	0.019 ND	0.027 ND	--
	Nov-07	0.15	-0.009 ND	0.009 ND	--
	Sep-09	6.07	0.456	6.52	17.7
	Sep-10	4.95	0 ND	3.01	10.9
	Aug-11	3.88	0.110	4.04	12.3
MW-703DD	Aug-11	0.090	0.010 U	0.070	0.280
MW-703DD-F	Aug-11	0.020 ND	0 ND	0.020 ND	1.00 ND
MW-20	Aug-07	3.36	0.22	3.67	--
	Nov-07	3.84	0.17	3.86	--
	Sep-09	4.84	0.24	4.64	13.1
	Sep-10	4.36	0.373	3.99	12.2
	Aug-11	4.50	0.230	4.27	13.5
MW-20-F	Aug-07	3.64	0.14	3.78	--
	Nov-07	3.59	0.19	3.5	--
	Sep-09	5.04	0.205 ND	4.82	12.2
	Sep-10	4.08	0.16	3.96	13.7
	Aug-11	3.89	0.240	3.82	13.3
MW-21	Aug-07	1.91	0.07 ND	1.65	--
	Nov-07	2	0.02 ND	2.34	--
	Sep-09	1.45	0.0804 ND	1.05	2.52
	Sep-10	1.73	0.694	1.51	4.46



US Army Corps
of Engineers.
Buffalo District
BUILDING STRONG®

TABLE 2
FORMER GUTERL SPECIALTY STEEL CORPORATION FUSRAP SITE
GROUNDWATER RESULTS 2007-2011

Sample ID	Sample Date	²³⁴ U		²³⁵ U		²³⁸ U		Total U	
		(pCi/L) (a)		(pCi/L) (a)		(pCi/L) (a)		(µg/L) (b)	
MW-21 cont.	Aug-11	0.730		0.050		0.790		3.10	
MW-21-F	Aug-07	1.69		0.046	ND	1.32		--	
	Nov-07	1.97		0.12		1.75		--	
	Sep-09	1.2		0.256		1.22		3.52	
	Sep-10	2.02		0.269		1.49		3.57	
	Aug-11	1.03		0.03	ND	0.093		3.20	
MW-22	Aug-07	23.3		1.24		22.7		--	
	Nov-07	4.85		0.26		4.98		--	
	Sep-09	31.7		2.43	ND	29.2		76.3	
	Sep-10	3.19		2.9		2.47		9.09	
	Aug-11	24.3		1.03		24.8		73.6	J
MW-22-F	Aug-07	21.5		1		21.8		--	
	Nov-07	4.49		0.19		4.1		--	
	Sep-09	28.4		2.04		21.8		82	
	Sep-10	2.69		0.218	J	0.218		8.72	
	Aug-11	21.6		1.05		21.2		65.1	J
MW-23	Aug-07	2.06		0.044	ND	1.97		--	
	Nov-07	3.18		0.09	ND	3.5		--	
	Sep-09	3.26		0.212	ND	2.41		6.91	
	Sep-10	3.89		0.316	J	4.84		7.29	
	Aug-11	1.79		0.110		1.73		6.70	J
MW-23-F	Aug-07	2.71		0.16	ND	2.34		--	
	Nov-07	3.79		0.076		3.36		--	
	Sep-09	2.71		0.412		3.3		5.85	
	Sep-10	2.63		0.198	J	2.63		8.51	
	Aug-11	1.74		0.130		1.64		6.30	J
MW-601D	Aug-07	5.83		0.4		5.23		--	
	Nov-07	7.1		0.45		7		--	
	Sep-09	0.916		0.173	ND	0.84		2.17	
	Sep-10	5.52		0.486		3.1		7.81	
	Aug-11	2.54		0.100		2.66		9.60	
MW-601D-F	Aug-07	6.3		0.24		6.5		--	
	Nov-07	8		0.48		8.4		--	
	Sep-09	1.53		0.121	ND	1.17		3.43	
	Sep-10	3.94		0.677		2.79		9.78	
	Aug-11	2.56		0.130		2.61		10.6	
MW-602D	Aug-07	36		1.77		37.5		--	
	Nov-07	25.6		1.39		26		--	
	Sep-09	53.7		3.49		47.4		150	
	Sep-10	37.3		0.828		37.3		109	
	Aug-11	36.5		1.84		36.0		113	
MW-602D-F	Aug-07	39.1		2.15		39		--	
	Nov-07	27.6		1.77		29.8		--	
	Sep-09	47.7		3.85		47		133	
	Sep-10	34.3		0.849		37.7		117	
	Aug-11	36.9		2.08		36.8		112	
MW-603D	Aug-07	4.06		0.2		3.84		--	
	Nov-07	5.06		0.1	ND	4.28		--	
	Sep-09	2.65		0.492		2.12		4.84	



US Army Corps
of Engineers.
Buffalo District
BUILDING STRONG®

TABLE 2
FORMER GUTERL SPECIALTY STEEL CORPORATION FUSRAP SITE
GROUNDWATER RESULTS 2007-2011

Sample ID	Sample Date	²³⁴ U (pCi/L) (a)	²³⁵ U (pCi/L) (a)	²³⁸ U (pCi/L) (a)	Total U (µg/L) (b)
MW-603D cont.	Sep-10	2.89	0.199	2.11	4.86
	Aug-11	2.86	0.100	2.76	11.1 J
MW-603D-F	Aug-07	1.15	0.02 ND	0.86	--
	Nov-07	3.92	0.066 ND	3.42	--
	Sep-09	2.47	0.29	2.33	4.88
	Sep-10	2.79	0.261	2.74	6.4
	Aug-11	3.01	0.190	2.97	8.2 J
MW-701DD	Aug-11	0.89	0.04	0.39	1.4
MW-701DD-F	Aug-11	0.77	0.03	0.46	1.5
MW-702DD	Aug-11	6.65	0.1	1.84	4.5
MW-702DD-F	Aug-11	4.94	0.120	1.47	5.80
MW-18	Aug-07	42	2.2	43.2	--
	Nov-07	40.4	1.61	39.2	--
	Sep-09	54.2	5.11	51.4	150
	Sep-10	35.3	0.373	45	126
	Aug-11	38.8	1.72	39.6	123 J
MW-18-F	Aug-07	42.6	1.66	41.4	--
	Nov-07	41.4	2.08	44.3	--
	Sep-09	51.9	3.07	50.4	140
	Sep-10	37	0.973	40.9	125
	Aug-11	37.7	1.79	36.6	125 J
MW-19	Aug-07	2.22	0.1 ND	2.18	--
	Nov-07	2.34	0.12	2.31	--
	Sep-09	5.88	0.149 ND	5.04	11.9
	Sep-10	6.33	0.241 ND	6.01	19.9
	Aug-11	4.52	0.270	4.77	16.4 J
MW-19-F	Aug-07	2.45	0.061 ND	1.9	--
	Nov-07	2.19	0.09 ND	2.27	--
	Sep-09	5.09	0.266 ND	4.37	12.3
	Sep-10	5.41	0.163 ND	5.4	19.8
	Aug-11	4.34	0.190	4.27	12.9 J
MW-25	Sep-09	65.7	5.18	69.7	151
	Sep-10	52.1	2.88	55	198
	Aug-11	55.7 J	3.22 J	56.4 J	176
MW-25-F	Sep-09	64.5	3.65	62.2	170
	Sep-10	53.5	3.97	55.9	211
	Aug-11	58.5 J	3.28 J	60.5 J	171
MW-26	Aug-07	65.8	2.65	65.6	--
	Nov-07	80	5.3	77.9	--
	Sep-09	61.9	4.04	62	149
	Sep-10	46.6	2.08	49.3	162
	Aug-11	34.7	1.97	35.0	107
MW-26-F	Aug-07	60	2.79	58.7	--
	Nov-07	82	4.17	78	--
	Sep-09	66.4	2.94	65.3	144
	Sep-10	43.7	2.22	44.3	160
	Aug-11	32.1	1.62	32.7	94.6
MW-605D	Aug-07	67	4.9	63	--
	Nov-07	66.9	3.23	68.2	--



US Army Corps
of Engineers.
Buffalo District
BUILDING STRONG®

TABLE 2
FORMER GUTERL SPECIALTY STEEL CORPORATION FUSRAP SITE
GROUNDWATER RESULTS 2007-2011

Sample ID	Sample Date	²³⁴ U (pCi/L) (a)	²³⁵ U (pCi/L) (a)	²³⁸ U (pCi/L) (a)	Total U (µg/L) (b)
MW-605-D	Sep-09	101	5.45	101	274
	Sep-10	74.1	3.09	74.8	248
	Aug-11	67.9	3.43	65.8	214
MW-605D-F	Aug-07	68	3.6	64	--
	Nov-07	70	3.4	64.2	--
	Sep-09	97.3	12.1	88.8	238
	Sep-10	81.8	8.28	84	254
	Aug-11	68.6 J	3.38 J	67.1 J	209
	MW-704DD	Aug-11	9.35	0.380	7.31
MW-704DD-F	Aug-11	10.8	0.460	8.36	26.3
MW-706DD	Aug-11	0.980	0.020 ND	0.480	1.80
MW-706DD-F	Aug-11	0.950	0.01 ND	0.420	1.70
MW-707DD	Aug-11	--	--	--	34.5
MW-707DD-F	Aug-11	--	--	--	33.9
MW-24	Aug-07	0.28	0.025 ND	0.26	--
	Nov-07	2.18	0.13	1.83	--
	Sep-09	9.53	6	4.28	4.22
	Sep-10	8.75	0.895	10.2	24.6
	Aug-11	13.1	0.430	12.6	39.8 J
MW-24-F	Aug-07	0.37	0 ND	0.26	--
	Nov-07	3.45	0.16	3.37	--
	Sep-09	3.76	0.182 ND	3.73	6.92
	Sep-10	10.2	0.793	10.8	29.4
	Aug-11	12.5	0.510	11.6	42.7 J
MW-604D	Aug-07	23.5	0.96	23.7	--
	Nov-07	39	1.92	38.2	--
	Sep-09	39.3	3.1	39.3	117
	Sep-10	44	0.778	41.2	140
	Aug-11	37.1	1.79	37.0	103
MW-604D-F	Aug-07	22.8	1.55	24.7	--
	Nov-07	43.2	1.81	42.3	--
	Sep-09	43.5	3.06	43.4	104
	Sep-10	36.2	0.617	37.2	121
	Aug-11	31.4	1.52	30.4	101
MW-708DD	Aug-11	7.18	0.310	7.03	22.4
MW-708DD-F	Aug-11	7.19	0.300	6.90	23.0
MW-709DD	Aug-11	16.8	0.710	16.0	52.8
MW-709DD-F	Aug-11	18.5	0.700	17.4	55.4
MW-710D	Aug-11	19.1 J	1.02	19.9	67.5
MW-710D-F	Aug-11	24.0 J	1.20	23.8	66.1
MW-710DD	Aug-11	18.6	1.02	19.1	60.8



US Army Corps
of Engineers.
Buffalo District
BUILDING STRONG®

TABLE 2
FORMER GUTERL SPECIALTY STEEL CORPORATION FUSRAP SITE
GROUNDWATER RESULTS 2007-2011

Sample ID	Sample Date	²³⁴ U (pCi/L) (a)	²³⁵ U (pCi/L) (a)	²³⁸ U (pCi/L) (a)	Total U (µg/L) (b)
MW-710DD-F	Aug-11	21.0	1.38	21.3	67.0
MW-712DD	Aug-11	13.2	0.590	12.7	38.7
MW-712DD-F	Aug-11	14.0	12.4	12.4	38.8
MW-713D	Aug-11	2.62	0.060	1.26	5.10 J
MW-713D-F	Aug-11	2.67	0.070	1.40	4.70 J
MW-600D	Aug-07	1.17	0.08 ND	0.69	--
	Nov-07	0.66	0	0.66	--
	Sep-09	0.908	0.171 ND	0.711	2.4
	Sep-10	1.13	0.548	0.817	2.25
	Aug-11	0.920	0.030 ND	0.780	2.40
MW-600D-F	Aug-07	3.78	0.17 ND	3.3	--
	Nov-07	0.86	0.043 ND	0.86	--
	Sep-09	1.28	0.0349 ND	0.543	1.92
	Sep-10	1.55	0.103 ND	0.801	2.56
	Aug-11	1.28	0.050 ND	0.930	2.50
MW-600S	Sep-09	1.37	0 ND	1.4	2.61
MW-600S-F	Sep-09	0.913	0.075 ND	0.727	1.49
Off-Site Wells					
MW-705D	Aug-11	0.210	0.010 ND	0.180	0.890 J
MW-705D-F	Aug-11	0.500	0.020 ND	0.470	2.80 J
MW-705DD	Aug-11	0.510	0.020	0.290	0.890 J
MW-705DD-F	Aug-11	0.250	0 ND	0.180	0.370
MW-711D	Aug-11	2.78	0.090	2.68	9.00
MW-711D-F	Aug-11	2.70	0.160	2.30	2.90 J
MW-711DD	Aug-11	0.800 ND	0 ND,J	0.710 J	1.70 J
MW-711DD-F	Aug-11	1.29	0.110 ND	0.550	2.90 J
Erie Canal Seeps					
Seep-001	Aug-11	13.2	0.072	13.2	44.9
Seep-001-F	Aug-11	15.4	0.670	15.3	44.3
Seep-002	Aug-11	2.09	0.020	1.59	6.30
Seep-002-F	Aug-11	1.89	0.080	2.13	6.20
Seep-003	Dec-11	--	--	--	5.85
Seep-004	Dec-11	--	--	--	3.47
Seep-005	Dec-11	--	--	--	24.8
Seep-006	Dec-11	--	--	--	25.9
Seep-007	Dec-11	--	--	--	24.9
Seep-008	Dec-11	--	--	--	23.2

(a) Analysis for isotopic uranium, Method EML U-02 Modified

(b) Analysis for uranium, Method ASTM D5174 Modified

F Filtered sample

pCi/L Picocuries per liter

µg/L Micrograms per liter

-- Sample not analyzed for this parameter

ND Non-Detect (result is below the Minimum Detectable Activity/Minimum Detectable Concentration)

J Estimated